



Dielectric Parameter Study of Tropine-Chloroform Solution Using TDR Technique

S. D. Pawar

K. V. N. Naik Art's Commerce & Science College (Canada corner) Nashik.(MH)

Abstract:

This paper consists of the work undertaken of the study of dielectric parameter of non-aqueous solution of Tropine-Chloroform for various concentrations. The time domain reflectometry technique is used for the study in the frequency range from 10 MHz to 30 GHz. The relaxation time (τ), The static dielectric constant (ϵ_0), dielectric constant at higher frequency (ϵ_∞) of mixture of Tropine with Chloroform have evaluated at 25^oc.

Key words: Alkaloids, Dielectric constant, Relaxation time& TDR.

Introduction:

Tropine is an alkaloid obtained chiefly by hydrolysis of Atropine. It contains a hydroxyl group and behaves as a saturated compound. It is also called 3-Tropanol. Its molecular formula is C₈H₁₅NO [1]. The molecular structure of Tropine as shown figure (1).




Figure No.:1 molecular structure of Tropine.

The dielectric constant is one of the important physiochemical properties of the mixed solvent, which enhance most of the biological, pharmaceutical, chemical, physical, analytical laboratory applications etc. [2, 3]. In the present work we have studied the dielectric constant and relaxation time of Tropine with Chloroform mixtures at various concentrations at 25^oC is studied using Time Domain Reflectometry Technique in frequency range 10 MHz to 30 GHz. The dielectric behavior of this solution is explained by Cole-Devidson model.

Experimental Method:

A) Materials: Tropine 98% was obtained commercially from Anand Agency, Pune, made by Acros organics thermofisher scientific India pvt Ltd. And used without further purification. The solutions were prepared by mixing the Tropine – Chloroform.

B) Measurements: The dielectric constants and relaxation time of various mixtures of solutions was measured by TDR, the Tektronix model No. DSA8200 digital serial analyzer sampling mainframe along with the sampling module 80E08. TDR dielectric measurement systems consist of step generator, which is produce fast rising pulse of the order of picoseconds. A train of suitable fast rising pulses is applied to a transmission line usually a co-axial line with characteristic impedance 50Ω . A co-axial line is connected to sampling device the systematic block diagram of the experimental set up for TDR is shown in Figure(2). A suitable fast rising pulse $R_1(t)$ is applied to a transmission line and incident to the sample under study and its reflected part $R_X(t)$ from the sample solution in the sample holder is shown in figure (2) [4,5].




Figure No: 2 Systematic Block Diagram of Time Domain Reflectometry.




Figure No: 3 Reflected pulses without sample $R_1(t)$ and with sample $R_X(t)$.

Result and Discussion:

The recorded pulses are added [$q(t) = R_1(t) + R_x(t)$] and subtracted [$p(t) = R_1(t) - R_x(t)$]. Further the Fourier transformation of $p(t)$ and $q(t)$ was obtained by Summation and Samulon method for the frequency range 10 MHz to 30 GHz. The complex reflection spectra were determined as follows.

$$\rho^*(\omega) = \frac{c}{j\omega d} \frac{p(\omega)}{q(\omega)}$$

Where $p(\omega)$ and $q(\omega)$ are Fourier transformation of $p(t)$ and $q(t)$ respectively, c is speed of light, ω is the angular frequency, d is effective length and $j = \sqrt{-1}$

The complex permittivity spectrum of the mixtures solution is determined by the Havriliak- Negami (HN) equation [6, 11]. The complex dielectric permittivity data were fitted to HN model using non-linear least square fit method in order to extract dielectric relaxation time with the following expression [7, 8].

$$\varepsilon^*(\omega) = \varepsilon_\infty + \frac{(\varepsilon_0 - \varepsilon_\infty)}{[1 + (j\omega\tau)^{(1-\alpha)}]^\beta}$$

Where ε_0 is the static dielectric constant, ε_∞ is the dielectric constantan high frequency. τ is relaxation time, the α & β are symmetric and asymmetric distribution of relaxation time respectively. The Havriliak- Negami equation includes the relaxation model as a limiting form [9, 10].

- 1) If $\alpha = 0$ and $\beta = 1$ then single Debye equation.
- 2) $0 \leq \alpha \leq 1$ then it would be Cole – Cole model of symmetric distribution of relaxation times.
- 3) $\alpha = 0$ and β varied such that $0 \leq \beta \leq 1$ this behavior is identified as Cole Davidson (CD) asymmetric distribution of relaxation time.

The value of static dielectric constant (ε_0), dielectric relaxation time (τ) and dielectric constant high frequency (ε_∞) are reported in table-1 for Tropine-Chloroform mixture. The relaxation time observed to increases systematically as increase in concentration as shown in table 1.

Conc.	ε_0	τ (PS)	ε_∞	β
0.01	4.50	1.81	0.77	1.22
0.02	4.33	2.32	0.87	1.15
0.03	4.21	2.27	0.98	1.26

Table: - 1 Dielectric parameter of Tropine-Chloroform mixture.

Conc.	ΔH	ΔS
0.01	2.83	0.24
0.02	8.24	0.19
0.03	10.56	0.15

Table: - 2 Thermodynamic parameter of Tropine-Chloroform mixture.

With the increase in concentration of solution the increase in dielectric constant and systematic change in the dielectric parameters of the solution can be explain on the basis of molecular interaction. The increase in τ values with increase concentration is indicating that number of dipoles increase in solution. The intermediate structure formed rotates slowly there by giving the increase value of τ in solution.

Conclusion:

The dielectric properties of Tropine-Chloroform mixture have studied using time domain reflectometry technique in the frequency range 10 MHz to 30 GHz at 25⁰C temperature and various concentrations. The deviation in dielectric constant and relaxation times from ideality may be due to interaction in Tropine-Chloroform mixture dielectric constant decreases and relaxation time goes on increasing as concentration increases. From the observed result we can conclude that dielectric constant, relaxation time of Tropine-Chloroform mixture are depending on concentration.

References:

- 1 [Http://enWikipedia.org/Wiki/Tropine](http://enWikipedia.org/Wiki/Tropine)
- 2 Microwave measurement Technique and App. Edited by J. Behari (2003) 53-58.
- 3 J. B. Hasted Aqueous dielectric (Chapman and Hill London) 1973.
- 4 G.R. Mahajan and A.C. Kumbharkhane Int. J. of Bioses Bioche. And Bioform Vol 2, No.2, March 2012.66, 793-802.
- 5 A.D. Vyas, V.A. Rana and D.S. Gadani Ind. J of Pure and App. Phys Vol 49. April 2011, 277-283.
- 6 P.R Mahesmalkare, S.B Sayyad, Scholer esearch library 2014,5(1),37-41.
- 7 P.G. Hudge, M.P. Lokhande and A.C. Kumbharkhane, Ind J. Phys (Sept. 2012) 86(9)813-818.
- 8 C.S. Mali, S. D. Chavan, K. S. Kanse A. C. Kumbharkhane and S. C. Mehrotra; Indian J. of Pure & App. Physics Vol 45, May 2007, pp. 476-481.
- 9 Y.S. Joshi, A.C. Kumbharkhane J. Mol. Liq 161 (2011) 120-124.
- 10 M. B Swami, V.P.Pawar, P.G.Hudge, A.C.Kumbrkhane. pro.NCMTA.-2013,178.
- 11 Havriliak S. Negami S.J. Polym. Sci. (1966)14, 99-117.