



Assessment Of Physical And Functional Properties Of Finger Millet Grain Varieties

Srusti S.N.R¹., Ramesh Babu H.N²., Rajeshwari N³.

1 Research Scholar, Department of Botany and Seed Technology, Sahyadri Science College, Kuvempu University, Shivamogga-577 203, Karnataka, India

2,3 Professor, Department of Botany and Seed Technology, Sahyadri Science College, Kuvempu University, Shivamogga-577 203, Karnataka, India,

ABSTRACT

The current study aimed to determine the physical properties of finger millet (FM) cultivars (GPU-48, Indaf-7, ML-365, and MR-1 and MR-6). The moisture content; dimensional properties such as length, width, thickness, geometric mean diameter, and arithmetic mean diameter; physical properties such as one thousand (1000) sample weight, bulk density, true density, porosity, sphericity, aspect ratio, surface area, and sample volume; functional properties such as water absorption capacity (WAC), dispensability, and viscosity were determined. Scanning electron microscopy (SEM) analysis of FM cultivar varieties was also evaluated. Results revealed that ML-365 cultivar was higher than other samples in moisture content, width, thickness, geometric mean diameter, arithmetic mean diameter, surface area and sample volume. Data showed that MR-6 was higher in viscosity cold paste and viscosity cooked paste than in other FM cultivars. SEM findings revealed that starch granules of raw FM flours had oval/spherical and smooth surface. In conclusion study findings are important for agricultural and food engineers, designers, scientists and processors in the design of equipment for FM grain processing. Results are likely to be useful in assessing the quality of grains used to fortify FM flour.

Keywords: Finger millet, physical properties, dimension properties, functional properties

INTRODUCTION

Millets are small seeded grasses that grow on dry zones as rain fed crops, under marginal conditions of soil fertility and moisture. Millets are one of the oldest foods known to humans and probably the first cereal grain to be used for domestic purposes. The millets can be classified broadly into two types for convenience namely, major and minor millets based on their seed size. Major millets include sorghum (*Sorghum vulgare*), finger millet (*Eleusine coracana*) and pearl millet (*Pennisetum glaucum*), while minor millets include little (*Panicum miliare*), proso (*Panicum miliaceum*), kodo (*Paspalum scrobiculatum*), Italianor foxtail (*Setaria italica*) and barnyard millet (*Echinochloa frumentacea*). Small millets are small grained cereals and are the staple food of the millions inhabiting the arid and semiarid tropics of the world. Millets are distributed in most of the Asian. Finger millet belongs to the family Poaceae and is more commonly known as ragi or madua in India, rapoko in South Africa and dagusa in Ethiopia [1,2]. Globally, 12% of the total millet area is under finger millet cultivation, covering more than 25 countries of Africa and Asia [3]. It forms a predominant essential food for people living on marginal lands and with limited economic resources. An agronomically sustainable crop, it can grow on marginal lands, high altitudes and can easily withstand drought and saline conditions, requires little irrigation and other inputs and yet maintain optimum yields. From the nutritional perspective, finger millet is considerably rich in minerals and its micronutrient density is higher than that of the world's major cereal grains; rice and wheat [4,5]. A few varieties of finger millet are sporadically grown and consumed in some parts of India. Therefore, to make people aware about the quality parameters of these millets as compared to other cereal grains, the present study was designed with the following objective, viz., to determine the moisture, physical and functional properties of the varieties of finger millet grains.

MATERIALS AND METHODS

Sorting of finger millet grains.

Mixed grain cultivars were purchased from Southern dry zone of Karnataka India. Foreign materials were removed from the grains by immersion in clean water. Finger millet varieties GPU-48, Indaf-7, ML-365, MR-1 and MR-6 were used.

The determination of other physical properties such as moisture content, 1000 sample weight, bulk density, true density, porosity, aspect ratio, sample volume and sample surface area and functional properties of FM flours such as WAC, BD, dispensability and viscosity (cold and cooked paste) were performed in 5 replicates for each grain cultivar.

Preparation of finger millet flour

The sorted samples were then soaked in cold water for 24 h at 30 °C. The soaked sample was dried at 60 °C for 24 h using hot air oven to a moisture content of 10–12%. The FM were milled into FM flour using miller at 18000 rpm for 3 min and sieved at 100 µm. The samples were then packed and sealed in a polythene bag for further analysis [6].

Moisture content on wet basis

The moisture content (%) was determined with hot air oven drier using the method 44–15. using below equation [7]. A dry coded, clean crucible was placed in the oven for about 30 min, cooled and weighed. Four grams of FM grain cultivars and FM flours were weighed into the crucible, and recorded. The

samples were dried at 101 to 105 °C for 24 h, removed and cooled until a constant weight was obtained. The results of moisture content (%) were calculated thus:

$$\% \text{moisture} = \frac{W_2 - W_3}{W_2 - W_1} \times 100$$

Where,

W1 = weight of empty crucible

W2 = weight of crucible + flour before drying

W3 = weight of crucible + flour after drying

Dimensional Properties

A total of twenty seeds were randomly selected from each cultivar milky cream, brown, black, and the control. Three different dimensional properties (mm) were determined by measuring the length (L), width (W) and thickness (T) of the grains using a digital vernier caliper at an accuracy of 0.01 mm [8].

Geometric mean diameter

The geometric mean diameter (mm) was determined based on the measured dimensions of finger millet samples using below equation [8]. Geometric mean diameter (Dg) is equivalent to $D_g = (L \times W \times T)^{1/3}$

Where, L = length. W = width. T = thickness.

Arithmetic mean diameter

The arithmetic mean diameter (mm) of the sample was obtained using the methods of Mpotokwane, et al. 2008 [8] Arithmetic mean diameter was calculated from the dimensional values using below equation: Arithmetic mean diameter.

$$D_g = (L + W + T)^{1/3}$$

Where, L = length. W = width. T = thickness.

One Thousand (1000) sample weight

Thousand sample weights were determined by weighing, recording the weight and counting manually the number of the sample. The grain samples were weighed using digital electronic balance with 0.01 g accuracy (Adam CPW plus150p, USA) [9].

Bulk density

Bulk density (kg/m³) is described as the ratio of the mass of the sample to its total volume [10]. It was determined by filling a 500 mL cylinder with grains using method of Mariotti, Alamprese, Pagani, and Lucisano [11]. Bulk density (kg/ m³) was calculated as a ratio between the sample weight and the volume of the cylinder using below equation:

$$\text{Bulk density} = \text{Sample weight} / \text{Volume}$$

True density

The true density (kg/m³) was determined by the liquid displacement method using a top loading balance. A total of 100 g of grains were immersed in graduated beaker containing distilled water. The amount of water displacement was recorded using below equation ^[12].

$$\text{True density} = 30g / (V2 - V1)$$

Where,

Pt = true density, V1 = initial volume and V2 = final volume.

Porosity

Porosity (%) is defined as the fraction of the space in bulk grain that is not occupied by the grain ^[9]. It was calculated using below equation from the true density and bulk density using method of Vanrnakhasti et al., 2008 ^[10].

$$\varepsilon = \frac{P_t - P_b}{P_t} \times 100$$

Where,

ε = porosity

Pt = true density

Pb = bulk density

Sphericity

Sphericity (%) is explained as the ratio of the surface area of a sphere having the same volume as the grain to the surface area of the grain and was calculated using the method of Hamdani et al. ^[13].

$$\Phi = \frac{(LWT)^{1/3}}{L} \times 100$$

Where,

Φ = Sphericity.

Aspect ratio

The aspect ratio (%) was calculated using below equation, method of Vanrnakhasti et al. 2008 ^[10] as follows:

$$\text{Aspect ratio} = \frac{\text{Width}}{\text{Length}} \times 100$$

Surface area

The surface area, mm² of three FM cultivars was calculated using below equation, method of Karababa & Coşkuner, 2013 [12]

$$\text{Surface area} = \frac{\pi BL^2}{2L-B}$$

Where, B = (WT)^{1/2}

Sample volume

The volume (mm³) of the grains was calculated Eq. (10), method of Karababa & Coşkuner 2013 [12].

$$\text{Surface volume} = \frac{\pi B^2 L^2}{6(2L-B)}$$

W = width; L = length.

Water absorption capacity (WAC)

One (1) gram FM flour was transferred into weighing 50 mL centrifuge tubes in triplicate to which 10 mL of distilled water was added, stirred homogeneously with a glass rod and incubated in water bath at 30 °C for 30 min. The centrifuge tubes were centrifuged at 3000 rpm for 15 min. The supernatants were discarded and the residues were weighed. Two different weights of the centrifuge tubes gave water absorbance using below equation, method of Sawant et al. 2013 [14].

$$\text{Water absorption capacity} = \frac{V_1 - V_2}{V_2} \times 100$$

Where,

V1 = initial volume of the liquid.

V2 = final volume of the liquid.

Determination of dispersibility

A total of 10 g of the flour sample was weighed into 100 mL measuring cylinder and distilled water was added. The set up was stirred vigorously and allowed to stand for 3 h. The volume of settled particle was recorded and subtracted from 100 using below equation [15]. % Dispersibility = 100 - volume of settled particles.

Viscosity

Approximately 10 g of the flour was mixed with 90 mL of distilled water at 30 °C and allowed to hydrate for 30 min with occasional stirring. The viscosity of the slurry was measured in Brookfield viscometer (Model RV, Brookfield Engineering, Inc., USA) using spindle number Q3 rotating at 100 rpm and the cold paste viscosity was measured in centipoise (cP). Subsequently, the slurry was heated to boiling in a water bath at 95±1 °C for a period of 20 min, cooled to 30 °C and cooked [16].

Scanning Electron Microscopy (SEM)

Microscopic structure of FM flour was mounted on a sample holder using double-sided scotch tape and was coated with thin layer of gold in a sputter coating equipment. All examinations were observed at an accelerated voltage of 5.000 kV using a scanning electron microscope coupled with electron probe microanalysis Energy Dispersive X-ray detector (Mervlin/Evo Germany) [17].

Results and Discussion

Moisture content of finger millet grains

Table 1 shows the results of the mean moisture content (%) of the FM grain varieties that ranged from 7.97 ± 0.25 to $9.19 \pm 0.11\%$. ML-365 showed higher moisture content than other FM varieties and least moisture content was observed in GPU-48. The results showed that the moisture content (%) were within the specified percentage of $< 12\%$ as shown in the work of Saleh et al. 2013 [6]. Moisture content is one of the important factors that govern the physical properties of grain [18]. It is also a good indicator as to whether the grains can be stored for a long or short period. According to Abdullah et al. 2012 [19] the higher the moisture content, the shorter the storage life of the grain as high moisture content can cause a rapid growth of mould on grains.

Table 1: Moisture Content of Finger Millet Grain Varieties

FM Varieties	Moisture (%)
GPU - 48	7.97 ± 0.25
Indaf - 7	8.23 ± 0.19
ML - 365	9.19 ± 0.11
MR - 1	8.87 ± 0.46
MR - 6	8.25 ± 0.24

Values are expressed as Mean \pm S. D; n=5

Dimensional properties of finger millet cultivars

The mean results of the length, width and thickness of the three cultivars were measured using vernier digital caliper and ranged between 1.55 ± 0.01 to 1.35 ± 0.01 mm for length; 1.40 ± 0.01 to 1.21 ± 0.01 mm for width and 1.31 ± 0.01 to 1.17 ± 0.01 mm for thickness (Table 2). Length values were for Indaf-7 and width values and thickness for ML-365 were higher when compared with other samples. The geometric mean diameter ranged from 1.41 ± 0.01 mm to 1.30 ± 0.00 mm and arithmetic mean diameter from 1.41 ± 0.01 mm to 1.30 ± 0.01 mm. Similar observation was reported in other studies where the length, breadth and thickness of foxtail millet (*Setaria itatica*): variety-HMT 1001 were 2.17 mm, 1.59 mm and 1.45 mm respectively. The length, breadth, thickness and length/breadth ratio of whole grain kodo millet were found 2.61 mm, 1.96 mm, 1.33 mm and 1.33 mm respectively [20]. The geometric mean diameter and arithmetic mean diameter was also highest in ML-365 in the present study. Therefore, ML-365 grain showed a difference on all dimensions except for length studied as compared to other FM varieties.

Table 2: Dimensional Properties of Finger Millet Grain Varieties

Dimensions (mm)	GPU - 48	Indaf - 7	ML - 365	MR - 1	MR - 6
Length	1.50±0.01	1.55±0.01	1.52±0.01	1.35±0.01	1.53±0.01
Width	1.36±0.01	1.21±0.01	1.40±0.01	1.31±0.01	1.37±0.01
Thickness	1.29±0.01	1.17±0.01	1.31±0.01	1.23±0.01	1.30±0.01
Geometric mean Diameter	1.38±0.01	1.30±0.00	1.41±0.01	1.30±0.01	1.40±0.00
Arithmetic mean Diameter	1.38±0.01	1.31±0.00	1.41±0.01	1.30±0.01	1.40±0.00

Values are expressed as Mean ±S.D; n=5

Physical and functional properties of finger millet grain cultivars/flours

The results of physical properties of FM grain varieties were represented in Table 3. The highest mean result for 1000 sample weight was obtained from Indaf-7, 691.00±12.02 g and the lowest mean result for 1000 sample weight was 456.20±2.14 g from ML-365. Vidhyavathi analyzed the physical characteristics of brown and white varieties of finger millet and found that in brown varieties thousand grain weights ranged from 2.2 to 3.1g, thousand seed volume ranged from 2.0 to 2.5 ml [21]. In a similar study, Thilagavathi et al. reported that maximum thousand grain weight was observed in pearl millet (11.39 g) followed by kodo millet (2.45 g) and little millet (2.23 g) [22]. The differences in the parameters of the present study might be due to differences in environmental conditions during plant development, the position in the panicle (the better developed grains are on the top of the panicle) and also the varietal differences. Results of analysis also showed that bulk density ranged from 963.00±2.83 to 1136.16±0.79 kg/m³ respectively, with Indaf7 showing the highest bulk density and GPU-48 showing the lowest bulk density. The difference of bulk densities may be due to the fact that it is influenced by many factors. Gaines et al. reported that rain causes grain kernels to swell but subsequent drying does not return some layers of the pericarp to their original pre-rain size, leaving some of the pericarp layers to exhibit a loose or puffed appearance [23]. These changes cause decrease of grain density and test weight, but do not influence the flour yield.

Table 4: Functional Properties of Finger Millet Grain Varieties

Dimensions (mm)	GPU - 48	Indaf - 7	ML - 365	MR - 1	MR - 6
WAC (mL/g)	1.02±0.02	1.14±0.03	1.01±0.01	0.90±0.01	1.00±0.02
Dispersibility (%)	80.27±0.20	90.36±0.28	82.19±0.16	86.30±0.17	83.25±0.15
Viscosity cold paste	5.54±0.07	5.03±0.03	5.42±0.02	4.84±0.04	5.63±0.03
Viscosity cooked paste	281.25±0.84	75.12±0.48	271.12±0.48	269.66±0.48	289.01±0.48

Values are expressed as Mean ±S. D; n=5

Scanning electron micrographs of FM varieties

Figure 1 to 5 shows the SEM structures of Indaf-7, GPU-48, ML-365, MR-6 and MR-1. FM starch granules which were at accelerating voltage of 5.000 kV. Indaf-7, GPU-48, ML-365, MR-6 and MR-1 flours showed that the loosened starch granules had various shapes which were mainly isolated, oval/spherical or polygon and the smooth surface may be caused by soaking, drying and milling grain into FM whole meal flour. Saleh et al. 2013 [6] reported that the soaking technique improves the bioavailability of nutrients

such as minerals. Milling process shows a negative impact on nutritional contents because protein, fat, ash and fiber contents were reduced but increased the digestibility/ bio accessibility of grains. Sakhare et al. 2014 [34] studied the micro-structure of wheat flour and reported that milling may cause starch granules to be viewed as damaged. Gorin stein et al. 2004 reported that milling of cereal grains also causes the microstructure changes in proteins and influences the fine microstructure to occur. Drying is a process that preserves grains and various essential characteristics of grains undergo changes during drying due to the loss of water from the inner structure and the surrounding surface. It was observed that physical characteristics of food may be altered during drying which are caused by changes in food microstructure [36]



Fig 1: Showing scanning electron microscopic picture of Indaf-7




Fig 2: Showing scanning electron microscopic picture of GPU -48




Fig 3: Showing scanning electron microscopic picture of ML -365




Fig 4: Showing Scanning electron microscope picture of MR-6



Fig 5 : Showing Scanning electron microscope picture of MR - 1

Conclusion

ML-365 was higher in moisture content, width, thickness, geometric mean diameter, arithmetic mean diameter, surface area and sample volume among other FM flour cultivar. Therefore, ML-365 FM cultivar may be used by food processors for the development of the new food products that can also be consumed in urban areas especially by people who suffer from chronic diseases. The information from this study can be used by agricultural engineers, food engineers, food processors and food scientists. The information is potentially useful in the designing of equipment which is suitable for planting, harvesting, storage, processing and packaging of grains and flour. Moreover, the size and shape such as geometric mean diameter and sphericity properties of the FM grains need to be known by manufacturers as they contribute in designing better equipment suitable for grain and other food processing operations. Therefore, data obtained on the physical and functional properties of grains may measure the quality of grains used to produce fortified FM flour with zinc and vitamin B2.

References

1. Obilana AB, Manyasa E. Millets. In Pseudocereals and less common cereals: grain properties and utilization potential (PS Belton and JRN Taylor eds); c2002, p. 177217.
2. Ignacimuthu S, Ceasar SA. Development of transgenic finger millet (*Eleusine coracana* (L.) Gaertn.) resistant to leaf blast disease. *Journal of biosciences*. 2012;37(1):135-47.
3. American Diabetes Association. Diagnosis and classification of diabetes mellitus. *Diabetes care*. 2009;32(Supplement_1):S62-7.
4. Antony U, Chandra TS. Antinutrient reduction and enhancement in protein, starch, and mineral availability in fermented flour of finger millet (*Eleusine coracana*). *Journal of Agricultural and Food Chemistry*. 1998;46(7):2578-82.
5. Sankara Vadivoo A, Joseph R, Meenakshi Ganesan N. Genetic variability and diversity for protein and calcium contents in finger millet (*Eleusine coracana* (L.) Gaertn) in relation to grain color. *Plant Foods for Human Nutrition*. 1998;52(4):353-64.
6. Saleh AS, Zhang Q, Chen J, Shen Q. Millet grains: nutritional quality, processing, and potential health benefits. *Comprehensive reviews in food science and food safety*. 2013;12(3):281-95.
7. AACC. In D. E. Bruns (Ed.). *Official methods of analysis* (10th ed). St Paul, MN: American Association of Cereal Chemists; c2000.
8. Mpotokwane SM, Gaditlhatlhelwe E, Sebaka A, Jideani VA. Physical properties of Bambara groundnuts from Botswana. *Journal of food engineering*. 2008;89(1):93-8.
9. Sangamithra A, Gabriela JS, Prema RS, Nandini K, Kannan K, Sasikala S, Suganya P. Moisture dependent physical properties of maize kernels. *International Food Research Journal*. 2016;23(1):109.
10. Varnamkhandi MG, Mobli H, Jafari A, Keyhani AR, Soltanabadi MH, Rafiee S, Kheiralipour K. Some physical properties of rough rice (*Oryza Sativa* L.) grain. *Journal of Cereal Science*. 2008;47(3):496-501.
11. Mariotti M, Alamprese C, Pagani MA, Lucisano M. Effect of puffing on ultrastructure and physical characteristics of cereal grains and flours. *Journal of cereal science*. 2006;43(1):47-56.
12. Karababa E, Coşkun Y. Physical properties of carob bean (*Ceratonia siliqua* L.): An industrial gum yielding crop. *Industrial crops and Products*. 2013;42:440-6.
13. Hamdani A, Rather SA, Shah A, Gani A, Wani SM, Masoodi FA, Gani A. Physical properties of barley and oats cultivars grown in high altitude Himalayan regions of India. *Journal of Food Measurement and Characterization*. 2014;8(4):296-304.
14. Sawant AA, Thakor NJ, Swami SB, Divate AD, Vidyapeet BS. Physical and sensory characteristics of ready-to-eat food prepared from finger millet based composite mixer by extrusion. *Agricultural Engineering International: CIGR Journal*. 2013; 15(1):100-5.
15. Olapade AA, Babalola YO, Aworh OC. Quality attributes of fufu (Fermented cassava) flour supplemented with Bambara flour. *International Food Research Journal*. 2014;21(5).

16. Krishnan R, Dharmaraj U, Manohar RS, Malleshi NG. Quality characteristics of biscuits prepared from finger millet seed coat based composite flour. *Food chemistry*. 2011;129(2):499-506.
17. Anyasi TA, Jideani AI, Mchau GR. Effects of organic acid pretreatment on microstructure, functional and thermal properties of unripe banana flour. *Journal of Food Measurement and Characterization*. 2017;11(1):99110.
18. Goswami D, Manikantan MR, Gupta RK, Vishwakarma RK. Research A. *Journal of Postharvest Technology*. 2015;3(03):082-8.
19. Abdullah MH, Ch'ng PE, Yunus NA. Some physical properties of Musk Lime (*Citrus microcarpa*). *International Journal of Agricultural and Biosystems Engineering*. 2012;6(12):1122-5.
20. Kumari N, Raghuvanshi RS. Physico-chemical and functional properties of buckwheat (*Fagopyrum esculentum* Moench). *Journal of Eco-friendly Agriculture*. 2015;10(1):77-81.
21. Vidyavathi, H.G. M.Sc. Thesis, UAS, GKVK, Bangalore; 2001, p. 42-45.
22. Thilagavathi T, Banumathi P, Kanchana S, Ilamaram M. Effect of heat moisture treatment on functional and phytochemical properties of native and modified millet flours. *Plant Archives*. 2015;15(1):15-20.
23. Gaines CS, Finney PL, Fleege LM, Andrews LC. Use of aspiration and the single kernel characterization system to evaluate the puffed and shriveled condition of soft wheat grain. *Cereal chemistry*. 1998;75(2):207-11.
24. Zewdu AD, Solomon WK. Moisture-dependent physical properties of tef seed. *Biosystems engineering*. 2007;96(1):57-63.
25. Jain RK, Bal S. Properties of pearl millet. *Journal of agricultural engineering research*. 1997;66(2):85-91.
26. Balasubramanian S, Viswanathan R. Influence of moisture content on physical properties of minor millets. *Journal of food science and technology*. 2010;47(3):27984.
27. Adebowale AA, Adegoke MT, Sanni SA, Adegunwa MO, Fetuga GO. Functional properties and biscuit making potentials of sorghum-wheat flour composite. *American Journal of food technology*. 2012;7(6):372-9.
28. Markowski M, Żuk-Gołaszewska K, Kwiatkowski D. Influence of variety on selected physical and mechanical properties of wheat. *Industrial Crops and Products*. 2013;47:113-7.
29. Dharmaraj U, Meera MS, Reddy SY, Malleshi NG. Influence of hydrothermal processing on functional properties and grain morphology of finger millet. *Journal of Food Science and Technology*. 2015;52(3):1361-71.
30. Mandge HM, Sharma S, Dar BN. Instant multigrain porridge: effect of cooking treatment on physicochemical and functional properties. *Journal of Food Science and Technology*. 2014;51(1):97-103.
31. Akpata MI, Akubor PI. Chemical composition and selected functional properties of sweet orange (*Citrus sinensis*) seed flour. *Plant foods for human nutrition*. 1999;54(4):353-62.

32. Giami SY. Effect of processing on the proximate composition and functional properties of cowpea (*Vigna unguiculata*) flour. *Food chemistry*. 1993;47(2):153-8.
33. Usman MA, Bolade MK, James S. Functional properties of weaning food blends from selected sorghum (*Sorghum bicolor* (L.) Moench) varieties and soybean (*Glycine max*); c2016.
34. Sakhare SD, Inamdar AA, Soumya C, Indrani D, Rao GV. Effect of flour particle size on microstructural, rheological and physico-sensory characteristics of bread and south Indian parotta. *Journal of food science and technology*. 2014;51(12):4108-13.
35. Gorinstein S, Pawelzik E, Delgado-Licon E, Yamamoto K, Kobayashi S, Taniguchi H, Haruenkit R, Park YS, Jung ST, Drzewiecki J, Trakhtenberg S. Use of scanning electron microscopy to indicate the similarities and differences in pseudocereal and cereal proteins. *International journal of food science & technology*. 2004;39(2):183-9.
36. Sun Q, Gong M, Li Y, Xiong L. Effect of dry heat treatment on the physicochemical properties and structure of proso millet flour and starch. *Carbohydrate polymers*. 2014;110:128-34.

