# An Investigatation of Iridium based Implants in Biomedical Engineering

Shyamal Kumar Kundu, Professor, Department of Basic Sciences, Galgotias University

### **Abstract**

Iridium is one of the most used metals for implants. Thereview analysis had been conducted to understand the active authors, organizations, journals, and countries involved in the research domain of "Iridium-implants". All published articles related to "Iridium-implants" from "Scopus", were analyzed using the Meta Analysis to develop analysis tables and visualization maps. This article had set the objective to consolidate the scientific literature regarding "Iridium-implants and also to find out the trends related to the same. The leading Journals werethe International Journal of Radiation, Oncology, Biology, Physics. The most active country was the United States of America. The leading organization engaged in the research regarding Iridium-implants was the Memorial Sloan-Kettering Cancer Center, USA. The most active authors who had made valuable contributions related to Iridium-implants were Pierquin B and Harrison L.B.

**Keywords:**Iridium-implants, Material engineering, Review analysis, Meta Analysis,

# 1. Introduction

An engineered medical device to replace a missing or damaged biological structure is known as an implant. Different types of metals and materials are used to create implants. Iridiumhad been used for diversified purposes. Similarly, the high concentration of metals in body fluids, toxicity, and allergy of metals should also be considered in the cases of bio-implants.

Iridium had been mainly used for the treatment of various types of implants for cancer including breast cancer, lip cancer, prostate implant, and breast implants. Iridium wire implants can be used for treatment of cancer (McCormick et al., 1988) (Monticciolo et al., 2001) (Lasso et al., 1998) (Mazeron et al., 1987) (Irigaray et al., 1989) (Fentiman et al., 1996) (Fentiman et al., 1991) (Baily, 1982) (Brosman, 1991) (Dale, Jones and Price, 1997) (Daly, Douchez and Combes, 1982) (Daly, Lafontan and Combes, 1984) (De La Huerta Sanchez et al., 1988) (De Paula Carranza et al., 1991) (Deore et al., 1993) (González et al., 2002). Iridium-192 wires were used for interstitial implants (Behar et al., 1994) (Bello et al., 1982). Similarly, Iridium has been widely used in the treatment of carcinomas (Puthawala et al., 1981) (Bagshaw et al., 1991) (Behar et al., 1994) (Carstanjen et al., 2007); in the treatment of gynecological malignancies (Clubb, 1985) (Gerard et al., 1987) (Gerard et al., 1985) (Jackson, 1980). Iridium had also been used for breast implants (Hutchings, 1985) (Ibbott et al., 2007); prostate implant (Khan, David Crawford, and Johnson, 1983) (Khan et al., 1992); for application of the gold button technique for intraoral interstitial implants with iridium 192 seeds (Kumar and Henschke, 1977); brain implants (Sewchand et al., 1984).

Material engineering and surface engineering can play a significant role in improving the performance and life of Iridium—implants along with measures for reducing toxicity and hypersensitivity of the metal implants. Future research can also be on surface coatings of, metal implants using Iridium. This review analysis will be a useful platform for future researchers by realizing the top researchers, organizations, and countries involved in research regarding Iridium-implants. This article is arranged into four sections. The first section is the introduction, followed by the discussion of the methodology by which the research was conducted. The third section deals with results and discussion. The fourth section deals with the

conclusion. The following research objectives and research questions were framed for conducting review analysis systematically.

# 1.1 Research Objectives

- a) To consolidate the literature regarding Iridium-implants
- b) To find out the trends related to research in Iridium-implants

# 1.2 Research Questions

- a) Who are the active researchers working on Iridium-implants?
- b) Which are the main organizations and countries working on Iridium-implants?
- c) Which are the main journals on Iridium-implants?

# 2. Research Methodology

Scopus files had been used for this article. For the article selection, the Boolean used was TITLE-ABS (Iridium-implant). All the tables in this paper were created by using Microsoft Excel and Meta Analysis. Grammarly was used for spelling and grammar checks. Mendeley was used for article review and citation. This paper had been inspired by review analysis in its presentation style, analysis, and methodology from the works.

### 3. Results and discussion

### 3.1 Results

This first round of search produced an outcome of 537 documents, in 11 languages, out of which 477 documents were in English. The classification of document categories is shown in Table 1. For improving the quality of the analysis, we had selected only the peer-reviewed articles and all other documents had not been considered. Thus after using filters "Article" and "English" the second round search produced an outcome of 411English articles (both open access and others) andhad been used to conduct review analysis and visualization using Meta Analysis. The English research articles in this domain since 1967 had been shown in Table 1. Co-authorship analysis of top authors had been shown in Table 1. For a better presentation of the analysis, the parameters used were the minimum number of documents of an author as five and the minimum number of citations of authors as one. This combination plotted the map of 22 authors, in nineclusters. The overlay visualization map of co-authorship analysis plotted in Table 1, points out the major researchers with their strong co-authorship linkages and clusters involved. The citation analysis of top authors had been shown in table 1, along with co-authorship links. For the citation analysis, the parameters used were the minimum number of documents of an author as one and the minimum citations of an author as one.

Table 1: Highlights of most active authors

Description	Authors	Documents	Citations	Average	Link
				citations per	strength
				documents	
Authors with the					
highest publication					
and co-authorship					
links	Pierquin B	12	523	43.6	89
Authors with the					
highest citations	Harrison L.B	6	1067	178	27

In Co-occurrence analysis, we had used all keyword analyses, by keeping the minimum number of occurrences of a keyword as 50. This combination plotted the map of 32 thresholds, in threeclusters. The overlay visualization of co-occurrence analysis of keywords has been shown in Table2. The leading organizations engaged in research on "Iridium-implants" had been found out by the volume of publications and citation analysis, the parameters used are the minimum number of documents of an organization as one and the minimum number of citations of organizations as one. The leading organization in the research regarding "iridium-implants", with the highest number of publications and citations, was the Memorial Sloan-Kettering Cancer Center, USA(Refer to table 2).

Table 2: Highlights of the most active organization

Organizations	Country	Documents	Citations	Average
				Citations
				per
				document
Memorial Sloan-Kettering Cancer Center	United States			
Cuncor Contor	of America	21	1497	71.3

Co-authorship analysis of the countries engaged in the research on "Iridium-implants" had been shown in Table3. The overlay visualization map of co-authorship analysis plotted in Table3, points out the main countries with their strong co-authorship linkages and clusters involved. The citation analysis of top countries had been shown in table 3, along with co-authorship links. For the citation analysis, the parameters used were the minimum number of documents of acountry as one and the minimum citations of the country as one.

Table 3: Highlights of Active Countries

Description		Country	Documents	Citations	Link strength
The countr	ry with the				
highest	publication,				
citations,	and co-	United States of			(0.3)
authorship l	inks	America	207	6903	16

The most active country in this research domain was the United States of America, with the highest number of publications, links, and citations.

Link analysis and citation analysis were used to identify the most active journal in this research domain. We have taken the parameters of the minimum number of documents of a journal as one and the minimum number of citations of a journal as one for the link analysis and citation analysis. Highlights of the most active and relevant journals related to "Iridium -implants" are shown in table 4. Table 4shows the journal activity of this research domain through parameters of publication volume, citations, and co-authorship linkages.

Table 4: Analysis of journal activity

Description	Journal details	Documents	Citations	Average	Links
				citations	
				per	
				documents	
Journal with the	International				
highest publications,	Journal of				
citations, and co-	Radiation,				
authorship links	Oncology,				
	Biology, Physics	83	3442	41.4	56

From the above discussion regarding the review patterns in the research regarding Iridium implants, this research had observed a gradual increase in research interest regarding Iridium implantsfrom the starting of the millennium, and the momentum are going on positively. This points out the relevance and potential of this research domain (Refer to Table 2). The most active authors in this research domainwere Pierquin B and Harrison L.Bwith the highest publication, co-authorship links, and citations respectively (Refer to table 1). The overlay analysis of top countries researching Iridium-implants indicates that the United States of America was the leading countryrelating to the highest number of publications, citations, and co-authorship links (Refer to Table 5). The top journals of this research domain were identified as the International Journal of Radiation, Oncology, Biology, Physics. From these wide sources of information, researchers can focus on top journals where they can identify the most relevant and highly cited articles regarding Iridium—implants.

# 4. Conclusion

Iridium—implants was an interesting research domain and the most active journals related to this research domain was the International Journal of Radiation, Oncology, Biology, Physics. The most active countrywas the United States of America. The leading organization engaged in the research regarding Iridium-implants was the Memorial Sloan-Kettering Cancer Center, USA. The most active authors who had made valuable contributions related to Iridium-implants were Pierquin B and Harrison L.B. This research domain offers a new avenue for researchers and future research can be on innovations in Iridium-implants.

### References

- 1. Bagshaw, M. A. et al. (1991) 'External beam irradiation combined with the use of 192-iridium implants and radiofrequency-induced hyperthermia in the treatment of prostatic carcinoma.', *Progress in clinical and biological research*, 370, pp. 275–279.
- 2. Baily, B. (1982) 'Iridium wire implants for treatment of cancer of the breast.', *The British journal of radiology*, 55(653), p. 379. doi: 10.1259/0007-1285-55-653-379-a.
- 3. Behar, R. A. *et al.* (1994) 'Iridium-192 interstitial implant and external beam radiation therapy in the management of squamous cell carcinomas of the tonsil and soft palate', *International Journal of Radiation Oncology, Biology, Physics*, 28(1), pp. 221–227. doi: 10.1016/0360-3016(94)90161-9.
- 4. Bello, J. E. *et al.* (1982) 'Study of the characteristics of iridium-192 wire used in interstitial implants', *Radiology*, 145(1), pp. 224–225. doi: 10.1148/radiology.145.1.7122885.
- 5. Brosman, S. A. (1991) 'Iridium-192 implants in patients with large stage C prostate cancer.', *Progress in clinical and biological research*, 370, pp. 281–290.
- 6. Carstanjen, B. *et al.* (2007) 'Treatment of a squamous cell carcinoma of the nictitating membrane in a horse with iridium-192 implants [Therapie Eines Plattenepithelkarzinoms im Bereich des Dritten Augenlids bei Einem Pferd Mittels Iridium-192-implantaten]', *Tierarztliche Praxis Ausgabe G: Grosstiere Nutztiere*, 35(2), pp. 142–148. doi: 10.1055/s-0038-1624017.
- 7. Clubb, B. S. (1985) 'A transperineal implant system using iridium 192 in the treatment of gynecological malignancies; a report of a new technique.', *The Ohio State medical journal*, 81(11), pp. 817–820.
- 8. Dale, R. G., Jones, B. and Price, P. (1997) 'Comments on Inadequacy of iridium implant as sole radiation treatment for operable breast cancer, Fentiman et al., Eur J Cancer 1996, 32A, pp. 608-611.', *European journal of cancer (Oxford, England : 1990)*, 33(10), pp. 1707–1708. doi: 10.1016/S0959-8049(97)00112-3.
- 9. Daly, N. J., Douchez, J. and Combes, P. F. (1982) 'Treatment of carcinoma of the penis by iridium 192 wire implant', *International Journal of Radiation Oncology, Biology, Physics*, 8(7), pp. 1239–1243. doi: 10.1016/0360-3016(82)90075-X.

- 10. Daly, N. J., Lafontan, B. D. and Combes, P. F. (1984) 'Results of the treatment of 165 lid carcinomas by iridium wire implant', International Journal of Radiation Oncology, Biology, Physics, 10(4), pp. 455–459. doi: 10.1016/0360-3016(84)90024-5.
- 11. Deore, S. M. et al. (1993) 'Influence of dose-rate and dose per fraction on clinical outcome of breast cancer treated by external beam irradiation plus iridium-192 implants: Analysis of 289 cases', International Journal of Radiation Oncology, Biology, Physics, 26(4), pp. 601–606. doi: 10.1016/0360-3016(93)90275-Z.
- 12. Farhat, T. et al. (2013) 'Research in congenital heart disease: A comparative review analysis between developing and developed countries', *Pediatric Cardiology*, 34(2), pp. 375–382. doi: 10.1007/s00246-012-0466-6.
- 13. Fentiman, I. S. et al. (1991) 'Iridium implant treatment without external radiotherapy for operable breast cancer: a pilot study', European Journal of Cancer and Clinical Oncology, 27(4), pp. 447–450. doi: 10.1016/0277-5379(91)90383-O.
- 14. Fentiman, I. S. et al. (1996) 'Inadequacy of Iridium Implant as Sole Radiation Treatment for Operable Breast Cancer', European Journal of Cancer, 32(4), pp. 608-611. doi: 10.1016/0959-8049(95)00639-7.
- 15. Gerard, J. P. et al. (1985) 'Conservative treatment of early carcinoma of the breast: Significance of axillary dissection and iridium implant', Radiotherapy and Oncology, 3(1), pp. 17–22. doi: 10.1016/S0167-8140(85)80004-9.
- 16. Gerard, J. P. et al. (1987) 'Curative treatment of carcinoma of the prostate with an association of external irradiation, iridium implant and lymphadenectomy.', Progress in clinical and biological research, 243 B, pp. 173–176.
- 17. González, L. P. et al. (2002) 'Quality assurance in interstitial iridium-192 implants for breast cancer', Clinical and Translational Oncology, 4(6), pp. 327–330.
- 18. Hutchings, R. E. (1985) 'PTFE as a source guide in iridium-192 breast implants', British Journal of Radiology, 58(689), pp. 456-458. doi: 10.1259/0007-1285-58-689-456.
- 19. Ibbott, G. S. et al. (2007) 'Dose Specification and Quality Assurance of Radiation Therapy Oncology Group Protocol 95-17; a Cooperative Group Study of Iridium-192 Breast Implants as Sole Therapy', International Journal of Radiation Oncology Biology *Physics*, 69(5), pp. 1572–1578. doi: 10.1016/j.ijrobp.2007.08.011.
- 20. Irigaray, J. M. et al. (1989) 'Boost irradiation with interstitial iridium-192 implant in the conservative management of breast cancer [SOBREIMPRESION MEDIANTE IMPLANTE DE IRIDIO-192 EN EL TRATA<mark>MIENTO N</mark>O MUTILANTE DEL CANCER DE MAMA]', *Oncologia*, 12(10), pp. 499–503.
- 21. Jackson, B. R. (1980) 'Iridium implants in treatment of anorectal carcinoma', Diseases of the Colon & Rectum, 23(3), pp. 145–150. doi: 10.1007/BF02587616.
- 22. Khan, K. et al. (1992) 'Transperineal percutaneous iridium-192 interstitial template implant of the prostate: Results and complications in 321 patients', *International Journal* of Radiation Oncology, Biology, Physics, 22(5), pp. 935–939. doi: 10.1016/0360-3016(92)90791-F.
- 23. Khan, K., David Crawford, E. and Johnson, E. L. (1983) 'Transperineal percutaneous iridium-192 implant of the prostate', International Journal of Radiation Oncology, Biology, Physics, 9(9), pp. 1391–1395. doi: 10.1016/0360-3016(83)90272-9.
- 24. Kumar, P. P. and Henschke, U. K. (1977) 'Five years' experience with the gold button technique for intraoral interstitial implants with iridium 192 seeds', Radiology, 124(1), pp. 227–229. doi: 10.1148/124.1.227.
- 25. De La Huerta Sanchez, R. et al. (1988) 'Conservative treatment of the breast with radiotherapy and an Iridium 192 implant in stage 3 breast carcinoma', Revista del *Instituto Nacional de Cancerologia*, 34(3), pp. 609–616.
- 26. Lasso, A. et al. (1998) 'Cosmetic results of iridium 192 implants in conservative breast cancer treatment: Our experience at the Instituto oncologico de San Sebastian [Resultado estetico del implante de iridio en el tratamiento conservador del cancer. De mama: Experiencia del Ins', *Oncologia*, 21(4), pp. 35–41.
- 27. Mazeron, J.-J. et al. (1987) 'Salvage irradiation of oropharyngeal cancers using iridium 192 wire implants: 5-Year results of 70 cases', International Journal of Radiation Oncology, Biology, Physics, 13(7), pp. 957–962. doi: 10.1016/0360-3016(87)90031-9.
- 28. McCormick, B. et al. (1988) 'Iridium-192 implants for primary breast cancer:

- Experience with placement at the time of wide local excision', *International Journal of Radiation Oncology*, *Biology*, *Physics*, 15(3), pp. 745–748. doi: 10.1016/0360-3016(88)90320-3.
- 29. Monticciolo, D. L. *et al.* (2001) 'Radiation therapy with iridium interstitial implant brachytherapy after lumpectomy for T1N0 breast cancer: Mammographic findings', *Journal of Women's Imaging*, 3(2), pp. 69–73. doi: 10.1097/00130747-200105000-00006.
- 30. De Paula Carranza, B. *et al.* (1991) 'Lower lip cancer treatment by endocurietherapy with iridium-192 implant [TRATAMIENTO DEL CANCER DE LABIO INFERIOR MEDIANTE IMPLANTE DE IRIDIO-192]', *Oncologia*, 14(7), pp. 341–346.
- 31. Puthawala, A. A. *et al.* (1981) 'The role of afterloading iridium (Ir192) implant in the management of carcinoma of the tongue', *International Journal of Radiation Oncology, Biology, Physics*, 7(3), pp. 407–412. doi: 10.1016/0360-3016(81)90117-6.
- 32. Sewchand, W. *et al.* (1984) 'Removable high intensity iridium-192 brain implants Technique and in vivo measurements in canine brain', *Journal of Neuro-Oncology*, 2(3), pp. 177–185. doi: 10.1007/BF00253269.

