



MELANOMA SKIN CANCER DETECTION USING IMAGE PROCESSING TECHNIQUES

Ambika M¹, Mallikarjun Mudda², Mogali Swathvika³, Gajula. Venkat Sai⁴, Moguram Himaja⁵

¹Assistant Professor, Department of Electronics and Communication Engineering, Nalla Malla Reddy Engineering College, Hyderabad, India

² Associate Professor, Department of Electronics and Communication Engineering, Sreenidhi Institute of Science and Technology, India,

^{3,4,5}Students, Department of Electronics and Communication Engineering, Sreenidhi Institute of Science and Technology, India,

Abstract: In Image Processing, the input image is processed in order to enhance its quality so that is suitable extracted features. Image Processing Techniques can be used for detection of Melanoma Skin cancer which is highly hazardous type of skin cancer in humans. Here we are using OTSU'S method for segmentation and Asymmetry, Border irregularity, Color variegation, and Diameter (ABCD) rule for feature extraction. Melanoma skin cancer is observed in melanocytes which contains melanin. Melanin is responsible for skin color. It is important to detect it in very early stage because it could spread to other parts easily. For this purpose to detect in a very early stage we use image of the affected area of the skin which is preprocessed and then segmented using OTSU's method and particular features are extracted and based on this features we conclude whether it is Melanoma or Benign.

Index Terms: OTSU, ABCD, TDV, FEATURE EXTRACTION, PIXEL INFORMATION, PIXEL CLASSIFICATION.

1. Introduction

In recent days, many people are suffering from cancer. Abnormal growth of cells in an uncontrollable manner leads to cancer. It can be benign (non-cancerous) or malignant (cancerous). There are many parts which could be affected by cancer like lungs, skin, breast; blood skin cancer is one of the dangerous types of cancer in humans. The major cause of skin cancer is UV radiation from Sun. In skin cancer, there are many types like Basal cell cancer, squamous cell cancer, Melanoma cell cancer. Melanoma is highly hazardous for humans. It is caused or starts in melanocytes. Melanocytes are responsible for melanin. People with high melanin are more resistant to skin cancer. it is very important to detect it in very early stage to get it treated and to stop its growth. Because it could spread other parts easily. Image processing techniques can be used to detect Melanoma Skin Cancer. Here we used OTSU's method for Image Segmentation and ABCD rule Feature Extraction. MATLAB software is used for Implementation.

2. Literature survey

Many researchers have been working on melanoma skin cancer detection. As Melanoma skin cancer is highly dangerous it has to be detected in early stage. For this purpose, many researchers have used preprocessing techniques like filtering, edge detection and watershed method, wavelet method, thresholding technique for

Segmentation and ABCD rule for feature extraction. Though ABCD rule have some exceptions and not very accurate, it is commonly used. As it is of low cost and faster. And based on total dermoscopic value it is classified.

Melanoma Skin Cancer Detection by Segmentation and Feature Extraction using combination of OTSU and STOLZ Algorithm Technique by Nayana Banjan, Prajka Dalvi, Neha Athavale[2] in this paper first the input image is converted to Gray scale and filtered. The second stage is the filtered is segmented using OTSU'S algorithm. Then for feature extraction STOLZ algorithm is used. Then TDS value is calculated using which classification is done.

ABCD rule based automatic computer-aided skin cancer detection using MATLAB by Nilkamal S. Ramteke, Shweta V. Jain[3]. In this paper, the total system is divided into three modules. They are Image Segmentation, Wavelet Analysis and Fuzzy Inference. Asymmetry, border is calculated from segmentation step which includes edge detection, watershed segmentation. Color factor from Fuzzy inference and diameter from wavelet analysis.

Computer Aided Melanoma Skin Cancer Detection Using Image Processing by Shivangi Jain, Vandana Jagtap, Nitin Pise[1]. In this paper, the input is enhanced by techniques like gamma-correction. Edge detection and automatic thresholding is used for segmentation, ABCD rule for feature extraction.

Feature Extraction for Skin Cancer Lesion Detection by Omkar Shridhar Murumkar, Prof. Gumaste P. P[5]. In this paper Otsu's method is used for segmentation and ABCD rule is used for feature extraction.

3. Proposed system and Block




Figure 1: Proposed System Blocks

1. Pre-processing

In this step, the input RGB image is converted to gray scale for easy processing. Then the image is filtered to reduce noise.

2. Segmentation

Segmentation is the technique in which the image is divided into parts. The pixels are grouped based on their characteristics. In this paper, we have used Otsu's method for segmentation. In Otsu's method, the threshold value is chosen such that the image is divided into two parts. One is foreground and the other is background. In other words, the given gray scale image is converted to binary image such that the background is white and the foreground is black. This way the image is segmented and can be further processed.

3. Feature Extraction

For this, we have used ABCD rule in which parameters of lesion like asymmetry, border, color and diameter are obtained using which further classification can be made.

a. Asymmetry

If it is symmetrical along both the axes then asymmetry is 0. If it is symmetrical along one axis then 1 and if it is asymmetrical along both the axes then 2.

$$AI = (T-L)/L * 10$$

Where T is Total Number Of pixels of image and

L is Number of pixels in the lesion

Based on this AI, Asymmetry (A) is obtained

b. Border

Generally, cancerous lesion is abnormal in shape compared to the normal moles. The lesion is divided into eight regions to check its abnormality.

$$B = (p * p) / (4 * \pi * a)$$

Where p = perimeter

a = area and $\pi = 3.14$

c. Color

Usually this lesion contains about six colors. So we need to count the number of colors present. The normal moles could be black or brown. But these lesions could be black, light brown, dark brown, blue-gray, white, red or combination of them. Each color corresponds to melanin distribution. Color score range from 1 to 6.

d. Diameter

The diameter of normal moles is less than or equal to 5mm generally. If it is more than that it could be dangerous or suspicious.


4. TDS value calculation

TDS value (total dermoscopic value) is calculated as

$$TDV=1.3*A+0.1*B+0.5*C+0.5*D$$

Based on this TDV, melanoma skin cancer can be detected

Total dermoscopic value	
1-4.75	Non- cancerous
4.75- 5.45	It could be cancerous
>5.45	Melanoma



b. Preprocessed Gray Scale Image

4. Results and Discussion

The case study gives the exact classification of the input image, the input image is preprocessed for removing noise and convert into gray level image, the processed image is segmented and features are extracted. The following 3 cases are experimented for detection of melanoma.

Case -I:



a. Input Image



c. Segmented Image for features extraction

For this input

parameter	value
Asymmetry	0
Border	2
Color	3
Diameter	5

TDS value is 4.2


Therefore it is just a mole.

Case-II:

a. Input Image




b. Preprocessed Gray Scale Image



For this input

parameter	value
Asymmetry	0
Border	2
Color	4
Diameter	5



c. Segmented Image for features extraction


For this input

parameter	value
Asymmetry	0
Border	8
Color	6
Diameter	5

TDV = 6.3000

MELANOMA DETECTED

Case III:



Figures shows the Stepwise processing of image for Segmentation and then Clasification, all the three cases results providedes the clear information about Malenoma.

TDV =4.7000

MELANOMA NOT DETECTED

Conclusion: In this project, we have detected melanoma skin cancer from a skin image. In this process, we used OTSU’s method for segmentation by separating foreground and background we extracted the lesion. ABCD rule is used for feature extraction in which parameters from the lesion are obtained. Based on the features like asymmetry, border, color and diameter we have calculated total dermoscopic valve. From the calculated total dermoscopic valve we have detected the melanoma skin cancer.

References:

1. Shivangi Jain, Vandana jagtap, Nitin Pise,Computer Aided Melanoma Skin Cancer Detection Using Image Processing,Procedia ComputerScience,Volume 48,Pages 735-740,ISSN 1877-0509,2015.
2. Nayana Banjan, Prajkta Dalvi, Neha Prakash Athavale,Melanoma Skin Cancer Detection by Segmentation and Feature Extraction using combination of OTSU and STOLZ Algorithm Technique,2017.
3. Nilkamal S. Ramteke, Shweta V. Jain,ABCD rule based automatic computer-aided skin cancer detection using MATLAB.

4. Dr.S.Gopinathan,S.Nancy Arokia Rani,The Melanoma Skin Cancer Detection and Feature Extraction through Image Processing Techniques, International Journal of Emerging

Trends Technology in Computer Science (IJETTCS), Vol. 5, no 4, pp. 112-116., July-August 2016..
 5. OmkarShridharMurumka,Prof.Gumaste P.P,Feature Extraction for Skin Cancer Lesion Detection,Internation

- Journal of Science, Engineering and Technology Research (IJSETR), Volume 4, Issue 5, May 2015.
6. "Review on Brain Tumor Detection and Analysis Using MRI Multi Slice Sequences and further progress proposed" Mallikarjun¹, Dr. Manjunath R², Dr. Krishnamurthy N³ in International Journal of Multidisciplinary Educational Research (IJMER), Volume: 4, Issue: 10, October, 2015 with International Scientific Indexing Value: 2.286.
 7. "Enhanced Image Registration Technique for Medical Image Segmentation" Mallikarjun Mudda¹, Dr. Manjunath R², Dr. Krishnamurthy N³ in International Medical Sciences Academy, Vol 30; No. 3, (July – September 2017).
 8. "Preliminary Detection of Lung Diseases in Pediatric Population: A Soft Computing Approach" Dr. Mallikarjun Mudda, Dr. S I Khan, International Journal of Recent Technology and Engineering (IJRTE), ISSN 2277-3878, September 2019.
 9. "Enhanced Image Registration Technique for Medical Image Segmentation" Mallikarjun Mudda¹, Dr. Manjunath R², Dr. Krishnamurthy N³ in International Medical Sciences Academy, Vol 30; No. 3 (July – September 2017).
 10. "Brain Tumor Classification using Enhanced Statistical Texture Features" Mallikarjun¹, Dr. Manjunath R², Dr. Krishnamurthy N³, IETE Journal of research, 2020.
 11. "Energy Management with Disaster Intimation and Control Using IoT" Mallikarjun mudda¹, Madhu soumya², International Journal of Engineering and Applied Computer Science (IJEACS) Volume: 02, Issue: 07, ISBN: 978-0-9957075-6-8, July 2017.
 12. "RF Controlled Metal and Deleterious Gas Detecting ROVER" Dr. Mallikarjun Mudda, Dr. Thangadurai N, World Journal of Engineering research and Technology, 4 (1), 221-229, 2017.
 13. "Application of System Engineering in Election Voting System" Dr. Mallikarjun Mudda, Dr. Sruthi Bhargav N, International Journal of Engineering & Technology -UAE, 7(2.16) 102-106, issue 16, 2018.
 14. "Automatic Solar Grass Cutter" Dr. Mallikarjun Mudda, Vishwa Teja, International Journal for Research in Applied Science & Engineering Technology Volume 6, Issue IV, April 2018.
 15. "Smart helmet and intelligent bike system using RF technology" Dr. Mallikarjun Mudda, Mr. E Sandeep, International Journal of Basic and Applied Research, P-ISSN 22493352, E-ISSN 22780505, 2018.
 16. "Distance Analysis Using HC-SR04" Dr. Mallikarjun Mudda, G. Prathyusha, JETIR November 2018, Volume 5, Issue 11, 2018.
 17. "HAPTIC ARM FOR PARALYSED PEOPLE" Dr. Mallikarjun Mudda, A Rakesh, K Gayathri, International Journal of Research and Analytical Reviews (IJRAR), Volume 6, Issue 1 March 2019.
 18. "CONTROLLING SPEED OF MAGLEV USING GAP ANALYSIS" Dr. Mallikarjun Mudda, G Prathyusha, A Akshay, International Journal of Research and Analytical Reviews (IJRAR), Volume 6, Issue 1 March 2019.
 19. "Assistance for Blind through Audio Command" Dr. Mallikarjun Mudda, Lavan Kumar, International Journal of Science and Research (IJSR) Volume 8 Issue 3, March 2019.