IJCRT.ORG

ISSN: 2320-2882



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

OSCIMUM SANCTUM: TULSI (HOLY BASIL)

Hiray swapnil¹, Aher Akashay², Kale Rohan³ Prof. DEORE P.S.⁴

Swami Vivekannand Sanstha's Institude of Pharmacy , Mungase ,Malegaon Dist NashiK

Corresponding Author: - Assistant Prof. Deore P.s

Abstract: -

It is an aromatic plant. Plants have served human kind as sources of medicinal agents since its earliest beginnings. In fact natural product once served as the source of all drugs. The main chemical constituents of Tulsi are: Oleanolic acid, Ursolic acid,

Rosmarinic acid, Eugenol, Carvacrol, Linalool, and β-caryophyllene, have been used extensively for many years in food products, perfumery, and dental and oral products and plant extract continues the numerous searches for more effective drugs of plant origin which are less toxic and available for low socio-economic population in the treatment of diseases caused by pathogenic bacteria. Recent studies suggest that Tulsi may be a COX-2 inhibitor, like many modern painkillers, due to its high concentration of eugenol. The present study was to evaluate the phytochemical screening of aqueous extracts of leaves of Ocimum. Study has been shown that this medicinal herbs can be used as pharmaceutical adjuvants in the formulation of various dosage form. {2}

Keywords- Oleanolic acid ,ursolic ,Rosmarinic acid ,Eugnol ,Carvacrol,Linalool,B- caryophyllene ,Ocimum

Introduction:

ocimum sanctum also known as Tulsi family of the ocimum sanctum is laminaceae. ocimum sanctum are produced in India and Southeast Asia, India is the largest sources of medicinal plant in whole world. Herbs have been provided therapeutic potential to the health of individual. The demand of this plant are increasing day by day for medicinal purpose [1]. There are approximately 35,000 medicinal plants which are used for the therapeutic effect according to Ayurveda and siddha and unani and other traditional system. In which ocimum sanctum is one of the most important for medicinal purpose. It is employed in the treatment of various disease such as antimicrobial infection, antifungal, anticancer, arthritis, chronic fever, antifertility, eye disease, hepatoprotective, antispasmodic, and analgesic, antiemetic. Cardio protective [2]. This medicinal herb have also been shown to reduce blood glucose levels, making it an effective treatment of diabetes [3]. There are many chemical constituent present in ocimum sanctum such as, oleanolic acid, rosmarinic acid, ursolic acid eugenol, , linalool, carvacrol, β elemene, β caryophyllene, germacrene. ocimum sanctum is considered to have diuretic, stimulant property [4]. Volatile oil, fixed oil also obtained from the leaves of medicinal herbs [5]. Monoterpene are obtained from the the volatile oils such as, camphene, myrcene, sabinene, in which some mono terpene produced oxygen such as linalool, borneol [6]. Phytochemical analysis of this medicinal herb can identify the nature of compounds present in the extract of ocimum sanctum. It is also for identify the bioactive compound and their effect. They are commonly helpful as model for the synthetic of new medicine.

Material and Methods

Chemicals- Mayer reagent, Wagner's reagent, Lead ethanoate, Alkaline reagent, Ferric chloride, Molisch's reagent, Alkaline reagent, Barford's reagent, Iodine solution, Ninhydrin solution, sodium hydroxide, all chemicals were used to find out the presence of phytochemical constituents which were obtained from the research lab of Galgotias university. {2}

Plant Material-

Fresh Leaves of selected medicinal herb ocimum sanctum (Tulsi) was harvested from the herbal garden of Galgotias university, Greater Noida in the month of December, 2018. The collected leaves were thoroughly washed with tap water to avoid dusts and other unwanted materials accumulated on the leaves from their natural environment. The dust free leaves were shade, dried at room temperature. After 4-5 days for obtaining aqueous extract, the properly dried leaves were then grinding into the fine powder by using the grinding machine than the powder material of tulsi leaves were weighed properly. The fine powder of tulsi leaves was stored in a clean and tightly closed container for extraction. {2}

BOTANICAL DESCRIPTION :-

Tulsi is an upright bushy shrub that grows up to 18 inches .it's hairy stem sprought oval leaves with serrated edges and depending the variety ,range in colour feom light to dark purple .The tulsi plant bloom's erect purple or reddish flower and produce tinny rust coloured fruit .It has strong pungent aroma and taste that is similar to other varieties of basil . {14,1}





TUSLI PLANT

CULTIVATION:-

The tulsi is a hardy annual but can geow perennial .if the flower's are cut before blooming .sow tulsi seeds after the last frost in well drained ,fertile ,light weight soil and cover with a thin layer of soil .Allow tulsi to receive atleast four hour of sun light and protect from harsh afternoon sun and high heat water . the holy basil throughly and allow to dry out between watering ,use a balanced water solunle fertilizer during the active growing period and discontinue during cooler month when the tulsi plant goes dormant. {14}

TAXONOMY OF TULSI:-

Kingdom :- Planta

Divison:- Magnoliaphyta Class:- Magnoliopsida Order:- Lamiales Family:- Lamiaceae Genus:- Ocimum Species:- Sanctum{15}

OTHER NAME's:-

English name - Holy basil/sacred basilHindi name - Tulsi Sanskrit name - Tulasi Gujarati name - Tulsi{16}

CHEMICAL CONSTITUENTS OF TULSI

Essentialoil Aromadendrene oxide,D-Limonene, Benzaldehyde, Eicosane, Borneol, Cubenol Borneol, Cubenol Borneol, Cubenol Borneol, Cubenol Borneol, Cubenol Borneol, Cardinene, Eugenol, Farnesene Farnesol, Furaldehyde, Germacrene, Heptanol, Humulene Selinene, Limonene Jalpha-Thujene, bera- Guaiene n-butyl benzoate Oleic acid sabinene, phytol, Camphene Jalpha-Pinene, beta-Pinene, Linalool sabinene, phytol, Camphene Jalpha-Pinene, beta-Pinene, Linalool Jaluteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant ronChromium			
,Eucalyptol,Camphor,Caryophyllineoxide,ci s-alpha Terpinol, Cardinene, Eugenol, Farnesene ,Farnesol, Furaldehyde, Germacrene ,Heptanol, Humulene ,Selinene, Limonene ,alpha-Thujene,bera- Guaiene n-butyl benzoate Oleic acid ,sabinene, phytol,Camphene ,alpha-Pinene, beta-Pinene.,Linalool AlcoholicExtract Aesculin, Vitexin, Caffeic acid,Circineol,Galliic Acid ,Galuteolin,Isorientin,Isovitexin,Luteoline, Orientin,Apgenin,Stigmsterol,Cjlorgenic acid,Urosolic acid,Vallinine,Viceni,Molludistin,Aesculeti n,Procatechuic acid. Mineral Vitamin C ,Zinc ,Vitamin A,Phosphorous,Calcium,Coppe Whole plant	Essentialoil		Leaves
,Eucalyptol,Camphor,Caryophyllineoxide,ci s-alpha Terpinol, Cardinene, Eugenol, Farnesene ,Farnesol, Furaldehyde, Germacrene ,Heptanol, Humulene ,Selinene, Limonene ,alpha-Thujene,bera- Guaiene n-butyl benzoate Oleic acid ,sabinene, phytol,Camphene ,alpha-Pinene, beta-Pinene.,Linalool AlcoholicExtract Aesculin, Vitexin, Caffeic acid,Circineol,Galliic Acid ,Galuteolin,Isorientin,Isovitexin,Luteoline, Orientin,Apgenin,Stigmsterol,Cjlorgenic acid,Urosolic acid,Vallinine,Viceni,Molludistin,Aesculeti n,Procatechuic acid. Mineral Vitamin C ,Zinc ,Vitamin A,Phosphorous,Calcium,Coppe Whole plant		Bornyl acetate	
Germacrene ,Heptanol, Humulene ,Selinene, Limonene ,alpha-Thujene,bera- Guaiene n-butyl benzoate Oleic acid ,sabinene, phytol,Camphene ,alpha-Pinene, beta-Pinene.,Linalool ,sabinene, phytol,Camphene ,alpha-Pinene, beta-Pinene.,Linalool ,sabinene, phytol,Camphene ,alpha-Pinene, beta-Pinene.,Linalool ,leaves/Areal parts			
AlcoholicExtract Aesculin, Vitexin, Caffeic acid,Circineol,Galliic Acid ,Galuteolin,Isorientin,Isovitexin,Luteoline, Orientin,Apgenin,Stigmsterol,Cjlorgenic		Cardinene, E <mark>ugeno</mark> l, Farn <mark>esene</mark> ,Fa <mark>rnesol, Fural</mark> dehyde,	
benzoate Oleic acid ,sabinene, phytol, Camphene ,alpha-Pinene, beta-Pinene., Linalool AlcoholicExtract Aesculin, Vitexin, Caffeic acid, Circineol, Galliic Acid ,Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic			
AlcoholicExtract Aesculin, Vitexin, Caffeic acid, Circineol, Galliic Acid , Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cilorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C ,Zinc ,Vitamin A,Phosphorous, Calcium, Coppe Whole plant			
AlcoholicExtract Aesculin, Vitexin, Caffeic acid, Circineol, Galliic Acid Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant		benzoate Oleic acid)
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant	_	,sabinene, phytol,Camphene ,alpha-Pinen <mark>e, bet</mark> a-Pinene.,Lin <mark>alool</mark>	
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant	- 0.0		
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant			
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant	5(%		
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant			
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant			
Galuteolin, Isorientin, Isovitexin, Luteoline, Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant			
Orientin, Apgenin, Stigmsterol, Cjlorgenic acid, Urosolic acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant	AlcoholicExtract		Leaves/Areal parts
acid, Vallinine, Viceni, Molludistin, Aesculeti n, Procatechuic acid. Mineral Vitamin C , Zinc , Vitamin A, Phosphorous, Calcium, Coppe Whole plant			
n,Procatechuic acid. Mineral Vitamin C ,Zinc ,Vitamin A,Phosphorous,Calcium,Coppe Whole plant			
Mineral Vitamin C ,Zinc ,Vitamin A,Phosphorous,Calcium,Coppe Whole plant			
		ii, Procatecture acid.	
Contents ronChromium		, , , , , , , , , , , , , , , , , , , ,	Whole plant
	Contents	ronChromium	

PHARMACOLOGICAL IMPLEMENTATION OF OCIMUM SANCTUM(TULSI):-

ANALGESIC ACTIVITY:- Singh etFrom the website www. allayurveda.coming in dose dependent manner suggesting that writhing inhibiting activity of the oil is peripherally mediated due to combined inhibitory effects of prostaglandins, histamine and acetylcholine.

ANTI -ASTHAMETIC ACTIVITY:-50% aqueous ethanol extract of dried and fresh leaves and the volatile and fixed oils of OS was evaluated against histamine and acetylcholine induced pre- convulsive dysponea (PCD) in guinea pigs. The 50% ethanol extract and volatile oil extracted from fresh leaves and fixed oil from the seeds significantly protected the guinea pigs against histamine and acetylcholine induced preconvulsive dyspneaHowever, the 50% ethanol extract of dried leaves did not protect the guinea pigs against histamine induced preconvulsive dyspnea {21}

HEALING ACTIVITY:- The tulsi plant has many medicinal properties. The leaves are a nerve tonic and also sharpen memory. They promote the removal of the catarrhal matter and phlegm from the bronchial tube. The leaves strengthen the stomach and induce copioup perspiration. The seed of the plant are mucilaginous

FEVER AND COMMON COLD:-The leaves of basil are specific for many fevers. During the rainy seasone when malaria and dengue fever are widely prevalent, tender leaves, boiled with tea, act as preventive against theses diseases. In case of acute fevers, a decoction of the leaves boiled with powdered cardamom in half a liter of water and mixed with sugar and milk brings down the temperature. The juice of tulsi leaves can be used to bring down fever. Extract of tulsi leaves in fresh water should be given every 2 to 3 hours. In between one can keep givinv sips of cold water. In children, it is every effective in bringing down the temperature

COUGH:-Tulsi is an important constituent of many Ayurvedic cough syrups and expectorants. It helps to mobilize mucus in bronchitis and asthma. Chewing tulsi leaves relieves cold and flu

SORE THROAT:-Water boiled with basil leaves can be taken as drink in case of sore throat. This water can also be used as a gargle {23}

ANTI -ALLERGIC AND IMMUNOMODULATOR:-Essential oil of Tulsi was found to have anti-allergic properties. When administered to laboratory animals, the compound was found to inhibit mast cell degranulation and histamine release in the presence of allergen. These studies reveal the potential role of Ocimum sanctum extracts in the management of immunological disorder including allergies and asthma

ANTI -MICROBIAL ACTIVITY:-Essential oil of Tulsi have antibacterial, antifungal and antiviral properties.It inhibites the growth of E. coli, B.anthracis, M.tuberculosis etc. It's antitubercular activitiy is one-tenth the potency of streptomycin and one-fourth that of isoniazid.Preparations containing Tulsi extracts significantly shorten the course of illness, clinical symptoms and the biochemical parameters in patients with viral hepatitis and viral encephalitis {24}

USES:-

- 1. Used against respiratory ailments including bronchititis and tuberculosis.
- 2. Used for rhinitis (inflammation of nasal mucus membrane).
- 3. Can serve as a cure and prophylactic as well for the severe acute respiratory syndrome (SARS) The root of the tulsi plant should be crushed and boiled with turmeric powder for a few minutes, after which it should be filtered. Consuming two spoonfuls of this potion twice daily will cure SARS and prevent contracting of the disease.
- 4. Tulsi tea with honey is a good expectorant especially in cased where fever is involved. 6 The juice of the leaves is given in catarrh and bronchitis in children.

5. Chewing the leaves relieves cold and flu. A decoction of the leaves, cloves and common salt also gives immediate relief in case of influenza.

CONCLUSION:-

Tulsi is a popular home remedy for many ailments such as wound, bronchitis, liver diseases, catarrhal fever, otalgia, lumbago, hiccough, ophthalmia, gastric disorders, genitourinary disorders, skin diseases, various forms of poisoning and psychosomatic stress disorders1-2. It has also aromatic, stomachic, carminative, demulcent, diaphoretic, diuretic, expectorant, alexiteric, vermifuge and febrifuge properties. Tulsi is also known as "the elixir of life" since it promotes longevity. Different parts of plant are used in Ayurveda and Siddha Systems of Medicine for prevention and cure of many illnesses and everyday ailments like common cold, headache, cough, flu, earache, fever, colic pain, sore throat, bronchitis, asthma, hepatic diseases, malaria fever, as an antidote for snake bite and scorpion sting, flatulence, migraine headaches, fatigue, skin diseases, wound, insomnia, arthritis, digestive disorders, night blindness, diarrhea and influenza.

REFERENCES:-

- 1. International Journal of Creative Research Thoughts (IJCRT) www.ijcrt.org
- 2. Phytochemical analysis of medicinal herb (ocimum sanctum)Priya Panchal and Nayyar Parvez Insturnational journal ofNanomaterial nanotechnology and nanomedicine https://www.peertechzpublications.com/articles/IJNNN-5-129.php
- 3. . Ms. Mary Vineela .PMSc (N) Lecturer C H N, Naryana College of Nursing, Nellore, Chemical composition of Tulsi, Benefits of holy basil (tulsi) leafs.
- 4. Das SK and Vasudevan DM. Tulsi: The Indian holy power plant. Natural Product Radiance. 2006;5:279-83
- 5. Mahajan R, Khinda PK, Gill AS, Kaur J (2016) Comparison of Efficacy of 0.2% Chlorhexidine Gluconate and Herbal Mouthrinses on Dental Plaque: An in vitroComparative Study. Eur J Med Plants 13: 1.
- 6. Triveni, Kuldeep Kumar, Amit Kumar Singh, Rahul Kumar, Vaishnavee Gupta, Kishu Tripathi* Smt. Vidyawati College of Pharmacy, Jhansi (U.P.) 284121, India. Ocimum sanctum Linn: A Review on Phytopharmacology and Therapeutic Potential of Tulsi, International Journal of Pharmaceutical and Phytopharmacological Research (eIJPPR), Res. 2013; 3 (2): 148-151.
- 7. Research (eIJPPR), Res. 2013; 3 (2): 148-1515. Mondal S., Bijay R. Miranda R. B., and Sushil C.
- 8. M. The Science behind Sacredness of Tulsi (Ocimum sanctum LINN.). Ind J of Physiol Pharmacol. 2009, 53: 291–306.
- 9. Kaushik Vilas Kulkarni and Dr. Belvotagi Venkatrao Adavirao A review on: Indian traditional shrub Tulsi (ocimum sanctum): The unique medicinal plant, Journal of medicinal plants studies, ISSN (E): 2320-3862 ISSN (P): 2394-0530
- 10. Buddhadev SG. A review article on Ocimum sanctum Linn. Int. Peer Revd. Ayur. J. 2014; 2(2):1-6.
- 11. . P. Kalyan kumar *, M. Rupesh Kumar, K. Kavitha, Jagadeesh singh and Rawoof Khan, Pharmacological actions of Ocimum sanctum review article, International Journal of advances on in Pharmacy, Biology and Chemistry, Vol. 1(3), Jul-Sep, 2012 .
- 12. Tulsi (Ocimum sanctum) Cognitive Enhancer & Properties. The Revisionist. https://therevisionist.org/bio-hacking/herbs/mint/tulsi/ (Accessed AUG 30, 2019)
- 13. Pradnya H. Pawar , Sharmila R. Chaudhari: Size controlled Biodirected synthesis of Ag Metal Nanoparticles

using Tulsi (Ocimum tenuiflorum) leaves extract, Asian J. Research Chem. 2017; 10(5): 646-650. 13). Raaz Maheshwari1,

- 14. Bina Rani21Department of Chemistry, SBRMGC, Nagaur, Rajasthan, Department of Engineering Chemistry & Environmental Engineering, PCE. Sitapura, Jaipur, Rajasthan, Journal of Drug Discovery and Therapeutics 1 (5) 2013, 01-04 *Corresponding author: Raaz Maheshwari MULTIFACETED USAGE OF HOLY BASIL ISSN: 2320 4230.
- 15. https://www.hunker.com/13427530/description-of-tulsi-as-a-botanical-plant.
- 16. Sen. P. Therapeutic potentials of Tulsi: from experience to facts. Drugs News & Views 1993;1(2): 15–21.
- 17. . Madal S, Das DN, Dey K, ET. Al. Ocimum sanctum Linn A study on gastric ulceration and gastric secretion in rats. Indian J.Physiol.Pharmacol. 1993; 37: 91–92.
- 18. Vani RS, Cheng SF, Chuah CH. Comparative Study of Volatile Compounds from Genus Ocimum.Am J of Appl. Sci. 2009; 6:523-528.
- 19. Singh S, Taneja M, Majumdar KD. Biological Activity of Ocimum Sanctum L.fixed oil-An Overview. Ind J of Exp Biology. 2007; 45:403-412
- 20. Singh S. and Aggarwal S.S., Antiasthmatic and antiinflammatory activity of ocimum sanctum. Int .J .of pharmacognosy. 1991, 29: 306-10.
- 21. Puri, Harbans Singh (2002). Rasayana: Ayurvedic Herbs for Longevity and Rejuvenation. CRC Press. pp. 272–280. ISBN 9780415284899
- 22. Biswas, N. P.; Biswas, A. K.. "Evaluation of some leaf dusts as grain protectant against rice weevil Sitophilus oryzae (Linn.).". Environment and Ecology (Vol. 23) ((No. 3) 2005).
- 23. Simoons, Frederick J. (1998). Plants of life, plants of death.Univ. of Wisconsin Press. pp. 7-40. ISBN 9780299159047.
- 24. Gupta SK, Prakash J, Srivastava S. Validation of traditional claim of Tulsi, Ocimum sanctum Linn. As a medicinal plant .Indian Journal Exp Biol 40:2002,765-773.