



A SURVEY ON HERBAL COSMETICS

¹Deeksha Pandit Student M. Pharm PCE [JVWU],

Department of pharmaceutical science PCO [JVWU] Jaipur.

ABSTRACT

India may be a centre for improvement of Ayurveda, Unani, Siddha, Homoeopathy and another normal herbs based wellbeing science (AYUSH). Ayush Pharmaceutical industry having awesome conceivable and possibility for Saundarya prasadka category (home grown restorative) advancement in future. Common excellence is blessing and beauty care products offer assistance in showing and increasing the excellence and personality aspects of human creatures. Saundarya prasadak are the planning, which represent cosmetic base relate with known Ayurveda, Siddha and Unani (ASU) drugs active fixing (which reference are promptly accessible in plan 1st book of Drug and restorative act 1940 and run the show 1945). In conventional time individuals were utilized to variouslepa, Alepa, Pralepa, Udavartan, Prakshalan etc for saundrya prasadan karma. Nature has advertised the way to keep up that equality. Herbs! Yes herbs are one such implies. An herb could be a plant or plant extricate, counting takes off, bark, berries, roots, gums, seeds, stems and flowers which are support with feeding and mending elements. Cosmetics alone are not competent to require care of skin and others body parts, it requires affiliation of dynamic fixings to check the casualty and maturing of the skin. Home grown beauty care products have progressed much popularity among the population. Herbal beauty care products items claimed to have viability and inherent adequacy due to routine utilize in everyday life and maintain a strategic distance from the antagonistic impacts which are commonly seen in synthetic items.

Keywords; Herbal cosmetics, Hair cosmetics, tooth cosmetics, Skin cosmetics.

INTRODUCTION

The word cosmetics is derived from the Greek word "kosm tikos" , meaning strength, preparation, skill ¹ . The origin of cosmetic products continues to be explained throughout the history of human development. Prehistoric times BC 3000 men adorned with colours to attract animals they wanted to hunt, men fled to kill enemies, dyed their skin and adorned their body to protect themselves, aroused fear of enemies (human or animal). The origin of cosmetics is about hunting, is about war, religion and belief, and is about medicine ² . The term cosmetics was first used in 1961 by Raymond Reed, one of the founding members of the American Society of Cosmetic Chemists. He actually uses the word to describe the work and research based on cosmetics. In 1984, Dr. Albert Kligman used the above term to refer to cosmetic products and therapeutic result ³ . Cosmeceuticals is a blend of cosmetics designed to improve health and beauty through ingredients that affect the skin's bio-tissue and function⁴.The only thing they need to rely on is the natural knowledge in Ayurveda. Ayurvedic science uses various plants and flora to create cosmetics to beautify and protect it from external influences. Natural ingredients contained in plants do not cause side effects on the human body. Instead, it enriches the body with nutrients and other beneficial minerals. Cosmetics are defined as friction agents under the Chemicals and Cosmetics Act No. 10. Pouring, sprinkling or spraying, displaying or otherwise applying on the human body or any part of it to cleanse, beautify, enhance attractiveness or alter its appearance . Not Included in the License for Cosmetic Pharmacy Preview ⁵ . It is widely believed that cosmetics are harmful to the skin and consumer awareness of herbal products has led to increased demand for natural products and for natural products in cosmetic preparations. Increasing demand for natural products

creates new opportunities for cosmeceutical businesses. The Medicines and Cosmetics Law No. states that the herbs and essential oils used in cosmetic products cannot be claimed to pass through the outer layer of the skin and they will not contain the regulatory effect⁶. Herbal cosmetics, then called products, are made to use various permitted cosmetic ingredients to form a matrix, one or more of is used only to provide beauty benefits and should be called "herbal cosmetics"⁷. The history of herbal cosmetics includes the dark ages of Europe and the West 100 years ago. Later use of mixtures and pastes for facial whitening remained popular until 400 years later. The history of cosmetics in the 1940s shows how fashions or trends in lipstick colours change from year to year. , a darkens every year and approaches red Cosmetics are produced from various herbs for daily use⁸. In particular, cosmetics such as herbal conditioners, herbal soaps, herbal facial cleansers, and herbal shampoos are loved by the public. The best thing about herbal cosmetics is that they are made from herbs and herbs. The natural components of herbs do not react to the body. It strengthens the body further with supplements and other beneficial foods. Cosmetics, herbs and health products such as saffron (kesar), ashwagandha and sandalwood (chandan) contain all the important ingredients. There are currently about 400 flavours in use with ratings. Herbs have assortment of function such as nourishment flavourings, beauty care products and medicine within the shapes of tea, tablet, capsule, tincture, cream, syrup and liquid. The around the world home grown industry is currently evaluated to be more than US\$10 billion dollars and growing at a rate of three to four percent annually for reasons of expanded utilization in processed nourishments and request for ethnic foods, natural scents, and advancement in beverage products. The greatest markets, with respect to of manufacturing and utilization are in Europe, followed by Asia ⁹.Herbal drugs incorporate herbs, home grown materials, herbal arrangements and wrapped up home grown items. In some nations home grown drugs may contain, by tradition, characteristic natural or inorganic active ingredients that are not of plant beginning (e.g. animal and mineral materials).Herbs incorporate unrefined plant fabric, such as leaves, flowers, natural product, seeds, stems, wood, bark, roots, rhizomes or other plant parts, which may be entire, fragmented or powdered. Herbal materials incorporate, in expansion to herbs, fresh juices, gums, settled oils, basic oils, gums and dry powders of herbs. In a few nations, these materials may be handled by different local procedures, such as steaming, broiling or stir baking with nectar, alcoholic refreshments or other materials. Herbal arrangements are the premise for finished herbal, items and may incorporate comminute or powdered home grown materials, or extricates, tinctures and greasy oils of homegrown materials.

They are produced by extraction, fractionation, purification, concentration or other physical or biological processes.

They moreover incorporate arrangements made by steeping or warming home grown materials in alcoholic beverages and/or nectar, or in other materials. Finished home grown items comprise of herbal preparations made from one or more herbs. In case more than one herb is utilized, the term "mixture herbal product" can moreover be utilized. Wrapped up home grown product sand blend home grown items may contain excipients in expansion to the dynamic fixing.

CURRENT SITUATION:

Today, doctors believe that people can help improve health with the help of natural resources. Herbs are considered food rather than medicine because they are whole, natural, and pure as they should be. When taking herb, the body starts to purify, it takes to clean itself. Unlike chemically synthesized high-concentration drugs, which can have many side effects, herbal remedies effectively reorganize the body's resistance. Herbs do not give instant results, but provides a way to harmonize the body with nature. People have utilized herbs for thousands of a long time. .Herbs are used for - to make food fragrant, to make perfume to kill bacteria, to protect us from diseases, to make medicine to heal us when we are sick ^{10,11}.

ADVANTAGES OF HERBAL COSMETICS

Herbal makeup are the advanced drift within the field of magnificence and design. These specialists are gaining popularity as these days most ladies lean toward natural products over chemicals for their individual care to enhance their magnificence as these items supply the body with supplements and improve wellbeing and provide satisfaction as these are free from synthetic chemicals and have generally less side-effects compared to the engineered makeup¹².Following are a few of the preferences of using natural cosmetics which make them distant betteria much betteria higher a stronger; an improved a higher choice over the engineered ones:

NATURAL PRODUCTS

The title itself recommends that herbal makeup are common and free from all the harmful manufactured chemicals which something else may prove to be poisonous to the skin. Rather than traditional synthetic items distinctive plant parts and plant extracts are utilized in these items, e.g. Aloe vera gel and coconut oil. They too comprise of natural nutrients like Vitamin E that keeps skin healthy, glowing and wonderful. For case, Aloe vera is a herbal plant species having a place to Liliaceae family and is actually and effectively accessible¹³. There are arising number of customers concerned about ingredients such as manufactured chemicals, mineral oils who request more common items with traceable and more common fixings, free from harmful chemicals and with an accentuation on the properties of botanicals¹⁴

SECURE TO UTILIZE:

Compared to other magnificence products, natural makeup are secure to utilize. They are hypoallergenic and tried and demonstrated by dermatologists to be secure to utilize anytime, anyplace. Since they are made of normal fixings, individuals don't have to worry approximately getting skin rashes or involvement skin itchiness. Illustration - BHA (Butylated Hydroxy anisole) and BHT (Butylated Hydroxytoluene) are closely related engineered cancer prevention agents and are used as additives in lipsticks and moisturizers¹⁵. BHA and BHT can initiate unfavourably susceptible responses in the skin¹⁶. The worldwide Organization for Inquire about on Cancer classifies BHA as a conceivable human carcinogen¹⁷. Home grown beauty care products contain natural antioxidants like Vitamin C¹⁸.

CONGRUOUS WITH ALL SKIN SORTS

Characteristic cosmetics are reasonable for all skin sorts. No matter in case you are dark or reasonable, you'll discover characteristic makeup like foundation, eye shadow, and lipstick which area propriate independent of your skin tone. Women with sleek or delicate skin can also use them and never need to stress approximately debasing their skin condition. Coal tar derived colours are utilized broadly in cosmetics; coal tar is recognized as a human carcinogen and the most concern with individual coal tar a colour (whether created from coal tar or synthetically) is they can cause cancer¹⁹. But natural colours that are gotten from herbs are safer .

WIDE DETERMINATION TO SELECT FROM

Characteristic cosmetics may still be a modern sort within the magnificence industry but they as of now offer a assortment of excellence items for all make up insane individuals out there to select from .One will discover a assortment of establishment, eye shadow, lipstick, become flushed, mascara, concealer and numerous more which are all normally defined. Further more,one will discover locally made characteristic beauty care products orthose made by celebrated creators around the world. There exist a huge assortment of home grown extricates, to title a few Andrographis paniculata (Kalmegh), Asparagusracemosus (Shatawari), Boswellia serrata (Salai Guggal), Black-top (Shilajit) etc²⁰.

FITS YOUR BUDGET

Characteristic beauty care products are not that expensive. In truth, a few of these items are more affordable than manufactured ones. They are advertised at discounted costs and are sold for a cheap price during deals. Fair ought to overview sufficient to see for great bargains. An appraise of WHO demonstrates about 80 % of world populace depends on natural products for their wellbeing care, since of side effects delivered and rising fetched of modern medicine. World Wellbeing Organization currently recommends and energizes conventional herbal cures in characteristic wellbeing care programs as these drugs are effortlessly accessible at moo taken a toll and are comparatively secure²¹.

NO ADVERSE EFFECT

A few beauty care products are initially tried on creatures to guarantee that they are safe and viable to utilize for human. However, natural makeup require not be tried on animals. These normal details are tried by specialists in laboratories utilizing state of the craftsmanship gear with no creatures included¹².

NO SIDE IMPACTS

The manufactured magnificence items can irritate your skin, and cause pimples. They might block your pores and make your skin dry or oily. With characteristic beauty care products, one require not stress about these. The normal fixings utilized guarantee no side effects; one can apply them anytime, anyplace. For example home grown makeup are free from parabens that are the foremost broadly utilized additive in cosmetics and can enter the skin²². And are suspected of interferometer with hormone function(endocrine disturbance)¹⁵.

REGULATORY STATUS

The lawful distinction between a cosmetic and a sedate is decided by a products intended utilize. Beneath show concept, the boundary at which a corrective item gets to be medicate is not well-defined and distinctive laws and regulations apply to each sort of product. The drugs and corrective Act 1940 characterizes a drug and a corrective as; Sedate- "All drugs for internal or outside utilize of human creatures or animals and all substances aiming to be utilized for; or in the diagnosis, treatment, moderation or avoidance of any infection or clutter in people or animals. Cosmetic- "Any article expecting to be rubbed, poured, sprinkled or showered on or presented in to or connected to any portion of the human body for cleansing, beautifying, advancing allure or altering the appearance and incorporates any article intended for utilize as a component of cosmetic"²³⁻²⁴. Some items meet the definitions of both cosmetics and drugs. This may happen when a product has more than one planning employments. For example, a cleanser may be a corrective since its intended utilize is to clean the hair. An anti-dandruff shampoo could be a sedate since its aiming utilize is to treat dandruff. Among the cosmetic/drug combinations are toothpastes that contain fluoride, deodorants that are antiperspirants and moisturizers with sun-protection claims. The claims made about drugs are subject to point by point examination by the Food and Medicate Administration (FDA) survey and approval handle, but beauty care products are not subject to mandatory FDA audit. In spite of the fact that there's no legal category called cosmeceuticals, the term has found application to assign the items at the borderline between cosmetics and pharmaceuticals²⁵⁻²⁶. Federal Nourishment, Medicate and Corrective Act do not recognize the term itself. It is additionally regularly troublesome for consumers to decide whether „claims“ almost the actions or proficiency of cosmeceuticals are valid unless the item has been affirmed by the FDA or comparable organization. A few nations have the classes of items that drop between the two categories of beauty care products and drugs: for example, Japan has „Quasi-drugs“; Thailand has „controlled cosmetics“ and Hong Kong has „cosmetic-type drugs“. The controls of cosmeceuticals have not been harmonized between the USA, European, Asian and other nations²⁷.

INDIAN EXTRICATES FOR HOME GROWN MAKEUP

Herbs play a critical part, particularly in modem aims, when the harming impacts of nourishment handling and over medication have assumed disturbing proportions. They are presently being progressively makeup, foods and teas, as well as elective drugs. The growing intrigued in herbs could be a portion of the movement towards alter in life-styles. This development is based on the conviction that the plants have a vast potential for their utilize as a corrective pharmaceutical²⁸.

ALOE VERA

could be a most bright blend of an antibiotic, an astringent coagulating operator, a pain inhibitor and a development stimulator (too called a wound hormone"), whose work is to quicken the recuperating of harmed surfaces. It is utilized for pain relief and mending of 'haemorrhoids, applied externally and inside it's too utilized for sunburn, scratch and a cleansing cleanse for the body or skin. It is an help to developing unused tissue and alleviating the development of skin cancer caused by the sun²⁹.

BRAHMI (BACOPA MONNORIA)

Reetha powder is prepared from dried natural product of Reetha. It can be used as a confront pack to make strides facial complexion. It is used as a hair application to form hair sparkly and their beautification. It moreover evacuates dandruff and lice in hair. It can moreover be utilized to clean jewellery and washing woolen dress. It is utilized in Ayurvedic preparations and Home grown Shampoos²⁹.

MULTANI GLOVES (FULLERS SOIL)

It is Mother Nature's claim child powder. Clay was one of the earliest substances to be utilized as a magnificence veil to draw oils from the skin, normal moisturizers for hairs, teeth, gums and hair. To expel pimple marks, treating sunburn, makes a difference unclog pores, to cleanse the skin of pieces and soil²⁹.

NEEM (AZEDARACHES INDICA) "SARVA ROGA NIVARINI

the curer of all sicknesses" Neem's part as a ponder medicate is focused as distant back as 4500 years as. A few of its wellbeing reest abolishing benefits Effective in skin contamination, rashes and pimples, immunity booster, hostile to corpulence, blood purifier for beautiful and sound skin, against diabetic, hostile to viral, dispels intestinal worms and parasites, intestinal sickness, heaps, hair disorder and verbal disarranges²⁹.

HOME GROWN SOLUTIONS FOR TREATMENT OF VARIOUS AILMENTS

DRY SKIN TREATMENT

ALOE VERA

A local of southern Africa, the Aloe vera plant has meaty spiny-toothed clears out and red or yellow blooms. It is an fixing in many cosmetics since it recuperates moisturizes, and softens skin. Essentially cut one of the Aloe vera clears out to easily extricate the relieving gel. Aloe vera contains amino acids like leucine, isoleucine, saponin glycosides that give cleansing activity, Vitamins A, C, E, B, choline, B12 and folic corrosive and provide antioxidant movement³⁰

COCONUT OIL

It is created by pulverizing copra, the dried part, which contains approximately 60 - 65 % of the oil. Coconut oil contains a tall sum of glycerides of lower chain greasy acids. Coconut oil is derived from the natural product or seed of the coconut palm tree *Cocos nucifera*, family *Aceraceae*. The melting point of coconut oil is 24 to 25 °C (75 - 76 °F) and thus can be utilized effortlessly in fluid or strong shapes and is frequently utilized in cooking and heating. Coconut oil is excellent as a skin moisturizer and softener³².

JOJOBA OIL

It could be a blend of long chain, linear liquid wax esters extricated from the seeds of the desert bush *Simmonds shininess*, family *Simmondsiaceae*. Jojoba oil is effectively refined to remove any scent, colour it is oxidatively stable, and is frequently utilized in beauty care products as a moisturizer and as carrier oil for outlandish scents. Human sebum and jojoba oil are for all intents and purposes indistinguishable. Sebum protects and moisturizes the skin and hair but is stripped absent by chemicals, toxins, sun and the aging prepare, coming about in dry skin and hair. Jojoba oil replenishes what skin and hair lose and restore them to their characteristic pH adjust³¹.

OLIVE OIL

This oil may be a settled oil extricated from the fruits of *Olea europaea*, family *Oleaceae*. The important constituents are triolein, tripalmitin, trilinolein, tristearate, monostearate, teracacidin, squalene, β sitosterol and tocopherol. It is utilized as skin and hair conditioner in cosmetics like salves, shampoos etc. It could be a powerful greasy corrosive infiltration enhancer³¹.

SKIN PROTECTION

GREEN TEA

The tea plant has been developed in Asia for thousands of a long time³⁴. Green tea is tea made exclusively with the takes off of *Camellia sinensis* belonging to family Theaceae³⁵. The 4 major polyphenolic catechins show in green tea leaves are (2)-epicatechin (EC), EGC, (2)-EC-3-gallate, and EGCG, which is the foremost copious^{36, 37}. It was found that green tea extricates or an individual green tea polyphenol (GTPP), especially epigallocatechin (EGC)-3-gallate (EGCG), inhibited two-stage chemical carcinogenesis (e.g, actuated by 7,12-di-methylbenz(a)anthracene [DMBA] and 12-O-tetra decanoyl phorbol 13-acetate [TPA]) and photo-carcinogenesis (actuated by UVB)³⁸. It is a premiere skin protectant. It ensures against direct damage to the cell and moderates inflammation. The catechins in green tea are a few 20 times stronger in their antioxidant powers than even Vitamin E³⁵.

CALENDULA

Calendula officinalis is detailed to have a surprising antioxidant movement, anti inflammatory movement and wound recuperating activity³⁹. A past ponder illustrated that the essential oil of *Calendula* comprises primarily of α -thujene, α pinene, 1,8-Cineole, dihydrotageton and T-muurolol⁴⁰. *Calendula* in suspension or in tincture is utilized topically to treat skin break out, reducing inflammation, controlling dying and soothing irritated tissue³⁵. There's "constrained prove" that calendula cream or treatment is viable in treating radiation dermatitis⁴¹.

TURMERIC

Turmeric is utilized in numerous celebrations of Hindus. Particularly in Hindu wedding brides would rub with turmeric on their bodies for glowing see. Modern born babies too rubbed with turmeric on their brow for great luck. Traditionally ladies rub turmeric on their cheeks to produce a natural brilliant shine⁴². It may be a deep yellow-to-orange powder that comes decrease the number of Bright B (UVB)-induced sunburn cells in mice⁴³.

ANTI-AGING TREATMENT

CARROT

It is gotten from the plant *Daucus carota* having a place to family Apiaceae. It is a valuable herb since ages as due to its lavishness in Vitamin A beside other fundamental Vitamins. Carrot seed oil is utilized as anti-aging, revitalizing and restoring specialist³². The carrot gets its characteristic and shinning orange colour from β carotene, and lesser amounts of α -carotene and carotene. α and β -carotenes are somewhat metabolized into Vitamin A in people⁴⁴.

GINKGO

It comes from the ginkgo tree, *Ginobili* has a place to family Ginkgoaceae. It is best known, as a circulatory tonic, in specific for strengthening the modest small capillaries to all the organs, but particularly to the brain. The capillaries become more adaptable and as a result more oxygenise conveyed to the brain and eyes (to ensure against degenerative eye maladies like macular degeneration), as vital as we age³². In China and Japan, the takes off and nuts of the *Ginkgo biloba* (*G. biloba*) tree have been utilized for thousands of a long time to treat different medical conditions, counting destitute blood circulation; hypertension; destitute memory, and depression, particularly among the elderly; male weakness. In addition, it is picking up a comparable notoriety as an antioxidant and anti-inflammatory operator⁴⁵. The *G. biloba* extricate EGb 761, arranged from the trees leaves, may be a normal blend containing flavone glycosides (33%), for the most part quercetin and kaempferol derivatives, and terpenes (6%), which has exhibited the capacity to disconnected from the takes off of *Lawsonia interims* has appeared critical antifungal antibiotic impact⁴⁶.

RHODIOLA ROSEA

It is commonly known as golden root, roseroot, Aaron's pole, ice root, king's crown, Lignum rhodium, orpin rose. It could be a plant in the Crassulaceae family that environments in cold regions of the world. It develops primarily in dry sandy ground at tall heights within the ice ranges of Europe and Asia, conventional folk medicine utilized *R. rosea* to extend physical continuance, work productivity, life span, resistance to tall altitude sickness, and to treat weariness, sadness, frailty weakness, gastrointestinal afflictions, infections, and anxious framework disarranges⁴⁷. *R. rosea* is wealthy in phenolic compounds, known to have strong antioxidant properties⁴⁸.

DANDRUFF TREATMENT

Ayurveda has numerous natural medicines wherein the foremost common herbs incorporate neem, kapoor (naphthalene) and henna, hirda, behada and amalaki, enchantment nut, bringaraj, rosary pea, sweet hail, cashmere tree and mandor³².

HENNA

Henna comes from the plant *Lawsonia inermis* family Lythraceae, which contain a dyemolecule called lawsone, which when processed produces Henna powder. Other than lawsone other constituents display are gallic corrosive, glucose, mannitol, fats, tar (2%), mucilage and follows of an alkaloid. Clears out surrender henna tannic corrosive and an olive oil green gum, dissolvable in ether and liquor⁴⁹. Lawsone eatable natural product. It is profoundly lauded both for its tall Vitamin C substance and for the valuable oil, which is extricated from its seeds and mash and used as a treatment for hair and scalp issues. It is used in eye disorders, hair misfortune, and children ailments etc⁵⁰.

NEEM

The herb, *Azadirachta indica*, family Meliaceae has been found to have the properties of a Blood purifier, excellence enhancer. The common treatment for the dandruff. Neem because it produces antifungal, antibacterial, pain-relieving, and anti compounds that would treat dandruff⁵¹. Shikakai: *Acacia concinna* Linn. (Leguminosae) is a restorative plant that develops in tropical rain forests of Southern Asia. The natural products of this plant are used for washing hair, for progressing hair development, as an expectorant, emetic, and laxative. The powder of *Acacia concinna* Linn. appears the nearness of saponins, alkaloid, sugar, tannin, flavonoids, anthraquinone glycosides⁵². Hair Care: Different oils inferred from vegetable and mineral sources, and are utilized in cosmetics. Examples of vegetable oils are almond oil, Arachis oil, castor oil, olive oil, and coconut oil. Examples of mineral oils are Light and Overwhelming paraffin. b) Coconut Oil: This oil gotten from the dried solid portion of the endosperm of the coconut- *Cocos nucifera*, family Palmae. It is white or pearl- white unctuous mass in winter and colourless in summer. c) Almond Oil: The almond oil is gotten from *Prunus dulcis*. It demonstrates to be exceptionally feeding, and softens and reinforces the hair. The almond oil also demonstrates to be a really good cleansing agent's) Arachis Oil: This is often too a settled oil obtained from the seeds of the *Arachis hypogea* having a place to the family Leguminosae. The oil is pale yellow in colour, with a swoon nutty scent. It is utilized in the preparation of hair oils and Brilliantine's)

CASTOR OIL

This oil is gotten from the seeds of *Ricinus communis* having a place to the family, Euphorbiaceae. It is utilized as an emollient, in the preparation of lipstick, hair oils, creams and lotions.) Eucalyptus Oil: Eucalyptus oil is the generic name for refined oil from the leaf of Eucalyptus, agents of the Plant family Myrtaceae. Eucalyptus oil can offer assistance to urge freed of dandruff, which in turn can help to advance sound development of hair. growth)

ROSE OIL

The well-known fundamental oil is probably rose oil, delivered from the petals of *Rosado Ascena* and *Rosa centifolia*, family Rosaceae. Steam-distilled rose oil is known as rose otto while the dissolvable extricated item is known as "rose outright". It is utilized more commonly in perfumery. The key enhance compounds that contribute to the unmistakable fragrance of rose oil are beta-damascene, beta-damascene, beta-ionone, and oxide) Citronella Oil: It is one of the basic oils obtained from the takes off and stems of different species of *Cymbopogon* family Cardiopteridaceae. The fresh, wealthy citrus or lemon like smell of this oil drives absent body smell and is utilized antiperspirants and body splashes, in spite of the fact that in exceptionally little quantities, since it overwhelming measurements it may deliver skin aggravations. It can too be blended with the showering water to have are refreshing, body smell finishing bath.)

OLIVE OIL

This oil may be a settled oil extricated from the natural products of *Olea europaea*, family Oleaceae. The major constituents are triolein, tripalmitin, trilinolein, tristearate, monosterate, triarachidin, squalene, β sitosterol and tocopherol. It is utilized as skin and hair conditioner in cosmetics like moisturizers, shampoos etc. It could be a strong greasy corrosive entrance enhancer) Sunflower Oil: It is the non-volatile oil extracted from sunflower seeds gotten from *Helion thesaurus*, family Asteraceae. Sunflower oil contains lecithin, tocopherols, carotenoids and waxes. It has smoothing properties and is considered noncomedogenic⁵³. A basic however cost-effective oil, well attempted and tried for eras in a wide variety of emulsions defined for face and body Products 54.k) Light Fluid Paraffin: It comprises of a mixture of hydrocarbons within the frame of an sleek fluid which has no colour or smell. It is utilized in the manufacture of shower oils, hair oils, lotions and creams, due to its way better credibility)

OVERWHELMING FLUID PARAFFIN

It is composed of a mixture of hydrocarbons within the shape of a colourless and scentless sleek fluid. Due to its alleviating effect on the skin, it is utilized within the creams, salves and in hair oil.)

WAXES

They are the esters coming about from the condensation of tall atomic straight chain fatty acids with tall atomic straight chain monohydric liquor of the methanol arrangement. They are used in cosmetics as a base, together with oils and fats. Illustrations: lipstick)

BEESWAX

It may be a decontaminated wax isolated from the honey comb of bees, *Apis mellifera* which have a place to the family, Apidae. Beeswax is composed of 70% ester americyl palmitate. Beeswax makes a difference in the incorporation of water to make an emulsion⁵⁵.

ANTIOXIDANTS

Cancer prevention agents either manufactured or natural can be viable in avoiding free radical formation by rummaging them or advancing their decomposition and stifling such disarranges⁵⁴. Currently, there's a developing intrigued toward natural antioxidants of home grown assets⁵⁵.

TAMARIND

Tamarind or *Tamarindus indica* L. of the Fabaceae, subfamily Caesalpinioideae consists of amino acids, greasy acids and minerals of tamarind plant parts. The foremost distinguished characteristic of tamarind is its sweet acidic tamarind to tartaric corrosive. Other than being a wealthy source of sugars, tamarind natural product is additionally an amazing source of Vitamin B and contain minerals, display high antioxidant capacity that show up to be associated with a tall phenolic substance, and in this way can be an important nourishment source⁵⁶⁻⁶⁰.

VITAMIN C

Vitamin C is vital for the hydroxylation of proline, procollagen, and lysine. Vitamin C progresses the changes caused by photodamage. Vitamin C has been utilized successfully to stimulate collagen repair, hence expelling a few of the impacts of photo-aging on skin.

VITAMIN E

(Alpha-tocopherol) is the major lipophilic antioxidant in plasma layers and tissues. The term Vitamin E collectively alludes to 30 actually happening particles (4 tocopherols and 4 tocotrienols), all of which show Vitamin E activity. Its major part is by and large considered to be the arrest of chain engendering and lipid peroxidation by rummaging lipid peroxy radicals, hence protecting the cell layer from destruction⁶¹.

CONCLUSION

In India more than 70 % of the populations utilize home grown makeup for their healthcare. A show time home grown corrective has been marked up in individual care framework and there's a great necessity for the home grown beauty care products in daily life. Sound teeth, sparkly hair and gleaming skin are significant for the great looking of the human body. Herbal beauty care products are prepared, using cosmetic ingredients to make the base in which one and another home grown fixings are utilized to treat different kin afflictions and for the beautification. The chemical definition of all these restorative products includes expansion of different common added substances like waxes, oils normal colour, common scents and parts of plants like takes off, etc. The Cosmeceuticals are operators that lie elsewhere between unadulterated beauty care products (lipstick and rouge) and pure medicate (anti-microbials, corticosteroids) methods. Corrective detailing based characteristic beauty preparation, which has restorative esteem or safe additive properties in supplanting engineered ingredient. There is ought to do more R and D within the field of herbal corrective to demonstrate viability and established home grown restorative in safety profile. It is needed to conduct satisfactory security testing as per existing administrative run the show and display requirement. The capacity to want the proper beauty care products for you depends on precise fixing information, body Prakriti appraisal, individual needs, customer perception approximately item, benchmark product. Quality control for capacity and security of herbal cosmetic items is of transcendent importance. So quality control test must be carried out for herbal beauty care products. It is expected to be secure for long periods of time.

REFERENCES

1. Hughes GR: J. Soc. Cosmet. Chem., 1959; X: 159.
2. Encyclopaedia Britannica, Edition 14th, 1929.
3. Saha R: Cosmeceuticals and herbal drugs: practical uses. International Journal of Pharmaceutical Research and Sciences, 2012; 3: 59-65.
4. Sharma HD and Paramesh R: Trends in aging and skin care: Ayurvedic concepts. Journal of Ayurveda and Integrative Medicine, 2010; 1: 110-113.
5. Kapoor VP: Herbal Cosmetics for skin and hair care. Natural Product Radiance, 306-314
6. Sankholkar DS: Current Regulations and Suggested Way Forward, The Pharma Times, 2009; 41(8): 30-31.
7. Chaudhuri DK: Sc"F" andH, PCD 2006.
8. www.ayurvedic-herbal-products.com/herbalextracts.html
9. Gediya SK, Mistry RB, Patel UK, Blessy M and Jain HN: Herbal plants: Used as cosmetics. J. Nat Prod Plant Resour. 2011; 1: 24-32.
10. WHO guideline, 2000.

11. www.indo-world.com/cosmeticherbhistory.html
12. Top 7 Advantages of using Natural Cosmetics.
13. Akinyele BO and Odiyi AC: Comparative study of the vegetative morphology and the existing taxonomic status of Aloe vera. *Journal of Plant Sciences*, 2007; 2: 558-563.
14. Escamilla M, Ferre A, Hidalgo C, Fuentes N, Kaps R, et al., Revision of European ecolabel criteria for soaps, shampoos and hair conditioners. Joint Research Centre European Commission, 2012; 1-40.
15. Suzuki D: The "Dirty Dozen" ingredients investigated in the David Suzuki Foundation Survey of chemicals in cosmetics. *Backgrounder*, 2010; 1-15.
16. Occupational Exposure to Hazardous Agents. 17. International Agency for Research on Cancer (IARC) monographs on the evaluation of carcinogenic risks to humans, 1978;
- 17: 1-365.
18. Kadam VS, Chintale AG, Deshmukh KP and Nalwad DN: Cosmeceuticals an emerging concept: A comprehensive review. *International Journal of Research in Pharmacy and Chemistry*, 2013; 3: 308-316.
19. Winter RA: Consumers dictionary of cosmetic ingredients. Three Rivers press United states USA, Edition 7th , 2009.
20. Ayurvedic and Herbal Products.
21. Sharma A, Shanker C, Tyagi LK, Singh M and Rao CV: Herbal medicine for market potential in India: An overview. *Academic Journal of Plant Sciences*, 2008; 1: 26-36.
22. US: Food and Drug Administration, "Parabens".
23. Joshi LS and Pawar HA: Herbal cosmetics and cosmeceuticals: An overview, *Nat Prod Chem Res.*, 2015; 3: 170.
24. Jain NK: A textbook of Forensic pharmacy. Jain MK, Vallabh Prakashan, Delhi, India, Edition 7th , 2007.
25. Ligade VS and Udupa N: Pharmaceuticals, cosmeceuticals and neutraceuticals: An overview of Regulations. Career Publications, Edition 1th , 2010.
26. Dureja H, Kaushik D, Gupta M, Kumar V and Lather V: Cosmeceuticals: An emerging concept. *Indian Journal of Pharmacology*, 2005; 37: 155-159.
27. Trueb RM: The value of hair cosmetics and pharmaceuticals. *Dermatology*, 2001; 202: 275-82.
28. www.indo-world.com/cosmeticherbextracts.html
29. www.cosmetics.co.in/cosmetic-products.html
30. Maeda K and Arbutin FM: mechanism of its depigmenting action in human melanocyte culture. *J. Pharmacol. Exp. Ther.*, 1996; 276: 765-769.
31. Rabasco AAM and Gonzalez RML: Lipids in pharmaceutical and cosmetic preparations. *Grasasy Aceites*, 2000; 51: 74-96.
32. Gediya SK, Mistry RB, Patel UK, Blessy M and Jain HN: Herbal plants: used as cosmetics. *J Nat Prod Plant Resource*, 2011; 1: 24-32.
33. Athar M and Syed MN: Taxonomic perspective of plant species yielding vegetable oils used in cosmetics and skin care products. *African Journal of Biotechnology*, 2005; 4: 36-44.
34. Kuroda Y and Hara Y: Anti-mutagenic and anticarcinogenic activity of tea polyphenols. *Mutation Research/Reviews in Mutation* 1999; 436: 69-97.

35. Gediya SK, Mistry RB, Patel UK, Blessy M, Jain HN: Herbal plants: used as cosmetics. J. Nat Prod Plant Resour. 2001; 1: 24-32.
36. Adhami VM, Mukhtar H, Ahmad N, Farrukh A and Yukihiro H: Tea polyphenols as cancer chemopreventive agents. T cell Biochem, 1995; S-22: 169-180.
37. Katiyar SK and Elmets CA: Green tea polyphenols skin protection and antioxidant (Review). Int J Oncol, 2001; 18: 1307-1313.
38. Mukhtar H, Katiyar SK and Agarwal R: Green tea and skin anti-carcinogenic effects. J Invest Dermatol, 1994; 102: 3-7.
39. Muley BP, Khadabadi SS and Banaase NB: Phytochemical constituents and pharmacological activities of *Calendula officinalis* Linn. (Asteraceae): A review. Trop J pharma Res, 2009; 8: 455-465.
40. Okoh OO, Sadimenko AP, Asekeen OT and Afolayan AJ: The effects of Drying on the chemical components of Essential oils of *Caledula officinalis* Linn. African J Biotechnol, 2008; 7: 1500-1502.
41. Athar M and Syed MN: Taxonomic perspective of plant species yielding vegetable oils used in cosmetics and skin care products African. Journal of Biotechnology, 2005; 4: 36-44.
42. Itami S, Kurata S, Sonoda T and Takayasu S: Characterization of 5 alpha-reductase in cultured human dermal papilla cells from beard and occipital scalp hair. J. Invest Dermatol. 1991; 96(1): 57-60. <http://www.ayurvedic-herbal-products.com/herbalextracts.html>
43. Ozkur MK, Bozkurt MS, Balabanli B, Aricioglu A, Ilter N, et al., The effects of EGB 761 on lipid peroxide levels and superoxide dismutase activity in sunburn. Photodermatol photoimmunol photomd 2002; 18: 117-120.
44. Strube M and Dragsted OL: Naturally occurring antitumourigenic. Iv. Carotenoids except β -carotene, 1999.
45. Jain A, Dubey S, Gupta A, Kannoja P and Tomar V: Potential of herbs as cosmeceuticals. IJRAP, 2010; 1: 71- 77.
46. Dixit SN, Srivastava HS and Tripathi RD: Lawsonia, The antifungal antibiotic from leaves of *Lawsonia inermis* and some aspects of its mode of action. Indian Phytopathol, 1980; 31: 131-133.
47. Brown RP, Gerbarg PL and Ramazanov Z: *Rhodiola rosea*: A phytomedical overview. Herbal Gram. The Journal of the American Botanical Council, 2002; 56: 40- 52.
48. Furmanowa M, Skopinska RE, Rogala E and Malgorzata H: *Rhodiola rosea* in-vitro culture: phytochemical analysis and antioxidant action. Acta Societis Botanicorum Poloniae, 1998; 67: 69-73
49. Chaudhary G, Goyal S and Poonia P: *Lawsonia inermis* Linnaeus: A phytopharmacological review. International Journal of Pharmaceutical Sciences and Drug Research, 2010; 2: 91-98.
50. Pandey S, Meshya N and Viral D: Herbs play an important role in the field of cosmetics. International Journal of Pharm Tech Research, 2010; 2: 632-639
51. Shuster S, Black MM and Mcvitie E: The influence of age and sex on skin thickness, skin collagen and density, Br. J. Dermatol. 1975; 93: 639-643.
52. Khanpara K, Renuka V, Shukla J and Harsha CR: A Detailed Investigation of shikakai (*Acacia concinna* Linn.) fruit. Journal of Current Pharmaceutical Research, 2012; 9: 06-10.
53. Aslam MN, Lansky EP and Varani J: Pomegranate as a cosmeceutical source: pomegranate fractions promote proliferation and procollagen synthesis and inhibit matrix metalloproteinase-1 production in human skin cells. J. Ethnopharmacol. 2006; 103: 311-318.
54. Tournas JA, Lin FH, Burch JA, et al., Ubiquinone, idebenone, and kinetin provide ineffective photoprotection to skin when compared to a topical antioxidant combination of Vitamins C and E with ferulic acid. J Invest Dermatol. 2006; 126: 1185-1187.

55. Craig WJ: Health-promoting properties of common herbs. *Am J Clin Nutr.* 1999; 70: 491S-499S.
56. Rao Diwan PV: Herbal formulation useful as therapeutic and cosmetic applications for the treatment of general skin disorders, 2001.US6200570 B1.
57. Marini JL: Cosmetic herbal compositions. 2007. EP182 5845
58. Mengoli F: Herbal cosmetic compsns-contg. Herbs in mixt of surfactants, essential oils, etc. 1993. DE4133085 A1,
59. Neelakantan K: Dry herbal, cleaning compositions, 1999. EP0908171 A1,
60. Bonte F, Dumas M and Maybeck A: Cosmetic or dermatologic composition containing at least one saponine of the ginsenoside type, and its applications particularly to hair care, 1994. WO1994006402 A2.
61. Kadam VS, Chintale AG, Deshmukh KP and Nalwad DN: Cosmeceuticals an emerging concept: A comprehensive Review. *International Journal of Research in Pharmacy and Chemistry*, 2013; 3: 308-316.
62. Barreto JC, Trevisan MTS, Hull WE, Erben G, De Brito ES and Pfundstein B: Characterization and quantitation of polyphenolic compounds in bark, kernel, leaves, and peel of mango (*Mangifera indica* L.). *Journal of Agricultural and Food Chemistry* 2008; 56(14): 5599-5610.
63. Scartezzini P and Speroni E: Review on some plants of Indian traditional medicine with antioxidant activity. *J Ethnopharmacol* 2000; 71: 23-43.
64. Cabral C, Francisco V, Cavaleiro C, Gonçalves MJ, Cruz MT and Sales F: Essential Oil of *Juniperus communis* subsp. *alpina* (Suter) Celak Needles: Chemical Composition, Antifungal Activity and Cytotoxicity. *Phytotherapy Research* 2012; 26(9): 1352-1357.
65. Melvina M, Dorothy G, Frank M, Joanne E, Margaret S and Cheryl S: Herbal Therapies and Diabetes among Navajo Indians. *Diabetes Care* 2005; 28(6): 1534-1535.
66. Anis E, Anis I, Ahmed S, Mustafa G, Malik A and Choudhary MI: Alpha-glucosidase inhibitory constituents from *Cuscuta reflexa*. *Chem Pharm Bull* 2002; 50(1): 112- 114.
67. Yang L, Chen Q, Wang F and Zhang G: Antiosteoporotic compounds from seeds of *Cuscuta chinensis*. *J Ethnopharmacol* 2011; 135(2): 553-560.
68. Habib-ur-Rehman, Yasin KA and Choudhary MA: Studies on the chemical constituents of *Phyllanthus emblica*. *Nat. Prod. Res* 2007; 21(9): 775-781.
69. Tiwari V, Kuhad A and Chopra K: *Emblica officinalis* corrects functional, biochemical and molecular deficits in experimental diabetic neuropathy by targeting the oxidonitrosative stress mediated inflammatory cascade. *Phytotherapy Research* 2011; 25(10): 1527-1536.
70. Sukanya DH, Lokesha AN, Datta G and Himabindu K: Phytochemical diversity in ashwagandha (*Withania somnifera*). *Journal of Medicinal and Aromatic Plants* 2010; 1(2): 27-30.
71. Mishra LC, Singh BB and Dagenais S: Scientific basis for the therapeutic use of *Withania somnifera* (*Ashwagandha*): A Review. *Alternative Medicine Review* 2000; 5(4): 33- 38.
72. Ruan B, Kong LY, Takaya Y and Niwa M: Studies on the chemical constituents of *Psoralea corylifolia* L. *Journal of Asian Natural Products Research* 2007; 9(1): 20-25.
73. Zhao G, Li S, Qin GW, Fei J and Guo LH: Inhibitive effects of *Fructus Psoraleae* extract on dopamine transporter and noradrenaline transporter. *J Ethnopharmacol* 2007; 112(3): 498-506.
74. Pino JA, Bayat F, Marbot R and Aguero J: Essential oil of *Chamomilla recutita* (Linn.) Rausch. *J Essent Oil Res* 2002; 14: 407-408.
75. Pirzad A, Alyari MR, Shaliba S, Zehtab-Salmasi and Moammadi A: Essential oil content and composition of German chamomile (*Matricaria chamomilla* L.) at different irrigation regimes. *J Agron* 2006; 5: 451-455.

76. Singh O, Khanam Z, Misra N and Srivastava MK: Chamomile (*Matricaria chamomilla* L.): An overview. *Pharmacogn Rev* 2011; 5(9): 82-95
77. Sang S, Lapsley K, Jeong WS, Lachance PA, Ho CT and Rosen RT: Antioxidative phenolic compounds isolated from almond skins (*Prunus amygdalus* Batsch). *J. Agric. Food Chem* 2002; 50(8): 2459-2463.
78. Esfahlan AJ, Jamei R and Esfahlan RJ: The importance of almond (*Prunus amygdalus* L.) and its by-products. *Food Chemistry* 2010; 120(2): 349-360.
79. Silva BM, Andrade PB, Ferreres F, Seabra RM, Oliveira MB and Ferreira MA: Composition of quince (*Cydonia oblonga* Miller) seeds: phenolics, organic acids and free amino acids. *Nat Prod Res* 2005; 19(3): 275-281.
80. Silva BM, Andrade PB, Valentao P, Ferreres F, Seabra RM and Ferreira MA: Quince (*Cydonia oblonga* Miller) Fruit (Pulp, Peel, and Seed) and Jam: Antioxidant activity. *J. Agric. Food Chem* 2004; 52(15): 4705-4712.
81. Sadhu SK, Khan MS, Ohtsuki T and Ishibashi M: Secoiridoid components from *Jasminum grandiflorum*. *Phytochemistry* 2007; 68(13): 1718-1721.
82. Chaturvedi AP and Tripathi YB: Methanolic extract of leaves of *Jasminum grandiflorum* Linn. modulates oxidative stress and inflammatory mediators. *Inflammopharmacology* 2011; 19(5): 273-281.
83. Zhang XH, da Silva JA, Jia YX, Zhao JT and Ma GH: Chemical composition of volatile oils from the pericarps of Indian sandalwood (*Santalum album*) by different extraction methods. *Nat Prod Commun* 2012; 7(1): 93-6.
84. Misra BB and Dey S: Evaluation of in-vivo antihyperglycemic and antioxidant potentials of α -santalol and sandalwood oil. *Phytomedicine* 2013; 12: 17.
85. Misra BB and Dey S: Differential extraction and GC-MS based quantification of sesquiterpenoids from immature heartwood of East Indian sandalwood tree. *Journal of Natural Sciences Research* 2012; 2(6): 29-33.
86. Misra BB and Dey S: Shikimic acid (Tamiflu Precursor) production in suspension cultures of East Indian sandalwood (*Santalum album*) in Air-lift Bioreactor. *Journal of Postdoctoral Research* 2013; 1(1): 1-9.
87. Negi JS, Singh P and Rawat B: Chemical constituents and biological importance of *Swertia*: A review. *Current Research in Chemistry*, 2011; 3: 1-15.
88. Chen Y, Huang B, He J, Han L, Zhan Y and Wang Y: In - vitro and in-vivo antioxidant effects of the ethanolic extract of *Swertia chirayita*. *Journal of Ethnopharmacology* 2011; 136(2): 309-315.
89. Liu Y, Murakami N, Ji H, Pedro A and Zhang S: Antimalarial flavonol glycosides from *Euphorbia hirta*. *Pharm Biol* 2007; 45: 278-281.
90. Williamson EM. *Major herbs of Ayurveda*. China: Churchill Livingstone; 2002.
91. Ammar NM, Mohammed SH, Doha AM, Nabil EK, Ahmed HA and Tom JM: Phytochemical and biological studies of *butea frondosa* Roxb. leaves growing in Egypt. *Medical Journal of Islamic World Academy of Sciences* 2011; 19(4): 173-180.
92. Londonkar R and Ranirukmini RK: Anti-microbial activity of *Butea frondosa* Roxb. *Journal of Pharmacognosy* 2010; 1(1): 01-05
93. Lyantagaye SL: Ethnopharmacological and phytochemical review of *Allium* species (sweet garlic) and *tulbaghia* species (wild garlic) from southern Africa. *Tanz. J. Sci* 2011; 37: 17-21.
94. Gupta M, Biswas TK, Saha S and Debnath PK: Therapeutic utilization of secretory products of some Indian medicinal plants - A review. *Indian Journal of Traditional Knowledge* 2006; 5(4): 569-575.
95. Awasthi PK and Dixit SC: Chemical composition of *Curcuma Longa* leaves and rhizome oil from the plains of Northern India. *Pharmacognosy* 2009; 1(4): 312-316,
96. Prajapati MS, Patel JB, Modi K and Shah MB: *Leucas aspera*: A review. *Pharmacogn Rev* 2010; 4(7): 85-87.

97. Srinivasan R: Leucas Aspera - Medicinal plant: A review. International Journal of Pharma and Bio Sciences 2011; 2(1): 153-159.
98. Oudhia P: Kamala or kamopillaka (*Mallotus philippinensis* Muell.). Society for Parthenium Management (SOPAM) 2013.
99. Barreto JC, Trevisan MTS, Hull WE, Erben G, De Brito ES and Pfundstein B: Characterization and quantitation of polyphenolic compounds in bark, kernel, leaves, and peel of mango (*Mangifera indica* L.). Journal of Agricultural and Food Chemistry 2008; 56(14): 5599-5610.
100. Toshihiro A, Naoki H, Harukuni T, Motohiko U, Hiroyuki A and Yuichi T: Cucurbitane-type triterpenoids from the fruits of *Momordica charantia* and their cancer chemopreventive effects. Journal of Natural Products 2007; 70: 1233-1239.
101. Beloin N, Gbeassor M, Akpagana K, Hudson J, De Soussa K and Koumaglo K: Ethnomedicinal uses of *Momordica charantia* (Cucurbitaceae) in Togo and relation to its phytochemistry and biological activity. Journal of Ethnopharmacology 2005; 96(1-2): 49-55.
102. Shah AJ and Gilani AH: The Calcium channel blocking and Phosphodiesterase Inhibitory activities of the extract of *Andropogon muricatus* explains its medicinal use in airways disorders. Phytotherapy Research 2012; 26(8): 1256-1258,
103. Wu XY, Chao ZM, Wang C, Tan ZG and Sun W: Chemical constituents contained in fatty oil from seeds of *Cucumis sativus*. Zhongguo Zhong Yao Za Zhi 2012; 37(21): 3252-3255.
104. Yan XN, Sikora RA and Zheng JW: Potential use of cucumber (*Cucumis sativus* L.) endophytic fungi as seed treatment agents against root-knot nematode *Meloidogyne incognita*. J Zhejiang Univ Sci B 2011; 12(3): 219-225.
105. Zhang T, Wang H, Du G and Chen R: Study on chemical constituents from roots of *Saussurea lappa*. Zhongguo Zhong Yao Za Zhi 2009; 34(10): 1223-1224.
106. Zhang T, Ma L, Wu F and Chen R: Chemical constituents from a portion of ethanolic extract of *Saussurea lappa* roots. Zhongguo Zhong Yao Za Zhi 2012; 37(9): 1232- 1236.
107. Jia JM, Wu CF, Liu W, Yu H, Hao Y and Zheng JH: Antiinflammatory and analgesic activities of the tissue culture of *Saussurea involucreta*. Biological and Pharmaceutical Bulletin 2005; 28(9): 1612-1614.
108. Zhang J, Yuan K, Zhou WL, Zhou J and Yang P: Studies on the active components and antioxidant activities of the extracts of *Mimosa pudica* Linn. from southern China. Pharmacogn Mag 2011; 7(25): 35-39.
109. Behera SK, Panda A and Misra MK: Medicinal plants used by the Kandhas of Kandhamal District of Orissa. Indian J Traditi Knowl 2006; 5: 519-528.
110. Apostolova EGK, Georgiev MI, Ilieva MP, Skibsted LH, Rodtjer A and Andersen ML: Extracts of plant cell cultures of *Lavandula vera* and *Rosa damascena* as sources of phenolic antioxidants for use in foods. European Food Research and Technology 2008; 227(4): 1243-1249.
111. Mostafavi A and Afzali D: Chemical composition of the essential oils of *Rosa damascena* from two different locations in Iran. Chemistry of Natural Compounds 2009; 45(1): 110-113.
112. Zuzarte MR, Dinis AM, Cavaleiro C, Salgueiro LR and Canhoto JM: Trichomes, essential oils and in-vitro propagation of *Lavandula pedunculata* (Lamiaceae). Industrial Crops and Products 2010; 32(3): 580-587.
113. Kundu P and Iascar S: A brief resume on the genus *Ailanthus*: chemical and pharmacological aspects. Phytochemistry Reviews 2010; 9: 379-412
114. Suzuki R, Iijima M, Okada Y and Okuyama T: Chemical constituents of the style of *Zea mays* L. with glycation inhibitory activity. Chem Pharm Bull 2007; 55(1): 153- 155.

115. Negrotto D, Jolley M, Beer S, Wenck AR and Hansen G: The use of phosphomannose-isomerase as a selectable marker to recover transgenic maize plants (*Zea mays* L.) via *Agrobacterium* transformation. *Plant Cell Reports* 2000; 19(8): 798-803.
116. Yong JW, Ge L, Ng YF and Tan SN: The chemical composition and biological properties of coconut (*Cocos nucifera* L.) water. *Molecules* 2009; 14(12): 5144-5164.
117. Siddiqui S, Mahmood T, Faizi S and Siddiqui BS: Studies in the chemical constituents of *Azadirachta indica* A. Juss (Meliaceae). *J. Chem. Soc* 1987; 1: 1429-1432.
118. Kamal GM, Anwar F, Hussain AI, Sarri N and Ashraf MY: Yield and chemical composition of Citrus essential oils as affected by drying pretreatment of peels. *International Food Research Journal* 2011; 18(4): 1275- 1282.
119. Molina EG, Perles RD, Moreno DA and Viguera CG: Natural bioactive compounds of Citrus limon for food and health. *Journal of Pharmaceutical and Biomedical Analysis* 2010; 51(2): 327-345
120. Chaurasia B, Dhakad RS, Dhakar VK and Jain PK: Preliminary phytochemical and pharmacological (Antidiabetic) screening of *Cassia tora* Linn. *International Journal of Pharmacy and Life Sciences* 2011; 2(5): 26-29.
121. Mazumder A, Lahkar V, Sahay J, Oraon A, Mazumder R and Pattnaik AK: Pharmacognostical studies on the leaves of *Cassia tora* Linn. (Fam. caesalpiniaceae). *Anc Sci Life* 2005; 25(2): 74-78
122. Quintal PC, Flores TG, Buenfil IR and Tintore SG: Antifungal activity in ethanolic extracts of *Carica papaya* L. CV. maradol leaves and Seeds. *Indian J Microbiol* 2011; 51(1): 54-60.
123. Sadek KM: Antioxidant and immunostimulant effect of *Carica papaya* Linn. aqueous extract in acrylamide intoxicated rats. *Acta Inform Med* 2012; 20(3): 180-185
124. Hu YM, Ye WC, Yin ZQ and Zhao SX: Chemical constituents from flos *Sesamum indicum* L. *Yao Xue Xue Bao* 2007; 42(3): 286-291.
125. Suja KP, Jayalekshmy A and Arumughan C: Free radical scavenging behavior of antioxidant compounds of sesame (*Sesamum indicum* L.) in DPPH system. *J. Agric. Food Chem* 2004; 52(4): 912-915
126. Hussain AI, Anwar F, Sherazi STH and Przybylski R: Chemical composition, antioxidant and antimicrobial activities of basil (*Ocimum basilicum*) essential oils depends on seasonal variations. *Food Chemistry* 2008; 108(3): 986-995.
127. Prakash P and Gupta N: Therapeutic uses of *Ocimum sanctum* Linn. (Tulsi) with a note on eugenol and its pharmacological actions: a short review. *Indian J Physiol Pharmacol* 2005; 49(2): 125-131
128. Khare CP: *Encyclopedia of Indian medicinal plants*. Berlin Heidelberg, Germany: Springer-Verlag; 2005: 372.
129. Tripathi P, Kumar R, Sharma AK, Mishra A and Gupta R: *Pistia stratiotes* (Jalkumbhi). *Pharmacogn Rev* 2010; 4(8): 153-160.
130. Singh TP, Singh OM and Singh HB: *Adhatoda vasica* Nees: Phytochemical and Pharmacological Profile. *The Natural Products Journal* 2011; 1(29): 29-39
131. <https://www.newdirectionsaromatics.com/products/botanical-extracts/>
132. Zhang LZ, Zhao WH, Guo YJ, Tu GZ, Lin S and Xin LG: Studies on chemical constituents in fruits of Tibetan medicine *Phyllanthus emblica*. *Zhongguo Zhong Yao Za Zhi* 2003; 28(10): 940-943.
133. Krishnaveni M and Mirunalini S: Therapeutic potential of *Phyllanthus emblica* (Amla): the Ayurvedic wonder. *J Basic Clin Physiol Pharmacol* 2010; 21(1):
134. Venkatachalam M and Sathe SK: Chemical composition of selected edible nut seeds. *J. Agric. Food Chem* 2006; 54(13): 4705-4714.
135. Gaur RD: Traditional dye yielding plants of Uttarakhand, India. *Natural Product Radiance* 2008; 7(2): 2734-2739.

136. Judzentiene A and Budiene J: Analysis of the chemical composition of flower essential oils from *Arnica montana* of Lithuanian origin. *chemija* 2009; 20(3): 190-194.
137. Knuesel O, Weber M and Suter A: *Arnica montana* gel in osteoarthritis of the knee: An open, multicenter clinical trial. *Advances in Therapy* 2002; 19(5): 209-218
138. <http://www.naturallivingideas.com/best-herbs-for-hairgrowth/>
139. Paaver U, Orav A, Arak E, Mäeorg U and Raal A: Phytochemical analysis of the essential oil of *Thymus serpyllum* L. growing wild in Estonia. *Nat Prod Res* 2008; 22(2): 108-115.
140. Jaric S, Popovic Z, Jovic MM, Djurdjevic L, Mijatovic M and Karadzic B: An ethnobotanical study on the usage of wild medicinal herbs from Kopaonik Mountain (Central Serbia). *Journal of Ethnopharmacology* 2007; 111(1): 160- 175.
141. Ahmed F and Urooj A: Traditional uses, medicinal properties, and phytopharmacology of *Ficus racemosa*: a review. *Pharmaceutical Biology* 2010; 48(6): 672-81.
142. Paarakh K and Padmaa M: *Ficus racemosa* Linn.—An overview. *Natural product radiance* 2009; 8(1): 84-90.
143. Oliveira JTA, Vasconcelos IM, Bezerra LCNM, Silveira SB, Monteiro ACO and Moreira RA: Composition and nutritional properties of seeds from *Pachira aquatica* Aubl, *Sterculia striata* St Hil et Naud and *Terminalia catappa* Linn. *Food Chemistry* 2000; 70(2): 185-191.
144. Misra M: Modern drug development from traditional medicinal plants using radioligand receptor-binding assays. *Medicinal Research Reviews* 1998; 18(6): 383-402
145. Oksanen E, Riikonen J, Kaakinen S, Holopainen T and Vapaavuori E: Structural characteristics and chemical composition of birch (*Betula pendula*) leaves are modified by increasing CO₂ and ozone. *Global Change Biology* 2007; 11(5): 305-310.
146. Rytter L, Ericsson T and Rytter RM: Effects of demanddriven fertilization on nutrient use, root: Plant ratio and field performance of *Betula pendula* and *Picea abies*. *Scandinavian Journal of Forest Research* 2003; 18 (5): 225-229.
147. Ali Z and Khan IA: Chemical constituents of *Terminalia chebula*. *Planta Med* 2009; 75: 41.
148. Hsouna AB, Trigui M, Culioli G, Blache Y and Jaoua S: Antioxidant constituents from *Lawsonia inermis* leave: Isolation, structure elucidation and antioxidative capacity. *Food Chemistry* 2011; 125(1): 193-200.
149. Siddiqui BS, Kardar MN, Ali ST and Khan S: Two new and a known compound from *Lawsonia inermis*. *Helvetica Chimica Acta* 2003; 86(6): 2164-9.
150. Makhija IK: *Lawsonia Inermis* - from traditional use to scientific assessment. *Pharma Tutor Pharmacy Infopedia* 2010.
151. Gottumukkala VR, Annamalai T and Mukhopadhyay T: Phytochemical investigation and hair growth studies on the rhizomes of *Nardostachys jatamansi* DC. *Pharmacogn Mag* 2011; 7(26): 146-150.
152. Amatya G and Sthapit VM: A Note on *Nardostachys jatamansi*. *Journal of Herbs, Spices and Medicinal Plants* 1994; 2(2): 39-47
153. Zhang T, Wang H, Du G and Chen R: Study on chemical constituents from roots of *Saussurea lappa*. *Zhongguo Zhong Yao Za Zhi* 2009; 34(10): 1223-1224.
154. Zhang T, Ma L, Wu F and Chen R: Chemical constituents from a portion of ethanolic extract of *Saussurea lappa* roots. *Zhongguo Zhong Yao Za Zhi* 2012; 37(9): 1232- 1236.
155. Jia JM, Wu CF, Liu W, Yu H, Hao Y and Zheng JH: Antiinflammatory and analgesic activities of the tissue culture of *Saussurea involucreta*. *Biological and Pharmaceutical Bulletin* 2005; 28(9): 1612-1614.
156. Chalchat JC, Garry RP and Michet A: Chemical composition of essential oil of *Calendula officinalis* L. (pot marigold). *Flavour and Fragrance Journal* 2010; 6(3): 316-20.

157. *Calendula officinalis* - L. Plants for a Future. 2007; 12-9 158. Mian KH and Mohamed S: Flavonoid (myricetin, quercetin, kaempferol, luteolin, and apigenin) content of edible tropical plants. J. Agric. Food Chem 2001; 49(6): 3106-3112.
159. Breeding Better Broccoli: research points to pumped up lutein levels in broccoli. Science Daily 2010.
160. Yong JW, Ge L, Ng YF and Tan SN: The chemical composition and biological properties of coconut (*Cocos nucifera* L.) water. Molecules 2009; 9; 14(12): 5144-5164.
161. Singla RK: Review on the pharmacological properties of *Cocos nucifera* Endocarp. Pharmaceutical Sciences 2012; 3(5): 278-284
162. Sinha RK, Majumdar K and Sinha S: Somatic embryogenesis and plantlet regeneration from leaf explants of *Sapindus mukorossi* Gaertn: a soapnut tree. Current Science 2000; 78(5): 620-623.
163. Oliveira JTA, Vasconcelos IM, Bezerra LCNM, Silveira SB, Monteiro ACO and Moreira RA: Composition and nutritional properties of seeds from *Pachira aquatica* Aubl, *Sterculia striata* St Hil et Naud and *Terminalia catappa* Linn. Food Chemistry 2000; 70(2): 185-191.
164. Zhi ZY, Huan C, Li Q, Fang HD, Ming HH and Hu PY: Chemical constituents from *Carthamus tinctorius* L. Chinese Journal of Medicinal Chemistry 2007; 06: 34-37
165. Bassil ES and Kaffka SR: Response of safflower (*Carthamus tinctorius* L.) to saline soils and irrigation: I. Consumptive water use. Agricultural Water Management 2002; 54(1): 67-80.
166. Oniga I, Oprean R, Toiu A and Benedec D: Chemical composition of the essential oil of *Salvia officinalis* L. from Romania. Rev Med Chir Soc Med Nat Iasi 2010; 114(2): 593-595.
167. Miura K, Kikuzaki H and Nakatani N: Antioxidant activity of chemical components from sage (*Salvia officinalis* L.) and Thyme (*Thymus vulgaris* L.) measured by the oil stability index method. J. Agric. Food Chem 2002; 50(7); 1845-1851.
168. Bozin B, Dukic NM, Samojlik I and Jovin E: Antimicrobial and antioxidant properties of rosemary and sage (*Rosmarinus officinalis* L. and *Salvia officinalis* L., Lamiaceae) essential oils. J. Agric. Food Chem 2007; 55(19): 7879-7885.
169. Mutai C, Abatis D, Vagias C, Moreau D, Roussakis C and Roussis V: Cytotoxic lupane-type triterpenoids from *Acacia mellifera*. Phytochemistry 2004; 65(8): 1159-1164.
170. Karanth KD: Forest use and human-wildlife conflicts in Bhadra Wildlife Sanctuary. Tropical Resources: Bulletin of the Yale Tropical Resources Institute, India, Karnataka. 2003; 22: 48-58.
171. Hu YM, Ye WC, Yin ZQ and Zhao SX: Chemical constituents from flos *Sesamum indicum* L. Yao Xue Xue Bao 2007; 42(3): 286-291.
172. Suja KP, Jayalekshmy A and Arumughan C: Free Radical scavenging behavior of antioxidant compounds of sesame (*Sesamum indicum* L.) in DPPH system. J. Agric. Food Chem 2004; 52(4): 912-915.