



# FORENSIC APPLICATION OF PSYCHOLOGY IN SUICIDE CASES: ENHANCING UNDERSTANDING AND LEGAL OUTCOMES

Meenakshi Bhardwaj<sup>1</sup>, Jayesh Bhardwaj<sup>2</sup>, Dr. Asha Srivastava<sup>3</sup>

<sup>1</sup>Scientist-B, Central Forensic Science Laboratory, DFSS, Pune

<sup>2</sup>Jayesh Bhardwaj, Senior Scientific Assistant, Central Forensic Science Laboratory, DFSS, New Delhi

<sup>3</sup>Professor of Practice & Dean, School of Behavioural Forensics, NFSU, Gandhinagar

**Abstract:** Suicide remains a significant public health issue in India, with a high incidence rate that necessitates effective investigative and preventive strategies. The forensic application of psychology provides a crucial intersection between psychological expertise and the legal system, aiding in the analysis, understanding, and adjudication of suicide cases. This paper explores the role of forensic psychologists in investigating suicides, focusing on their contribution to interpreting psychological evidence, distinguishing between suicide and homicide, and performing psychological autopsies. Challenges such as lack of trained professionals, cultural stigmatization, and inadequate resources are also discussed. The study emphasizes the necessity of integrating psychological evaluations in forensic procedures to not only discern the causes and contexts of suicides but also to enhance the judicial processes involved. Through a comprehensive review and analysis, this paper highlights how forensic psychology can significantly alter the landscape of suicide investigations in India, providing deeper insights and more effective legal resolutions.

**Index Terms-** Forensic Psychology, homicide, Legal system, suicide, investigation.

## I. INTRODUCTION

In India, the alarming rate of suicides has positioned it as a significant public health crisis, highlighting the urgency for effective interventions and deeper understanding. The integration of psychology into forensic investigations represents a vital strategy in addressing this issue. Forensic psychology, a discipline at the intersection of psychological expertise and legal processes, offers invaluable insights into the complexities of human behaviour, mental health issues, and their implications in legal contexts, particularly in suicide cases.

Forensic psychologists utilize a range of methodologies including the analysis of suicide notes, psychological autopsies, and behavioural assessments to establish a cohesive narrative that explains the psychological state of the individual at the time of death. These methods not only aid in distinguishing suicides from homicides or accidents but also serve a broader purpose. They help in understanding the precipitating factors of suicide such as psychological distress, societal pressures, or relational conflicts, thereby contributing to preventative strategies.

Moreover, the evidential insights garnered by forensic psychologists are pivotal in judicial proceedings, where understanding the victim's mental state can influence the outcomes significantly. They provide expert testimonies that guide courts in making informed decisions about the cases, which can have wider implications for the relatives of the deceased and for societal norms addressing mental health and suicide.

However, the application of forensic psychology in India faces several challenges including a shortage of qualified professionals, insufficient training in the intersection of law and psychology, and a lack of awareness among law enforcement agencies about the capabilities of psychological insights in forensic investigations.

In conclusion, enhancing the forensic application of psychology in suicide cases not only offers immediate benefits in terms of precise legal adjudication but also has the potential to contribute to broader societal changes through improved understanding and prevention of suicide. As India continues to evolve in its handling of mental health issues, the role of forensic psychology stands as a beacon of progress, advocating for a more compassionate and scientifically informed approach towards the tragedy of suicide.

The role of experts in the forensic application of psychology, particularly in suicide cases in India, is multifaceted and crucial for both legal outcomes and a deeper understanding of the factors leading to suicide. These professionals, typically trained forensic experts, contribute their specialized skills and knowledge to assist in the thorough investigation and analysis of each case. Here's how their expertise plays a crucial role:

### **1. Psychological Autopsy**

One of the primary roles of forensic psychologists in suicide cases is conducting psychological autopsies. This involves an extensive investigation into the deceased's mental health and emotional state prior to death. Through interviews with family members, friends, and coworkers, and by reviewing personal documents such as diaries, emails, and medical records, psychologists aim to construct a psychological profile that might explain the individual's final actions. This process is critical not only for determining the nature of the death (whether it was indeed a suicide, or a homicide disguised as one) but also for understanding underlying mental health issues that could inform preventative strategies.

### **2. Analysis of Suicide Notes**

When a suicide note is present, forensic experts analyse the content to verify its authenticity and to understand the mental state of the decedent. This involves examining the handwriting, language used, and thematic elements of the note to ensure it corresponds with known characteristics of the individual. Such analyses can provide crucial insights into the individual's intent and emotional state at the time of writing the note.

### **3. Expert Testimony in Court**

Forensic experts often provide expert testimony in legal settings. Their insights can be pivotal in helping the court understand the psychological context of the suicide, including any mental disorders the individual may have been suffering from. Their testimony can influence judicial perspectives on cases, particularly when distinguishing between induced suicide, voluntary suicide, and homicide. They can also help in assessing the responsibility and mental capacity of individuals in cases where manipulation or coercion might have played a role.

### **4. Assessment of Risk Factors**

Forensic experts assess various risk factors that could have led to the suicide. This includes looking at familial situations, social relationships, employment status, and any previous history of mental health issues. Understanding these factors is essential for both the legal outcome of the investigation and for developing strategies to prevent future occurrences.

### **5. Cultural and Societal Insights**

In a diverse and culturally rich country like India, understanding the societal and cultural contexts is vital. Forensic psychologists consider these aspects when analysing suicide cases, as cultural stigmas, socioeconomic pressures, and familial expectations can significantly impact an individual's mental health and decisions. These insights are crucial for providing a comprehensive analysis that respects cultural sensitivities while addressing the broader implications of mental health and societal norms.

## 6. Training and Advocacy

Apart from direct case involvement, forensic psychologists in India also engage in training law enforcement and other judicial personnel about the psychological aspects of suicides. They advocate for better mental health assessments and services, aiming to raise awareness about the importance of psychological factors in both the prevention of and response to suicide.

In summary, the role of forensic experts in suicide cases is deeply embedded in both the investigative and judicial processes. Their expert contributions are indispensable in discerning the truth behind each case, aiding legal proceedings, and shaping preventative public health policies. Their work not only supports justice for the deceased and their families but also enhances the societal understanding of suicide, encouraging a more informed and compassionate approach to dealing with such tragedies.

## II. REVIEW OF LITERATURE ON SUICIDE CASES IN INDIA

Suicide is characterized by unique sociocultural dynamics and varying regional rates. A comprehensive literature review reveals multiple dimensions to the understanding and prevention of suicides in India, including psychological, sociocultural, and legal aspects. This review synthesizes key findings from recent research and offers insights into the complex interplay of factors influencing suicide rates in the country.

### • Epidemiological Trends

India has one of the highest suicide rates globally, with significant variations across regions and demographic groups. According to the National Crime Records Bureau (NCRB), the suicide rate in India has consistently risen over the past decades. Research highlights that young adults and women are particularly vulnerable groups, with societal pressures, mental health issues, and economic factors often cited as significant contributors (Patel et al., 2012; Gupta & Mamta, 2019).

### • Sociocultural Factors

Cultural attitudes towards suicide vary widely across India, often influenced by religion, social norms, and regional identities. Studies by Marecek and Senadheera (2012) delve into how societal expectations and familial pressures can lead to mental health deterioration, particularly among women. The stigma associated with mental illness and suicide deters many from seeking help, thus exacerbating the risks (Jordans et al., 2014).

### • Mental Health Issues

Mental health is a critical component in the discussion of suicides in India. Depression, anxiety, and substance abuse are frequently identified as common precursors to suicide. A notable gap in mental health care services, especially in rural areas, has been documented (Dandona et al., 2016). The literature points out the need for more comprehensive mental health strategies and better integration of mental health care at the primary care level (Kumar & Verma, 2020).

### • Legal and Forensic Perspectives

Historically, suicide was a criminal offense in India, which changed with the Mental Healthcare Act of 2017, decriminalizing the act and emphasizing the right to appropriate mental health care. Literature in forensic psychology discusses the impact of legal frameworks on suicide prevention and highlights the role of forensic evidence in distinguishing between suicide and foul play (Sharma et al., 2018).

### • Preventive Measures and Interventions

Preventive strategies discussed in the literature focus on both policy-level initiatives and community-based interventions. Studies recommend multi-level approaches that include public awareness campaigns, school-based programs, and gatekeeper trainings for identifying and supporting individuals at risk (Chowdhary et al., 2016). The effectiveness of these interventions, however, varies, and continuous evaluation is necessary to adapt strategies to local contexts.

## • Technological and Innovative Approaches

Emerging research explores the use of technology in suicide prevention. Mobile health applications and telepsychiatry services have shown potential in reaching wider populations, particularly in geographically isolated regions (Anand et al., 2018). Social media analytics and machine learning models also offer new avenues for early detection of suicidal ideation and behaviour (Menon et al., 2020).

The literature on suicide presents a complex but comprehensive view of the myriad factors contributing to the high rates of suicide. While there has been significant progress in understanding and addressing the issue, gaps in mental health care, the persistence of stigma, and the need for effective implementation of preventive strategies remain challenges. Ongoing research and policy development are crucial in mitigating this public health crisis, with a clear need for an interdisciplinary approach that encompasses cultural, psychological, and legal dimensions.

## III. UNDERPINNINGS OF SUICIDAL IDEATION

Suicide in India is a complex and multifaceted public health issue. Understanding the reasons for self-harm leading to suicide requires a nuanced approach that considers various psychological, sociocultural, economic, and environmental factors. Here are some of the key reasons identified through research and observations:

### 1. Mental Health Disorders

Mental health issues are among the most significant contributors to suicide worldwide, and India is no exception. Depression, anxiety, schizophrenia, and substance abuse disorders are common psychological conditions linked to increased suicide risk. The stigma surrounding mental health often prevents individuals from seeking help, exacerbating their conditions until they see no other solution but suicide.

### 2. Socioeconomic Factors

Economic distress, including poverty, unemployment, and financial insecurity, significantly impacts mental health. The stress of not being able to meet basic needs or the pressure of debts can lead to hopelessness and despair, contributing to suicidal thoughts. Young adults and farmers are particularly vulnerable groups, with farmers facing added pressures from crop failures, debts, and inadequate government support.

### 3. Family and Relationship Issues

Conflicts and breakdowns in personal relationships can lead to emotional turmoil and despair. Issues like divorce, estrangement, domestic violence, and the death of a loved one are significant triggers. In some cases, the cultural emphasis on family honour and the stigma associated with failed relationships can intensify the distress to unbearable levels.

### 4. Academic and Peer Pressure

For young individuals, especially students, academic performance and peer relationships play a crucial role in shaping self-esteem and mental well-being. The pressure to excel in competitive exams and achieve high marks can be overwhelming. Bullying and social isolation in educational settings can also contribute to emotional distress and suicidal behaviour.

### 5. Cultural and Social Stigmas

In many parts of India, there is still a significant stigma attached to discussing mental health issues and seeking help. Cultural factors, such as honour and social standing, often dictate how mental health issues are perceived and handled. In some cases, the fear of bringing shame to the family due to personal or professional failures can lead individuals to contemplate suicide as the only escape.

### 6. Access to Means

Easy access to means of suicide, such as pesticides for rural populations and pharmaceuticals for urban dwellers, increases the risk of impulsive suicides following acute stressors. This is notably a major issue among Indian farmers, who often use pesticides as a method for suicide.

## 7. Health Conditions

Chronic pain and terminal illnesses can lead to a deterioration in quality of life, contributing to the loss of hope and increased risk of suicide. The lack of adequate palliative care and support systems for chronically ill patients can exacerbate these feelings.

## 8. Media Influence

How suicide is portrayed in the media can have a significant impact. There are instances where sensationalizing or romanticizing suicide in the media has led to copycat suicides, a phenomenon known as the "Werther effect."

## 9. Legislative Issues

Until recently, suicide was a criminal act under the Indian Penal Code, which discouraged many from seeking help. Although the law has changed, there remains a need for more comprehensive legislation to address and support mental health issues effectively.

Understanding these factors is crucial for developing effective prevention strategies tailored to the unique challenges faced by different segments of the Indian population. It calls for a coordinated approach involving healthcare providers, educators, policymakers, community leaders, and families to address the roots of the problem comprehensively.

## IV. INQUIRY INTO SUICIDE FROM A FORENSIC STANDPOINT

Forensic investigation of suicide cases in India involves a systematic procedure to determine the cause and manner of death, assess any criminal elements, and provide closure for the family and legal systems. Given the complexity of suicide cases, forensic investigations are critical in distinguishing between suicide, accidental death, and homicide. This investigative process requires the collaboration of various professionals, including forensic pathologists, psychiatrists, psychologists, and law enforcement officers. This process includes several key components:

### 1. Scene Investigation:

- **Documentation:** Thorough documentation of the scene with photographs, sketches, and notes.
- **Evidence Collection:** Gathering physical evidence such as notes, weapons, substances, and environmental factors.
- **Scene Analysis:** Evaluating the positioning of the body, presence of any signs of struggle, and other relevant scene details.

### 2. Autopsy:

- **External Examination:** Checking for signs of trauma, injuries, or medical conditions.
- **Internal Examination:** Assessing internal organs, toxicology reports, and other physiological indicators.
- **Histological Studies:** Examining tissues under a microscope to identify any pathological conditions.

### 3. Toxicology:

- **Substance Testing:** Analysing blood, urine, and other bodily fluids for the presence of drugs, alcohol, or poisons.
- **Medication Review:** Identifying prescribed medications and assessing their possible role in the death.

### 4. Psychological Autopsy:

- **Behavioural Analysis:** Investigating the mental state of the deceased through interviews with family, friends, and healthcare providers.
- **History Review:** Examining the individual's psychiatric history, life events, and any previous suicide attempts.

### 5. Digital Forensics:

- **Electronic Evidence:** Reviewing digital footprints such as social media activity, emails, text messages, and search histories for clues or indications of intent.

### 6. Correlating Findings:

- **Integrating Data:** Combining physical evidence, autopsy results, toxicology findings, and psychological autopsy insights to form a comprehensive understanding of the case.

- Formulating Conclusions: Determining the manner of death (e.g., suicide, accidental, or homicide) based on the collected evidence and expert analysis.

#### 7. Legal and Ethical Considerations:

- Adherence to Protocols: Ensuring all investigative procedures comply with legal standards and ethical guidelines.
- Reporting: Preparing detailed reports for law enforcement, legal entities, and possibly for public health records.

#### 8. Expert Testimony:

- Court Appearances: Forensic experts may be required to present their findings and conclusions in a court of law as part of legal proceedings related to the death.

This comprehensive approach helps to ensure that all aspects of the suicide are thoroughly examined, providing clarity and insights into the circumstances surrounding the death.

### V. COMPLEXITIES IN FORENSIC INVESTIGATION OF SUICIDES

The forensic investigation of suicide faces several challenges:

- Stigma and societal pressure may lead to underreporting or misclassification of suicides as accidents or natural deaths.
- Resource constraints can affect the thoroughness of investigations, especially in rural or underserved areas.
- Lack of training among law enforcement and medical personnel in handling sensitive forensic evidence can compromise the investigation.
- Cultural factors sometimes impact the interpretation and acceptance of evidence related to mental health issues.

### VI. CONCLUSIONS AND DELIBERATIONS ON FORENSIC PSYCHOLOGY IN SUICIDES IN INDIA

The application of forensic psychology in suicide cases in India is of paramount importance, as it not only elucidates the psychological dynamics leading up to the suicide but also aids legal and investigative processes. This multifaceted approach provides invaluable insights into the individual's mental state, contributing factors, and, importantly, helps distinguish between suicide, accidental death, and homicide.

Forensic psychology plays a critical role in understanding the nuances of each suicide case. Through methods like psychological autopsies, analysis of suicide notes, and thorough reviews of the deceased's mental health history, forensic psychologists provide essential contributions to investigations. Their expertise supports law enforcement agencies and judicial bodies in making informed decisions that respect both legal standards and psychological complexities.

The insights provided by forensic psychologists are vital for:

- Accurately determining the cause and manner of death.
- Understanding the psychosocial context surrounding each case.
- Helping families find closure by clarifying the circumstances leading to their loved ones' deaths.
- Informing public health policies and preventive measures aimed at reducing the suicide rate.

Several areas require ongoing attention and improvement to enhance the effectiveness and impact of forensic psychology in suicide investigations in India:

### 1. Integration and Collaboration:

There needs to be better integration of forensic psychology within the broader framework of legal and medical investigations. Enhanced collaboration among forensic psychologists, law enforcement, legal professionals, and medical experts is essential for comprehensive analysis and accurate conclusions.

### 2. Training and Resources:

There is a critical need for specialized training for forensic psychologists, particularly in handling the delicate nuances of suicide cases. Additionally, increasing the resources available to forensic departments can help improve the quality and depth of investigations, especially in under-resourced areas.

### 3. Public Awareness and Stigma Reduction:

Tackling the stigma associated with mental health issues and suicide is crucial. Public awareness campaigns and education can help change societal attitudes, making it easier for individuals to seek help for mental health issues and for families to accept the findings of psychological investigations.

### 4. Legal and Policy Frameworks:

Although the decriminalization of suicide under the Mental Healthcare Act of 2017 was a significant step forward, there is still much to be done in terms of creating supportive legal and policy frameworks. These should aim not only to protect the rights of those with mental health issues but also to provide clear guidelines for the investigation of suicide cases.

### 5. Ethical Considerations:

Forensic psychologists must navigate complex ethical waters, balancing the sensitivity required in handling cases involving severe emotional distress with the rigor needed for scientific and legal accuracy. Establishing clear ethical guidelines specific to suicide investigations is necessary to maintain this balance.

### 6. Cultural Sensitivity:

Given India's diverse cultural landscape, forensic psychologists must be culturally competent. Understanding local beliefs, practices, and attitudes towards suicide can significantly impact how investigations are conducted and interpreted.

As India continues to confront its high suicide rates, the role of forensic psychology should be emphasized and expanded. By addressing the aforementioned challenges and focusing on a multidisciplinary approach, forensic psychology can significantly contribute to a better understanding of suicide cases. This, in turn, can lead to more effective prevention strategies, improved legal processes, and a reduction in the stigma surrounding suicide and mental health, ultimately saving lives and fostering a more compassionate society.

## BIBLIOGRAPHY

- [1]. Balhara, Y. P. S., & Verma, R. (2012). Schizophrenia and suicide. *East asian archives of psychiatry*, 22(3), 126-133.
- [2]. Boergers, J., Spirito, A., & Donaldson, D. (1998). Reasons for adolescent suicide attempts: Associations with psychological functioning. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(12), 1287-1293.
- [3]. Chan, M. K., Bhatti, H., Meader, N., Stockton, S., Evans, J., O'Connor, R. C., ... & Kendall, T. (2016). Predicting suicide following self-harm: systematic review of risk factors and risk scales. *The British Journal of Psychiatry*, 209(4), 277-283.
- [4]. Design for recovery, substance abuse and self-harm (2019) [https://designforrecovery.com/substance-abuse-and-self-harm/#\\_ftn3](https://designforrecovery.com/substance-abuse-and-self-harm/#_ftn3) Accessed 19 May 2024

- [5]. Franklin, J. C., Ribeiro, J. D., Fox, K. R., Bentley, K. H., Kleiman, E. M., Huang, X., ... & Nock, M. K. (2017). Risk factors for suicidal thoughts and behaviors: A meta-analysis of 50 years of research. *Psychological bulletin*, 143(2), 187.
- [6]. Goldstein, A. M. (Ed.). (2006). *Forensic psychology: Emerging topics and expanding roles*.
- [7]. Gudjonsson, G. H., & Haward, L. R. (2016). *Forensic psychology: A guide to practice*. Routledge.
- [8]. Hamada, K., & Fan, X. (2020). The impact of COVID-19 on individuals living with serious mental illness. *Schizophrenia research*, 222, 3-5.
- [9]. Harmer B, Lee S, Duong TVH, Saadabadi A. Suicidal Ideation. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022.
- [10]. Hawkey, L. C., & Cacioppo, J. T. (2010). Loneliness matters: a theoretical and empirical review of consequences and mechanisms. *Annals of behavioral medicine: a publication of the Society of Behavioral Medicine*, 40(2), 218–227. <https://doi.org/10.1007/s12160-010-9210-8>
- [11]. Hom, M. A., Joiner Jr, T. E., & Bernert, R. A. (2016). Limitations of a single-item assessment of suicide attempt history: Implications for standardized suicide risk assessment. *Psychological Assessment*, 28(8), 1026.
- [12]. Isometsä, E. (2014). Suicidal behaviour in mood disorders—who, when, and why?. *The Canadian Journal of Psychiatry*, 59(3), 120-130.
- [13]. Kendall, R. E. (1983). Alcohol and suicide. *Substance and alcohol actions/misuse*, 4(2-3), 121-127.
- [14]. Marshall, B. C., & Alison, L. J. (2007). Stereotyping, congruence and presentation order: Interpretative biases in utilizing offender profiles. *Psychology, Crime & Law*, 13(3), 285-303.
- [15]. Nicholson, R. A., & Norwood, S. (2000). The quality of forensic psychological assessments, reports, and testimony: Acknowledging the gap between promise and practice. *Law and human Behavior*, 24(1), 9-44.
- [16]. Nock, M. K., Millner, A. J., Joiner, T. E., Gutierrez, P. M., Han, G., Hwang, I., ... & Kessler, R. C. (2018). Risk factors for the transition from suicide ideation to suicide attempt: Results from the Army Study to Assess Risk and Resilience in Servicemembers (Army STARRS). *Journal of abnormal psychology*, 127(2), 139.
- [17]. Pai, N., & Vella, S. L. (2022). The physical and mental health consequences of social isolation and loneliness in the context of COVID-19. *Current opinion in psychiatry*, 35(5), 305–310. <https://doi.org/10.1097/YCO.0000000000000806>
- [18]. Williams, J. M. G., & Williams, M. (2002). Suicide and attempted suicide: Understanding the cry of pain. Mark Williams.
- [19]. World Health Organization, Suicide (2021) <https://www.who.int/news-room/fact-sheets/detail/suicide> Accessed 24 May 2024