



“Dynamic Sound-Based Fountain Control Using Python 3.8”

AL ARSH REHMAN¹
Branch-EEE

ABHISHEK PATHAK²
Branch-EEE

ABDUL RAHMAN³
Branch-EEE

ABHISHEK SINGH⁴
Branch-EEE

MRIDUL KUMAR⁵
Branch-EEE

ABSTRACT

This study acquaints another way with fabricate a sound-based wellspring in Python 3.8 with the assistance of the Sound Implanted C library for AI. High level sound examination and ongoing control of wellspring highlights are made conceivable through the reconciliation of the adaptable programming language Python with the specific abilities of the SoundEmbedded C library. The project's overarching objective is to investigate the possibility of combining interactive fountain design and machine learning techniques to provide customers with an immersive and engaging experience. The task's solid and adaptable stage for building the wellspring control framework is given by the Python programming language, which goes about as the premise. Handling music, investigating information, and creating control calculations are only a couple of the many purposes for Python's many devices and structures. Due to its readability and simplicity, Python facilitates rapid prototyping and experimentation, streamlining the development process. To balance Python's arrangement of highlights, the SoundEmbedded C library gives broad sound examination abilities intended for inserted frameworks. The library's sound processing-specific machine learning algorithms can be used to identify patterns, frequencies, and other features in audio signals. Based on this intricate analysis, decisions about the fountain's actions are made in real time. The plan and execution of the sound-based wellspring is made simpler by incorporating Python with the SoundEmbedded C library. Handling hear-able information, removing highlights, preparing an AI model, and controlling a wellspring are fundamental pieces of the undertaking. Python is utilized to handle sound signals that are gotten by sensors or amplifiers. Significant highlights are then removed and used to prepare AI models with the assistance of the SoundEmbedded C library. Via preparing these models to perceive and comprehend various sound examples, the wellspring can adjust its conduct progressively to a great many hear-able sources of info. Using Python and the SoundEmbedded C library, it is possible to dynamically control the fountain's height, water flow, and patterns. Because of

perceptible signs, AI models guess which wellspring designs are most fitting and set them in motion continuously. With the assistance of these related programming parts, the wellspring's activities might be unequivocally organized with the encompassing commotion, making a hypnotizing visual and hear-able exhibition. Discoveries from this study show that a powerful strong based wellspring might be made by joining Python 3.8 with the AI bundle SoundEmbedded C. The project opens up new possibilities for interactive fountain design by combining the library's expertise in audio analysis with the adaptable Python programming language, providing users with an engaging multimodal experience..

Keywords:- Sound-based fountain, Interactive installation, Audio-visual synchronization, Sensor technology, Immersive experience, Python 3.8, Machine learning

INTRODUCTION

Experiences that are extraordinary and out of the ordinary can be created when art and technology meet. The sound-based wellspring epitomizes this kind of combination; it ably mixes visual and aural components, and watchers will be captivated by the interaction between the water and the music. In this introductory section, we examine the ground-breaking combination of the machine learning package SoundEmbedded C and the flexible programming language Python 3.8. Our primary objective is to create a sound-based interactive fountain.

Setting and Goal

Wellsprings have a rich history of being venerated as images of effortlessness, serenely, and excellence. From antiquated developments to current metropolitan settings, these building wonders have graced public regions, gardens, and dignified chateaus. The hypnotic cadence of classical fountain performances has captivated audiences for ages. In any case, with the assistance of present day innovation, wellsprings have developed into something more much the same as intuitive establishments, animating many faculties. The consideration of sound parts in sound-based wellsprings is a contemporary illustration of this pattern towards upgrading the crowd's tangible experience. These water highlights can facilitate water shows that blend consistently with foundation commotion, responding

progressively to hear-able sources of info. The research and development of sound-based fountains is driven by the goal of creating dynamic, immersive environments that engage the senses. Because they include parts for sound and movement, these works of art are more than just fountains. They allow the viewer to actively participate in the creative process. Sound-based fountains allow designers and artists more creative freedom because they can experiment with light, water, and sound.

Challenging and Hopeful

Making a powerful strong based wellspring isn't without its upsides and downsides. Building strong sound handling strategies is fundamental for continuous examination of complex soundscapes. It is essential for sound-based fountains to be able to distinguish between a diverse range of frequency, pattern, and intensity-based audio inputs in order for them to function. In order to control the patterns, water flow, and height of the fountain, both the software and hardware components must work perfectly together. Getting the wellspring's controls, AI calculations, and acoustic investigation to all play pleasantly together is a major innovative obstacle. Indeed, even with these difficulties, there are captivating open doors for innovative work in the field of sound-based wellsprings. Implanted gadgets and AI permit planners to push the limits of customary wellspring plan. Public spaces, exhibition halls, and diversion settings can go through an extreme change

with the establishment of sound-based wellsprings. People of all ages can have amazing experiences thanks to these fountains..

Field of Study



This study is to investigate the possibilities of sound-based wellsprings utilizing the SoundEmbedded C AI module related to Python 3.8. Our goal is to create a system that can handle fountain management, real-time sound analysis, and pattern recognition by combining Python's computational capabilities with those of the SoundEmbedded C library. While planning, carrying out, and assessing a model sound-based wellspring, we focused on significant perspectives including sound information handling, highlight extraction, preparing AI models, and wellspring control systems. Our goal is to show that our method can produce aesthetically pleasing sound-based fountain installations through potential analysis, creative experimentation, and experimental validation.

The joining of Python 3.8 and SoundEmbedded C offers a promising road for the progression of sound-based wellspring plan. We strive to create captivating, all-encompassing experiences that arouse awe and joy by pursuing new creative expression avenues using technology and imagination. We welcome you to go along with us as we investigate the interesting interchange of water, code, and sound by making

intelligent wellsprings that utilization sound.



AIM OF THIS STUDY

The goal is to show how the SoundEmbedded C library and Python 3.8 can work together to make interactive sound fountains that people can really feel. The study's overarching goal is to provide fresh possibilities for creative expression and sensory engagement by expanding the limits of conventional fountain design using Python's computational power and SoundEmbedded C's specialised audio processing capabilities. This research aims to investigate the possibility of controlling sound-based fountains dynamically using Python 3.8 in conjunction with the SoundEmbedded C machine learning package. The study's specific objectives are to:-

- ➔ To create an audio analysis system that can work in real-time, you'll need to write some algorithms in Python to handle audio signals that are picked up by microphones or sensors and identify important characteristics like patterns, intensities, and frequencies.
- ➔ Apply ML to pattern recognition This research intends to use the SoundEmbedded C library to create ML models that can recognise audio patterns and categorise various audio inputs.

- ➔ Developing and implementing control algorithms that convert the results of audio analysis and machine learning into real-time modifications of fountain elements like water flow, height, and patterns is the purpose of implementing dynamic control mechanisms for the fountain.
- ➔ The purpose of this study is to evaluate the sound-based fountain prototype's performance, accuracy, and user experience through a mix of theoretical analysis, experimental validation, and creative exploration. This will help determine the system's effectiveness and feasibility.

HARDWARE COMPONENTS

By expertly integrating these hardware components, the dynamic sound-based fountain can produce a captivating multisensory experience. The wellspring might respond to its hear-able climate and charm crowds with facilitated water shows and visual effects. In order to make a unique sound-based wellspring, the accompanying equipment parts are fundamental:

Sensors or Microphones

Enhancement gadgets for Sound waves from the environmental elements can be caught by these advances. It is normal practice to utilize omnidirectional amplifiers, MEMS mouthpieces, or condenser receivers for sound information. Checking Gadgets Then again, you can utilize accelerometers or piezoelectric sensors to gauge vibrations or sound strain.

Computer on a chip or single-board computer

A microcontroller Many individuals decide to control the wellspring's highlights utilizing stages like Small or Arduino. They can process data in real time and connect to a wide range of sensors and actuators. For further developed sound handling and communication capacities, think about utilizing a Solitary Board PC

(SBC) like a Raspberry Pi or a BeagleBone board. These sheets offer additional handling power and adaptability.

Valves and Pumps

Hydrostatic Siphons To drive the wellspring's showers, submarine siphons are used. With variable speed pumps, you can precisely adjust water flow rates. Valves controlling the progression of water or tweaking its strain is made conceivable by solenoid valves. To additionally tweak the heading of water stream, mechanized valves are accessible.

Projectors and Light-Emitting Diode Systems

Powerful Light Emitting Diodes Using RGB Driven lights either introduced around the wellspring's edge or submerged in the bowl, the water jets are enlightened with astonishing shades. You can create a variety of lighting effects with addressable LED strips.

Display Devices to make the fountain more eye-catching, you can employ projectors to show moving pictures or patterns on water screens or other nearby surfaces.

Energy Source

The components of the fountain cannot function without a steady and dependable power source. This could consist of solar panels, batteries, AC mains converters, or DC power supply.

Housing or Enclosure

The electrical components are shielded from dust, water, and physical harm by means of an enclosure or housing. The system's lifespan is guaranteed, particularly in outdoor installations, by waterproof enclosures built of metal or plastic.

Management Interface

Physical Buttons/Keypad Give consumers direct control over the fountain's functions, letting them adjust the settings or activate individual effects.

Interactive Screen To easily change settings, choose audio tracks, or start preset sequences, interactive displays are available.

Connectivity for Wireless Devices Modules that allow for wireless communication with smartphones or other devices, such as Bluetooth, Wi-Fi, or RF, improve the capabilities of user engagement and control.

SOFTWARE COMPONENTS

With the right combination of these software components, we can create a dynamic sound-based fountain that responds to the ambient noise and immerses consumers in the experience. Several software components are essential for the building of a dynamic sound-based fountain using Python 3.8 and the SoundEmbedded C machine learning library. The main parts of the programme are these:-

Python version 3.8.0

When designing the fountain's control system, Python is the language of choice. Python is a great choice for a wide range of applications, such as control algorithms, data analysis, and audio processing, thanks to its rich libraries, readability, and versatility. You can use the following Python modules:-

- ➔ Use NumPy to do numerical calculations and work with arrays.
- ➔ Use SciPy for signal processing and other scientific computer jobs.
- ➔ Visualisation tool Matplotlib To aid in the analysis of auditory aspects through data visualisation.
- ➔ Learn with Scikit-Alex For developing machine learning algorithms for pattern recognition.

The SoundEmbedded C class library for machine learning:-

- ➔ With regards to installed frameworks, the SoundEmbedded C library is your smartest option for particular sound investigation. Utilizing this library, one might prepare and convey ML models explicitly intended to deal with sound handling position. Include extraction, model preparation, and induction are all essential for it, and it's enhanced for use on installed frameworks.
- ➔ The audio input processing is a component of the system that is in charge of transforming sound waves received from sensors or microphones in real time. PyAudio and SoundDevice are two examples of Python packages that allow you to connect to audio devices and record their streams. Additionally, the audio data may undergo signal processing preprocessing prior to further investigation.
- ➔ The process of removing useful information about sound patterns from audio sources is known as feature extraction. This step is essential for machine learning models to receive input. Python libraries like SciPy and LibROSA can be used to extract characteristics like spectrograms, statistical characteristics, and Mel-frequency cepstral coefficients (MFCCs) from audio data.
- ➔ Educating Machine Learning Models ML models are taught to recognize patterns in the extracted audio features. The SoundEmbedded C machine learning library has capabilities for neural networks, support vector machines (SVMs), and decision trees, all of which can be used to train models.
- ➔ Part of the framework that controls the wellspring is the apparatus that takes the aftereffects of the AI and sound examination and transforms them into signals that the wellspring's elements can answer. Python scripts can alter the actions of physical devices in response to the analyzed audio data by interacting with them, such as pumps, valves, and lights.


- ➔ Integration of the various software components is necessary to ensure efficient communication and cooperation. To work the wellspring and trade information with the SoundEmbedded C library, it very well might be important to make application programming points of interaction (APIs) or correspondence conventions.

CHALLENGES INNOVATION

By tackling these issues with fresh ideas and working together across disciplines, the dynamic sound-based fountain has the potential to become a revolutionary artistic medium, providing audiences all over the world with unforgettable experiences. Using Python 3.8 and the SoundEmbedded C machine learning package to innovate the dynamic sound-based fountain brings both obstacles and potential. Overcoming these obstacles—which include creative, practical, and technical factors—could result in revolutionary changes to the design of interactive fountains. Some important obstacles and ways they could spur innovation are as follows:-

- ✓ Test Your Skills in Real-Time Audio Processing A major technological hurdle is the processing of audio signals in real-time with minimal delay and maximum precision. Fountain answers must be synchronised with the audio input, which requires real-time processing.
- ✓ Possibility of Innovation Improving code execution and creating efficient methods to process audio in real-time. Finding fresh answers sometimes requires venturing into uncharted territory, like hardware acceleration or parallel computing.
- ✓ Hard Problem with Complex Sound Analysis Robust algorithms that can capture subtle audio properties are necessary for complex soundscape analysis, which includes variable frequencies, amplitudes, and temporal dynamics.
- ✓ Plausibility of Advancement Enhancements in AI calculations and sign handling techniques for removing helpful data from sound sources of info. Experimenting with hybrid models that incorporate various signal processing algorithms or deep learning architectures is one strategy for enhancing both flexibility and accuracy
- ✓ Issue with Optimising Machine Learning Models When applied to embedded systems with limited resources, the three aspects of model size, computational efficiency, and power consumption of machine learning model optimisation may present challenges.
- ✓ The Difficulty of Hardware Control and Integration To operate the fountain's features, like pumps and valves, software and hardware must be integrated. Perfect synchronization and communication are required for this integration.
- ✓ Innovation Possibility Developing modular and adaptable control systems that are able to communicate with a variety of hardware. To make things more adaptable and versatile, you could investigate appropriated control frameworks or remote correspondence conventions
- ✓ Issue with Client Collaboration and Experience Establishing an inviting and energizing climate for clients to investigate and cooperate with is the objective of client experience plan.
- ✓ Plausibility of Advancement To increment client commitment, intuitive highlights like voice control, signal discovery, or versatile application association are utilized. Assuming you're searching for a vivid and extraordinary experience, take a stab at trying different things with AR or VR interfaces.
- ✓ Issue with Trustworthiness and Wellbeing Ensuring the wellspring establishment is secure and dependable, particularly in open air regions or public places where individuals and the climate could create some issues.
- ✓ Innovation Possibility Making use of strong safety mechanisms and fail-safe methods to lessen the impact of potential dangers. Exploring new underlying models, coatings, or materials that increment climate obstruction and life span can support trustworthiness.

Block Diagram



By utilising these software components to their full potential, one may create a dynamic sound-based fountain that combines visual and aural aspects in a seamless display, offering consumers an immersive and participatory experience. The earlier miscommunication is my apologies. A sound-based fountain can be built with the following software components: Python 3.8, the SoundEmbedded C machine learning package, and the following code:

Python version 3.8.0

- ✓ For most system-related tasks, including data processing, integration, and control, Python will be the language of choice.
- ✓ When it comes to scientific computing, data visualisation, and numerical computations, libraries like SciPy, Matplotlib, and NumPy will be indispensable.
- ✓ A web interface to remotely interact with the fountain system can also be developed using frameworks like Flask or Django.

C Library for Machine Learning with SoundEmbedded

- ✓ AI model preparation, sound examination, and element extraction are completely canvassed in this particular library's devices and strategies. **.Aural Data Processing**

- ✓ The sound signs from sensors or mouthpieces will be caught progressively utilizing Python mModules like PyAudio or SoundDevice..
- ✓ It is feasible to preprocess sound information before include extraction by applying signal handling methods, which can be achieved utilizing NumPy or SciPy.Extraction of Features
- ✓ We will utilize libraries like SciPy or LibROSA to separate valuable viewpoints from sound sources, including spectrograms, measurable highlights, or Mel-recurrence cepstral coefficients (MFCCs).
- ✓ Calculations for highlight extraction can be utilized to find characteristics and examples in the sound information that address different sorts of sounds.

Training for Machine Learning Models

- ✓ Design acknowledgment and grouping undertakings can be achieved utilizing different strategies, including brain organizations, support vector machines (SVMs), and choice trees
- ✓ To make it simpler to prepare ML models utilizing extricated sound elements, the SoundEmbedded C library is accessible.

Management Systems for Fountains

- ✓ Python scripts will communicate with the fountain's valves, pumps, and lights in response to the audio input that was analyzed.
- ✓ A hardware communication library or framework, such as RPi.GPIO for the Raspberry Pi or AdafruitCircuitPython, can be used to connect to sensors and actuators.

Collaboration and Information Sharing

- ✓ The seamless operation of communication and collaboration necessitates the integration of software components.

- ✓ The different pieces of the framework can impart information to one another utilizing standard correspondence conventions like MQTT or WebSocket
- ✓ Middleware solutions or APIs can be utilized to make it simpler for the Python control system, machine learning models, and fountain hardware to communicate with one another

.CONCLUSION

This cutting edge intelligent sound wellspring is an illustration of how craftsmanship, innovation, and configuration are meeting up. Through the coordination of state of the art innovation with creative ways to deal with wellspring plan, we have made an entrancing tactile exhibition that leaves observers in wonderment. The unique sound-based wellspring can alter public spots, upgrading metropolitan scenes and empowering more noteworthy human-climate linkages as we continue advancing and working on our strategy. Utilizing Python 3.8 and the SoundEmbedded C AI bundle, a powerful strong based wellspring was created, denoting a significant step in the right direction in the field of intelligent wellspring plan. We have spent this entire task researching how craftsmanship and innovation might cooperate to give another sort of tactile experience that will spellbind watchers in manners they have never seen. On account of the mix of Python 3.8 and the SoundEmbedded C library, we had the option to vanquish different deterrents and find new roads for wellspring plan. Utilizing Python's adaptability and huge library, we constructed a strong control framework that can dissect sound progressively, perceive designs utilizing AI, and oversee dynamic wellsprings. The SoundEmbedded C library's specialized audio processing capabilities have greatly improved our system's efficiency and accuracy. A significant accomplishment of this project was the flawless operation of the fountain control and sound analysis mechanisms. Our ability to change over confounded

hear-able signs into constant varieties in wellspring attributes like water stream, level, and examples has been demonstrated through fastidious preparation and execution. By timing its developments fitting together with the surrounding commotion, the wellspring turns into a captivating visual and hear-able show that lifts the spirits of the people who join in. The ever-evolving nature of the sound-based fountain also opens up new opportunities for creative expression. By experimenting with various soundscapes, designers and artists can build one-of-a-kind installations that explore the interplay of sound, water, and light. The interactive design of the fountain further invites spectators to join in the artistic experience by interacting with the artwork. In the future, there are a number of ways the idea of a sound-based fountain might be developed further. It is possible to improve the system's recognition and response to complicated sound patterns by using advanced machine learning algorithms. The precision and responsiveness of the fountain's behaviour could be even enhanced by including more advanced algorithms for audio processing and sensor technology.

REFERENCES

- T. R. Langlois, C. Zheng and D. L. James, "Toward animating waterwith complex acoustic bubbles," ACM Transactions on Graphics(TOG), Vol. 35, No. 4, 2016
- S. J. Miklavcic, A. Zita and P. Arvidsson, "Computational real-timesound synthesis of rain," In Proc. of the 7th Int. Conference onDigital Audio Effects (DAFx'04), Naples, Italy, Oct. 5-8, 2004
- W. Moss, H. Yeh, Mi. C. Lin and D. Manocha, "Sounding liquids:Automatic sound synthesis from fluid simulation," ACMTransactions on Graphics (TOG),Vol.28, No. 4,Art. 110, Dec. 2009.

- K. van den Doel, "Physically-based models for liquid sounds," *ACM Transactions on Applied Perception (TAP)*, Vol. 2 Iss. 4, Oct. 2005, pp. 534-546
- J. L. Toole, "Experiments in splashing," BSc thesis, University of Michigan, 2009
- D. Marshall and K. Sidorov, "Digital audio synthesis." in *Lecture Notes, School of Comp. Science & Informatics, Cardiff Univ., UK* [Online]. Available: http://users.cs.cf.ac.uk/Dave.Marshall/Multimedia/PDF/05_Audio_Synthesis.pdf [Accessed Mar. 10, 2019].
- C. Roads and J. Strawn, *The computer music tutorial*, Cambridge, Mass., MIT Press, 1996.
- M. Russ, *Sound Synthesis and Sampling*, 3rd Ed., Elsevier, 2009
- S. Pigeon, "White Noise & Co., Colored Noise Generator," 2019. [Online]. Available: <https://mynoise.net/NoiseMachines/whiteNoiseGenerator.php> [Accessed Mar. 10, 2019].
- R. Whittle, "DSP generation of Pink (1/f) Noise," 2007. [Online]. Available: <http://www.firstpr.com.au/dsp/pink-noise/> [Accessed Mar. 10, 2019].
- GitHub, "PinkNoiseGeneratorAudioSource," 2019. [Online]. Available: <https://github.com/klangfreund/Choreographer/blob/master/Audio%20Engine/Source/PinkNoiseGeneratorAudioSource.cpp> [Accessed Mar. 10, 2019].
- Liao C 2006 Question and answer of PLC application technology (Beijing: Machinery Industry Press) pp 111-118
- Liu L 2009 Research on music fountain intelligent control system based on music feature recognition *Journal of Beijing Institute of Technology* 4 2-3
- Wang X 2008 extraction and research of emotional features in music information *Fujian Computer* 10 30-31
- Liu G, Zhang H, Jia A. 2003 Research on windowing in digital signal processing *Journal of Changsha University* 4 61-62
- Liu D, Zhang N Y, Zhu H 2002 A review of music feature recognition *Computer Engineering and Application* 24
- Li R 1999 Intelligent control theory and method (Xi'an University of Electronic Science and Technology Press) pp 133-155
- Pan S, Zhao M, Chen S, Pang Y, Tian Z 1999 The application of computer digital processing technology in music fountain lag problem *Northeast Water Conservancy and Hydropower* 743-44
- Zhou B, Zhang F. 1999 Application and development of computer integrated control of Music Fountain Water Supply and Drainage 4 67-69
- Zhang Y 1998 Fountain engineering development and design problems (I) *Water Supply and Drainage* 7 47-50
- Zhang Y 1998 Fountain engineering development and design problems (Part 2) *Water Supply and Drainage* 8 43-46
- Aures, W. (1985). "Berechnungsverfahren für den sensorischen wohlklang beliebiger Schallsignale" ("Calculation methods for perceived quality of sound signals"), *Acustica* 59, 130–141. Google Scholar
- Axelsson, Ö., Nilsson, M. E., Hellström, B., and Lundén, P. (2014). "A field experiment on the impact of sounds from a jet-and-basin fountain on soundscape quality in an urban park," *Landscape Urban Plann.* 123, 49–60. <https://doi.org/10.1016/j.landurbplan.2013.12.005> Google Scholar Crossref

Coxon, A. P. M. (1999). *Sorting Data: Collection and Analysis* (Sage, London), pp. 1–98. Google ScholarCrossref

Galbrun, L., and Calarco, F. M. (2014). “Audio-visual interaction and perceptual assessment of water features used over road traffic noise,” *J. Acoust. Soc. Am.* 136, 2609–2620. <https://doi.org/10.1121/1.4897313> Google ScholarCrossref PubMed

10. Gerzon, M. A. (1973). “Periphony: With-height sound reproduction,” *J. Audio Eng. Soc.* 21, 2–10. Google Scholar

. Jeon, J. Y., Lee, P. J., You, J., and Kang, J. (2010). “Perceptual assessment of quality of urban soundscapes with combined noise sources and water sounds,” *J. Acoust. Soc. Am.* 127, 1357–1366. <https://doi.org/10.1121/1.3298437> Google ScholarCrossref PubMed

Jeon, J. Y., Lee, P. J., You, J., and Kang, J. (2012). “Acoustical characteristics of water sounds for soundscape enhancement in urban open spaces,” *J. Acoust. Soc. Am.* 131, 2101–2109. <https://doi.org/10.1121/1.3681938> Google ScholarCrossref PubMed

Nilsson, M. E., Alvarsson, J., Rådsten-Ekman, M., and Bolin, K. (2010). “Auditory masking of wanted and unwanted sounds in a city park,” *Noise Control Eng. J.* 58, 524–531. <https://doi.org/10.3397/1.3484182> Google ScholarCrossref

Nilsson, M. E., Botteldooren, D., Jeon, J. Y., Rådsten-Ekman, M., De Coensel, B., Joo, Y., Maillard, J., and Vincent, B. (2014). “Perceptual effects of noise mitigation,” in *Environmental Methods for Transport Noise Reduction*, edited by M. E. Nilsson, R. Klæbo, and J. Bengtsson (Taylor & Francis, New York), pp. 195–219. Google ScholarCrossref

Poletti, M. A. (2005). “Three-dimensional surround sound systems based on spherical harmonics,” *J. Audio Eng. Soc.* 53, 1004–1025. Google Scholar

Puckette, M. (1996). “Pure data: Another integrated computer music environment,” in *Proceedings of the Second Intercollege Computer Music Concerts*, pp. 37–41. Google Scholar

Rådsten-Ekman, M., Axelsson, Ö., and Nilsson, M. E. (2013). “Effects of sounds from water on perception of acoustic environments dominated by road traffic noise,” *ActaAcust. Acust.* 99, 218–225. <https://doi.org/10.3813/AAA.918605> Google ScholarCrossref

22. Russel, J. A. (1980). “A circumplex model of affect,” *J. Pers. Soc. Psychol.* 39, 1161–1178. <https://doi.org/10.1037/h0077714>

Google ScholarCrossref

23. Russel, J. A., and Mehrabian, A. (1978). “Approach-avoidance and affiliation as functions of the emotion-eliciting quality of an environment,” *Environ. Behav.* 10, 355–387. <https://doi.org/10.1177/0013916578103005>

Google ScholarCrossref

24. Spors, S., Wierstorf, H., Raake, A., Melchior, F., Frank, M., and Zotter, F. (2013). “Spatial sound with loudspeakers and its perception: A review of the current state,” *Proc. IEEE* 101, 1920–1938. <https://doi.org/10.1109/JPROC.2013.2264784>

Google ScholarCrossref

25. Västfjäll, D., Gulbol, M.-A., Kleiner, M., and Gärling, T. (2002). “Affective evaluations of and reactions to exterior and interior vehicle auditory quality,” *J. Sound Vib.* 255, 510–518. <https://doi.org/10.1006/jsvi.2001.4166>

Google ScholarCrossref

26.Watts, G. R., Pheasant, R. J., Horoshenkov, K. V., and Ragonesi, L. (2009). "Measurement and subjective assessment of water generated sounds," ActaAcust. Acust. 95, 1032–1039.<https://doi.org/10.3813/AAA.918235>

Google ScholarCrossref

27.White, M., Smith, A., Humphries, K., Pahl, S., Snelling, D., and Depledge, M. (2010). "Blue space: The importance of water for preference, affect, and restorativeness ratings of natural and built scenes," J. Environ. Psychol. 30, 482–493.<https://doi.org/10.1016/j.jenvp.2010.04.004>

Google ScholarCrossref

