IJCRT.ORG ISSN : 2320-2882

INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

"Phytonanoparticles: Green Synthesis And Applications In Target Drug Delivery System And Therapeutics"

Trupti Cholera[1], Rahul Nikam[1], Mansi Mokal[1],

Namrata Naware[1,2], Anil Jadhav[1,2]

Department of Pharmaceutical Chemistry,

SMES's Mahavir Institute of Pharmacy, Varvandi Road ,Nashik, India.

Abstract: Nanotechnology has revolutionized drug delivery systems, improving bioavailability, specificity, and therapeutic efficiency. Phytonanoparticles (PNPs), that are among the numerous kinds of nanoparticles, having attracted people's attention, are made from plants, and that are using bioactive compounds such as polyphenols, etc. Thus, these eco-friendly, biocompatible nanoparticles not only have enhanced therapeutic potential but also have reduced toxicity and the environmental impact. Phytonanoparticles (PNPs) are an novel class of nanoparticles synthesized using plant extracts as reducing, capping, and stabilizing agents, representing an eco-friendly and biocompatible alternative to conventional nanoparticle synthesis techniques. This review investigates the process of phytonanoparticle synthesis through "Green Synthesis" methods, focusing on the utilize of bioactive compounds from plants to produce nanoparticles. The process involves selecting appropriate plant material, extracting phytochemicals, and mixing them with metal salt solutions to create nanoparticles. The review further discusses different types of nanoparticles utilized in targeted drug delivery, including liposomes, polymeric nanoparticles, and more. Phytonanoparticles exhibit key characteristics that make them suitable for drug delivery, such as biocompatibility, targeted drug delivery potential, and more. Their unique features include targeted drug delivery through functionalization with precise ligands, minimize drug accumulation in non-target tissues, and natural biodegradation, decreasing long-term damage. This paper highlights the role of phytonanoparticles in cancer therapy, antimicrobial treatment, etc. For example, Moringaoleifera gold nanoparticles can target cancer cells, and Aloe vera zinc oxide nanoparticles can also help insulin delivery. The findings indicate that phytonanoparticles hold significant promise in enhancing therapeutic efficacy, reducing side effects, and offering cost-effective and eco-friendly drug delivery applications.

Keywords: Phytonanoparticles (PNPs), Green Synthesis, Targeted drug delivery, Eco-friendly nanoparticles, Nanotechnology in drug delivery, Biocompatibility, Cancer Therapy.

INTRODUCTION:

Nanotechnology has played vital role in drug delivery systems, allowing the development of novel methods for improving the bioavailability, specificity, and therapeutic efficacy of drugs. One of the various types of nanoparticles which have become prominently visible in recent years. Phytonanoparticles are a kind of nanoparticles that are made by using materials that come from plants, specifically utilizing plant extracts as reducing, capping, and stabilizing agents in the production process. (1) This technique not only diminishes the utilization of toxic reagent but also incorporates bioactive compounds from plants, which consequently have better therapeutic characteristics of the nanoparticles. Polyphenols, flavonoids, and alkaloid are the ususal plant based substance which work quite well with them, as well as their antioxidant, antimicrobial, and anti-inflammatory features. (2) These nanoparticles contain unique properties and are combined by a method that is ecological. Therefore, they are normally biocompatible, nontoxic to the environment, and can be employed in areas such as drug delivery, antimicrobial therapies, and cancer treatment. (3)Nanoparticle synthesis using plant extracts, also known as "green synthesis" is a sustainable and environmentally benign process that uses naturally occurring molecules taken from plants to produce nanoparticles. This method is an alternative to conventional chemical and physical methods, which frequently call for the application of harmful materials and energy-intensive procedures. (4)The most important attribute of phytonanoparticles is their potential to attach to target specific tissues or cells. By functionalizing the nanoparticles with specific ligands, like antibodies or peptides, they are able to adhere exclusively to the receptors on the target cells. This focused strategy is the reason that drug collection in non-target tissues, become minimized so that drug adverse effects are decreased and the therapeutic effect is aimed. For example, phytonanoparticles have displayed hopeful results in the targeting of cancer cell while not causing harm to healthy tissue and thus can be favoured in oncology applications. (5)Biocompatibility and chronic biodegradation are one of the crucial features of phytonanoparticles. (6)The most recent breakthroughs in the field have most impressively underscored the general capacity of the phytonanoparticles to deliver an extensive range of therapeutics, among which the most widespread are chemotherapeutic agents. (7)This is possible, although it can still be a serious challenge to scale up the synthesis procedure while maintaining the uniformity of size, shape, and functionalization of the particles. Moreover, this is important that there would be the establishment of the regulatory guidelines aimed at the approval of phytonanoparticles-based treatments. (8)Phytonanoparticles offer a sustainable and effective alternative to the traditional methods in targeted drug delivery systems which are selected for their potential therapeutic treatment. Besides, these biocompatible systems are particularly targeted to diseases that are mostly diagnosed by excessive consumption of some substances. Eco-friendly synthesis of the nanoparticles is another unique property that makes them the healers of the future. It is well-organised logic but must be tested, and followed to maximal the application and boosts the green chemistry functions. (9)

Discussion:

Types of nanoparticles used in targeted drug delivery systems:



Figure 1 Types of Nanoparticles

1. **Liposomes**:
   These are spherical vesicles made of lipid bilayers, similar to cell membranes. Liposomes can have both hydrophilic and hydrophobic substances encapsulated, making them versatile for drug delivery. They can be modified with targeting ligands to improve specificity for certain cells or tissues. (10) (11)

2. **Polymeric nanoparticles**:
   These nanoparticles are made from biocompatible polymers like polylactic-co-glycolic acid (PLGA) or polyethylene glycol (PEG). Polymeric nanoparticles offer tunable properties such as size, surface charge, and degradation rate. They can encapsulate drugs and protect them from degradation while facilitating controlled release kinetics. (12) (13) (14)

3. **Dendrimers**:
   Dendrimers are highly branched, symmetric molecules with well-defined structures. Their multivalent surface allows for precise control over drug loading and targeting ligand attachment. Dendrimers can penetrate cellular barriers and deliver drugs intracellullary. (15) (16)
4. **Metal nanoparticles**:
   Metal nanoparticles like gold, silver, or iron oxide have unique physicochemical properties that make them attractive for drug delivery implementation. They can be functionalized with targeting ligands and imaging agents for thermostatic applications, combining therapy and diagnostics. (17) (18)

5. **Carbon-based nanoparticles**:
   Carbon nanotubes and graphene oxide are examples of carbon-based nanoparticles used in target drug delivery systems. They possess large surface area and unique mechanical, electrical, and thermal properties. Functionalization with targeting ligands enables specific drug delivery to desired cells or tissues. (19) (20)

Important Stages in Nanoparticle Synthesis Using Plant Extracts:

Preparation of Plant Extracts:



Figure 2 Preparation of Plant Extracts

- **Selection of Plant Material**:
  The procedure begins by selecting a suitable plant species. Leaves, etc. can be used depending on the required nanoparticles qualities. (21) (22)

- **Extraction Process**:
  The plant material is cleaned, dried, and then ground into a very fine powder. This powder is then combined with a solvent, to extract bioactive substances. The mixture is filtered to yielding a clear plant extract. (23) (24) (25)

- **Mixing with Metal Salt Solutions**:
  Metal Salt Selection: Metal Salt including silver nitrate etc., are utilized for synthesizing several types of nanoparticles. (26) (27)

- **Reduction Process**:
  The plant extract is mixed with the metal salt solution. The bioactive compounds in the extract, including flavonoids, etc. Function as reducing agents, converting metal ions into metal nanoparticles. (28) (29)

- **Stabilization of Nanoparticles: Capping Agents**:
  The same bioactive substances also act as capping agents, stabilizing the nanoparticles and preventing them from aggregating. Capping ensures the stability of the nanoparticles in suspension. (30)

Characterization of Nanoparticles:

Table 1: Characterization of Nanoparticles

Technique	Properties
UV-Vis Spectroscopy	To established the nanoparticles formation by detecting surface Plasmon resonance peaks. (31)
Transmission Electron Microscopy (TEM) and Scanning Electron Microscopy (SEM)	To analyse the size, shape, and morphology of the nanoparticles. (32)
X-ray Diffraction (XRD)	To determine the crystalline structure of the nanoparticles. (33)
Fourier Transform Infrared Spectroscopy (FTIR)	To identify functional groups on the nanoparticle surface, confirming the presence of capping agents. (34)

Characteristics of Nanoparticles in Drug Delivery:

Table 2: Characteristics of Nanoparticles in Drug Delivery.

Characteristics	Description
Particle size	Nanoparticles typically have sizes range from 1 to 100 nanometers. Size affects their circulation time biodistribution and cellular uptake. Smaller nanoparticles can penetrate tissues more effectively and may escape immune system detection (35) (36)
Surface Properties of Nanoparticles	Surface properties like charge, hydrophobicity, and functional groups influence interactions with biological environments, cellular uptake, and circulation time. Surface modification can enhance targeting, stability, and reduce toxicity. (37) (38)
Drug Release	Controlled drug release kinetics from nanoparticles is crucial for maintaining therapeutic levels over time, reducing side effects, and improving patient compliance. Factors like nanoparticle composition, structure, and environmental conditions influence drug release profiles. (39) (40)
Targeted Drug Delivery	Nanoparticles can be engineered to target specific cells, tissues, or organs, enhancing drug efficacy while minimizing systemic toxicity. Targeting ligands, like antibodies or peptides, can facilitate selective binding and uptake by specific cells or tissues. (37) (41) (42)

The mechanism by which (Phytonanoparticles) PNPs function in targeted drug delivery involves several key steps:

Targeting Mechanism

Passive Targeting:

This mechanism based on the increased permeability and retention effect, which is characteristic of tumor tissues or inflamed areas. PNPs can build in these regions due to leaky vasculature and poor lymphatic drainage.

Active Targeting:

PNPs can be functionalized with particular ligand, like antibodies, peptides, or small molecules, that specifically bind to receptors overexpressed on the surface of target cells (e.g., tumor cells). This guarantees that the PNPs selectively bind to and are internalized by the targeted cells. (43) (44)



Figure 3 Targeting Mechanism

Phytonanoparticles are gaining significant attention in drug delivery systems for several compelling reasons, particularly in targeting specific tissues or cells:

1. **Biocompatibility and Reduced Toxicity**
   Phytonanoparticles are made plant based materials, which are generally more biocompatible and less hazardous than synthetic nanoparticles. This lowers the risk of adverse reactions, making them safer for drug delivery, particularly for long-term treatments. (45) (46)

2. **Targeted Drug Delivery**
   Phytonanoparticles can be constructed to target specific tissues or cells. The altering surface of these nanoparticles with ligands that recognize and bind to receptors on particular cell types, allowing for precised delivery of medicinal agents. This is especially useful in cancer therapy, where medication an be directed specifically to tumor cells, minimizing damage to healthy tissues. (47)
3. **Enhanced Drug Stability and Bioavailability**
   Many phytonanoparticles can encapsulate drugs, protecting them from deterioration before they reach their target. This encapsulation enhances the stability of medications, particularly those that are delicate to environmental factors like pH or enzymatic degradation. Moreover, phytonanoparticles can increase the bioavailability of poorly dissolvable drugs by improving their solubility and absorption in the body. (48)

Phytonanoparticles, which are nanoparticles synthesized using plant-based methods, offer several advantages:

1. **Eco-friendly and Sustainable:**
   The synthesis of phytonanoparticles is environmentally friendly since it eliminates hazardous chemicals and reduces waste, aligning with green chemistry principles.
2. **Biocompatibility and Safety:**
   These nanoparticles are generally biocompatible, making them safer for medical and pharmaceutical applications, by lowering the chance of adverse reactions.
3. **Cost-effective Production**:
   Using plant extracts for synthesis can be more cost-effective compared to traditional chemical and physical process, which often require costly materials and equipment.
4. **Antimicrobial and Antioxidant Properties**:
   Many phytonanoparticles exhibit high microbicidal and antioxidant activities, making them efficient for avoiding infections and oxidative stress-related disorders.

(49) (50) (51)

Applications of Phytonanoparticles in Targeted Drug Delivery Systems:

Table 4: Applications of Phytonanoparticles in Targeted Drug Delivery Systems.

Therapy	Applications	Example
Cancer Therapy	Phytonanoparticles can be designated to specifically target cancer cells. The plant-derived nanoparticles are frequently functionalized with ligands that recognize and bind to cancer-specific markers. Once attached, they can deliver chemotherapeutic agents directly into the cancerous tissue, minimizing adverse effects in non-targeted areas.	Gold nanoparticles synthesized from Moringaoleifera leaf extract have been used for particular breast cancer cells. These gold nanoparticles are loaded with the medication doxorubicin and are able to deliver the medication specifically to the tumor site, minimizing the adverse effects tissue that is healthy. (52)
Antimicrobial Therapy	Phytonanoparticles can also be efficient in the specific delivery of antimicrobial agents. They can enhance the delivery of antibiotics, antifungals, and antivirals to infection sites, overcoming the obstacles offered by drug-resistant microbes.	Silver nanoparticles derived from Azadirachtaindica (neem) extracts have shown promising results in delivering antimicrobial agents directly to the infection site, increasing the effectiveness of the drug against resistant bacteria. (28)
Diabetes Treatment	Phytonanoparticles can be utilized to improve the delivery of insulin or other antidiabetic drugs, ensuring a controlled release and a prolonger duration of action, which can improve patient compliance and effectiveness	Zinc oxide nanoparticles derived from Aloe vera extracts have been studied for their ability to improve the delivery of insulin and other antidiabetic agents, potentially helping to control blood glucose levels more effectively. (53)

Future Scope:

Optimization of Synthesis Protocols: Green synthesis protocols must be standardized in order to ensure the reproducibility, uniformity, and scalability of phytonanoparticles uncovered in the recent studies. One of the potential remedies for the future of green nanobiotechnology could be through the discovery and use of diverse plant species and bioactive compounds to expand the versatility and therapeutic potential of these nanoparticles.

Enhancing Targeting Mechanisms: One way to achieve more specific cell and tissue targeting is the use of antibodies, peptides with optimized functionalization techniques. Projects involve the development of stimuli-responsive systems for controlled drug release that are activated by the current environment.

Conclusion:

Phytonanoparticles (PNPs) represent a promising frontier in targeted drug delivery systems, offering numerous advantages over conventional methods due to their eco-friendly, biocompatible, and versatile nature. Their green synthesis using plant extracts as reducing, capping, and stabilizing agents enables an environmentally sustainable and scalable process. Nanoparticles get hold of bioactive compounds which are a natural part of the plants, such as polyphenols, etc., and this is used as material to make safer and more efficient drug delivery platforms. This paper has highlighted the broad applications of PNPs in cancer therapy, antimicrobial treatment, and more. Key characteristics such as particle size, surface properties, and etc. capabilities make PNPs ideal candidates for enhancing therapeutic efficacy while reducing adverse side effects. The unique ability of PNPs to provide both passive and active targeting mechanisms enhances their specificity to diseased tissues or cells, thereby improving the precision of drug delivery. Additionally, the low toxicity and biocompatibility of plant-based materials ensure safer drug delivery systems, particularly for long-term treatments.

References:

1. Bhattacharya, S., & Sachin, A. Phytonanotechnology: Green nanomaterials from plants for drug delivery applications. Journal of Drug Delivery Science and Technology, 63, 2021,102516.
2. Mittal, A. K., Chisti, Y., & Banerjee, U. C. Synthesis of metallic nanoparticles using plant extracts. Biotechnology Advances, 31(2), 2013, 346–356.
3. Gupta, A., & Kumar, A. Application of nanomaterials in antimicrobial and anticancer therapies: A review. Journal of Nanobiotechnology, 19(1), 2021, 1-19.
4. Iravani, S. Green synthesis of metal nanoparticles using plants. Green Chemistry, 13(10), 2011 ,2638–2650.
5. Sharma, S., & Singh, P. Functionalization of phytonanoparticles for targeted drug delivery applications. Journal of Drug Targeting, 29(6), 2021, 580-593.
6. Kumar, S., & Verma, A. Biocompatibility and biodegradability of phytonanoparticles: Implications for drug delivery and safety. International Journal of Nanomedicine, 15, 2020, 3207-3221.
7. Singh, R., & Jain, N. Phytonanoparticles for therapeutic drug delivery: Recent advances and future directions. Advanced Drug Delivery Reviews, 169, 2021,122-138.
8. Sharma, D., & Kaur, D. Phytonanotechnology: A novel green approach for nanomedicine. Nanomedicine& Nanotechnology Open Access, 15(3), 2020, 135–145.
9. Jeevanandam, J., Barhoum, A., Chan, Y. S., Dufresne, A., & Danquah, M. K. Review on nanoparticles and nanostructured materials: History, sources, toxicity, and regulations. Beilstein Journal of Nanotechnology, 9(1), 2018, 1050–1074.
10. Allen, T. M., &Cullis, P. R. Liposomal drug delivery systems: From concept to clinical applications. Advanced Drug Delivery Reviews, 65(1),2013, 36–48.
11. Bozzuto, G., & Molinari, A. Liposomes as nanomedical devices. International Journal of Nanomedicine, 10, 2015,975–999.
12. Kumari, A., Yadav, S. K., & Yadav, S. C. Biodegradable polymeric nanoparticles based drug delivery systems. Colloids and Surfaces B: Biointerfaces, 75(1), 2010 ,1-18.
13. Kamaly, N., Yameen, B., Wu, J., & Farokhzad, O. C. Degradable controlled-release polymers and polymeric nanoparticles: Mechanisms of controlling drug release. Chemical Reviews, 116(4), 2016, 2602–2663.
14. Danhier, F., Ansorena, E., Silva, J. M., Coco, R., Le Breton, A., & Préat, V. PLGA-based nanoparticles: An overview of biomedical applications. Journal of Controlled Release, 161(2), 2012,505–522.
15. Kesharwani, P., Jain, K., & Jain, N. K. Dendrimer as nanocarrier for drug delivery. Progress in Polymer Science, 39(2), 2014 ,268-307.
16. Chauhan, A. S. Dendrimers for drug delivery. Molecules, 23(4), 2018, 938.
17. Dykman, L., & Khlebtsov, N. Gold nanoparticles in biomedical applications: Recent advances and perspectives. Chemical Society Reviews, 41(6), 2012,2256-2282.
18. Thambiraj, S., & Hema, S. Silver nanoparticles as a promising nanomaterial for drug delivery and biomedical applications. Materials Today: Proceedings, 49, 2022, 2629–2636.
19. Bianco, A., Kostarelos, K., & Prato, M. Applications of carbon nanotubes in drug delivery. Current Opinion in Chemical Biology, 9(6), 2005, 674-679.

20. Zhang, L., & Zheng, M. Carbon nanotubes for drug delivery and cancer therapy. Nanoscale Research Letters, 10, 2015,17.
21. Ghosh, S., Roy, P., & Das, S. Plant-mediated synthesis of mono- and bimetallic (Au–Ag) nanoparticles: Future prospects for food quality and safety. Journal of Nanomaterials, 2023, Article ID 2781667.
22. Rajeshkumar, S., & Bharath, L. Mechanism of plant-mediated synthesis of silver nanoparticles – A review on biomolecules involved, characterization, and antibacterial activity. Chemico-Biological Interactions, 273, 2017,219–227.
23. Azwanida, N. N. A review on the extraction methods use in medicinal plants, principle, strength, and limitation. Medicinal & Aromatic Plants (Los Angeles), 4(3), 2015, 196.
24. Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., & Omar, A. K. M. Techniques for extraction of bioactive compounds from plant materials: A review. Journal of Food Engineering, 117(4), 2013 ,426–436.
25. Chandra, H., Bishnoi, P., Yadav, A., Patni, B., Mishra, A. P., & Nautiyal, A. R. Antimicrobial resistance and the alternative resources with special emphasis on plant-based antimicrobials—A review. Plants, 9(6), 2020,737.
26. Iravani, S., Korbekandi, H., Mirmohammadi, S. V., & Zolfaghari, B. Synthesis of silver nanoparticles: Chemical, physical, and biological methods. Research in Pharmaceutical Sciences, 9(6), 2014, 385–406.
27. Singh, P., Kim, Y. J., Zhang, D., & Yang, D. C. Biological synthesis of nanoparticles from plants and microorganisms. Trends in Biotechnology, 34(7), 2016, 588–599.
28. Ahmed, S., Saifullah, Ahmad, M., Swami, B. L., & Ikram, S. Green synthesis of silver nanoparticles using Azadirachta indica aqueous leaf extract. Journal of Radiation Research and Applied Sciences, 9(1), 2016, 1–7.
29. Shankar, S. S., Rai, A., Ahmad, A., & Sastry, M. Rapid synthesis of Au, Ag, and bimetallic Au core–Ag shell nanoparticles using neem (Azadirachta indica) leaf broth. Journal of Colloid and Interface Science, 275(2), 2004, 496–502.
30. Makarov, V. V., Love, A. J., Sinitsyna, O. V., Makarova, S. S., Yaminsky, I. V., Taliansky, M. E., & Kalinina, N. O. Green nanotechnologies: Synthesis of metal nanoparticles using plants. Acta Naturae, 6(1), 2014, 35–44.
31. Mourdikoudis, S., Pallares, R. M., & Thanh, N. T. K. Characterization techniques for nanoparticles: Comparison and complementarity upon studying nanoparticle properties. Nanoscale, 10(27), 2018, 12871-12934.
32. Bae, C. J., Kim, B., Lee, H. S., & Park, J. G. TEM and SEM characterization of nanoparticles. Journal of Nanoscience and Nanotechnology, 12(6), 2012, 5053-5057.
33. Sun, Y., & Xia, Y. Shape-controlled synthesis of gold and silver nanoparticles. Science, 298(5601),2002, 2176-2179.
34. Wang, Z., Zhang, J., & Chen, F. FTIR and XRD analysis of nanomaterials. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 76(1), 2010, 396-400.
35. Petros, R. A., & DeSimone, J. M. Strategies in the design of nanoparticles for therapeutic applications. Nature Reviews Drug Discovery, 9(8), 2010,615-627.
36. Albanese, A., Tang, P. S., & Chan, W. C. The effect of nanoparticle size, shape, and surface chemistry on biological systems. Annual Review of Biomedical Engineering, 14, 2012, 1–16.
37. Sahay, G., Alakhova, D. Y., & Kabanov, A. V. Endocytosis of nanomedicines. Journal of Controlled Release, 145(3), 2010, 182-195.
38. Behzadi, S., Serpooshan, V., Tao, W., Hamaly, M. A., Alkawareek, M. Y., Dreaden, E. C., Brown, D., Alkilany, A. M., Farokhzad, O. C., & Mahmoudi, M. Cellular uptake of nanoparticles: Journey inside the cell. Chemical Society Reviews, 46(14), 2017, 4218–4244.

39. Panyam, J., & Labhasetwar, V. Biodegradable nanoparticles for drug and gene delivery to cells and tissue. Advanced Drug Delivery Reviews, 55(3), 2003,329-347.
40. Agrahari, V., & Hiremath, P. S. Challenges associated and approaches for successful translation of nanomedicines into commercial products. Journal of Controlled Release, 245, 2017, 168-180.
41. Bobo, D., Robinson, K. J., Islam, J., Thurecht, K. J., & Corrie, S. R. Nanoparticle-based medicines: A review of FDA-approved materials and clinical trials to date. Pharmaceutical Research, 33(10), 2016,2373–2387.
42. Kamaly, N., Yameen, B., Wu, J., & Farokhzad, O. C. Degradable controlled-release polymers and their application in drug delivery. Chemical Reviews, 116(4), 2016 ,2602–2663.
43. Fang, J., Nakamura, H., & Maeda, H. The EPR effect: Unique features of tumor blood vessels for drug delivery factors involved, and limitations and augmentation of the effect. Advanced Drug Delivery Reviews, 63(3),2011, 136–151.
44. Maeda, H., Wu, J., Sawa, T., Matsumura, Y., & Hori, K. Tumor vascular permeability and the EPR effect in macromolecular therapeutics: A review. Journal of Controlled Release, 65(1–2), 2000,271–284.
45. Amoo, S. O., Aremu, A. O., & Van Staden, J. In vitro plant regeneration, secondary metabolite production, and biotechnological applications of Harpagophytum procumbens (Devil's Claw). South African Journal of Botany, 78, 2012, 252–262.
46. Ahmed, S., Ahmad, M., Swami, B. L., & Ikram, S. A review on plants extract mediated synthesis of silver nanoparticles for antimicrobial applications: A green expertise. Journal of Advanced Research, 7(1), 2016, 17–28.
47. Kumari, P., Ghosh, S. K., & Biswas, S. Phytonanoparticles: A new era in targeted drug delivery. Nanomedicine: Nanotechnology, Biology, and Medicine, 12(8), 2016, 2261–2270.
48. Singh, P., Mondal, D., & Agrawal, A. Role of phytonanoparticles in enhancing drug stability and bioavailability. Journal of Nanoscience and Nanotechnology, 20(4),2020, 2201-2212.
49. Patra, J. K., Das, G., Fraceto, L. F., Campos, E. V., Rodriguez-Torres, M. P., Acosta-Torres, L. S., ... & Shin, H. S. (2018). Nano based drug delivery systems: Recent developments and future prospects. Journal of Nanobiotechnology, 16(1), 71.
50. Li, J., Xu, W., & Gu, Z. Designing smart nanoparticles for precise drug delivery and therapy. ACS Nano, 13(2) ,2018, 1223–1236.
51. Smith, D. M., Selby, L. I., Johnston, A. P. R., & Such, G. K. The endosomal escape of nanoparticles: Toward more efficient cellular delivery. Bioconjugate Chemistry, 30(2), 2019, 263–272
52. Ashu Chaudhary and Anshul Singh. NANOPARTICLES: PRIVILEGED SCAFFOLD FOR CANCER TREATMENT. Int. J. Of Adv. Res. 4 (Nov). 1-10] (ISSN 2320-5407).2016
53. Rajasekar, A., & Karunagaran, V. M. Zinc oxide nanoparticles synthesized using Aloe vera: A potential nanomedicine for diabetes. Materials Science and Engineering: C.