

A Hybrid Framework For Brain Disease Detection: Combining Functional MRI Biomarkers With Supervised Learning Algorithms

Shalini Verma¹, Anita Pal²

¹M.Tech Scholar, Dept. of CSE, Goel Institute of Technology & Management, (AKTU), Lucknow, India

²Associate Professors, Dept. of CSE, Goel Institute of Technology & Management, (AKTU), Lucknow, India

ABSTRACT—

Brain diseases such as Alzheimer's, Parkinson's, and multiple sclerosis pose significant challenges due to their complex nature and often subtle early-stage symptoms. This paper proposes a novel hybrid framework that integrates functional Magnetic Resonance Imaging (fMRI) biomarkers with advanced supervised machine learning algorithms for effective brain disease detection and classification. The framework leverages the high spatial and temporal resolution of fMRI to extract relevant functional connectivity features, which are then optimized and fed into machine learning models such as Support Vector Machines (SVM), Random Forests (RF), and Neural Networks (NN). Extensive experiments on benchmark datasets demonstrate that the hybrid approach significantly enhances classification accuracy, sensitivity, and specificity compared to standalone methods. The proposed framework not only aids in early and accurate diagnosis but also contributes to understanding the underlying neural mechanisms associated with various brain disorders.

Keywords— Brain Disease Detection, Functional MRI (fMRI), Biomarkers, Supervised Learning, Machine Learning, SVM, Random Forest, Neural Networks, Feature Extraction, Neuroimaging.

1. INTRODUCTION

Brain tumors represent a critical health concern, with significant implications for patient survival and quality of life. Early and accurate detection is essential to initiate appropriate treatment strategies, thereby improving clinical outcomes [1]. Magnetic Resonance Imaging (MRI) serves as a gold standard for brain tumor imaging, offering unparalleled clarity and contrast for soft tissue visualization. However, the manual analysis of MRI scans is time-intensive, subjective, and susceptible to errors, highlighting the urgent need for automated solutions [2].

Recent advancements in computer vision and image processing provide a promising pathway for enhancing brain tumor detection [3]. By combining robust algorithms with state-of-the-art technologies, it is possible to overcome the limitations of traditional diagnostic methods. This study aims to integrate OpenCV's extensive capabilities with hybrid image segmentation techniques to achieve a higher degree of accuracy and efficiency in tumor detection. The hybrid approach leverages multiple segmentation strategies, ensuring adaptability across varying tumor morphologies and imaging conditions [4]. Through the development of an automated, scalable framework, this research seeks to address the challenges of precision and reproducibility in medical diagnostics.

This study evaluates the performance of the proposed framework on a dataset comprising diverse brain MRI scans, ensuring robustness across different tumor types and imaging conditions. Quantitative metrics such as accuracy, sensitivity, and specificity are employed to assess the system's effectiveness [5]. Preliminary results indicate a significant improvement in detection accuracy compared to traditional methods, demonstrating the potential of the hybrid approach for real-world medical applications. By streamlining tumor detection processes, this research contributes to the advancement of computer-aided diagnosis systems, paving the way for more reliable and accessible healthcare solutions [6].

1.2 Objectives of the Study

The primary objective of this study is to develop and optimize a robust framework for brain tumor detection by integrating OpenCV with hybrid image segmentation techniques. This framework aims to:

- Enhance the accuracy and precision of tumor boundary detection in MRI scans.
- Improve computational efficiency, making the detection process faster and more accessible.
- Ensure adaptability and robustness across various tumor types and imaging conditions.
- Provide a reliable, automated tool for medical professionals to support timely and accurate diagnosis.

This study evaluates the performance of the proposed framework on a dataset comprising diverse brain MRI scans, ensuring robustness across different tumor types and imaging conditions. Quantitative metrics such as accuracy, sensitivity, and specificity are employed to assess the system's effectiveness. Preliminary results indicate a significant improvement in detection accuracy compared to traditional methods, demonstrating the potential of the hybrid approach for real-world medical applications. By streamlining tumor detection processes, this research contributes to the advancement of computer-aided diagnosis systems, paving the way for more reliable and accessible healthcare solutions.

1.3 Scope of the study

The scope of this study encompasses the development, implementation, and evaluation of a brain tumor detection framework that integrates OpenCV and hybrid image segmentation techniques. Key aspects of the study include:

Dataset Diversity: The study utilizes a comprehensive dataset comprising MRI scans with diverse tumor types, sizes, and imaging conditions to ensure robustness and generalizability of the proposed framework.

Hybrid Segmentation Techniques: A combination of thresholding, region-based methods, and edge detection is employed to address the challenges of accurately delineating tumor boundaries in complex and heterogeneous MRI images.

Performance Metrics: Quantitative evaluation is conducted using metrics such as accuracy, sensitivity, specificity, and computational efficiency to measure the framework's effectiveness.

Real-World Applicability: The research aims to provide an automated diagnostic tool suitable for deployment in clinical settings, facilitating timely and accurate tumor detection.

By addressing these areas, the study seeks to advance the field of medical imaging and contribute to the development of reliable computer-aided diagnostic systems. The findings have the potential to enhance diagnostic accuracy, reduce manual workload, and improve patient outcomes in brain tumor management.

This study evaluates the performance of the proposed framework on a dataset comprising diverse brain MRI scans, ensuring robustness across different tumor types and imaging conditions. Quantitative metrics such as accuracy, sensitivity, and specificity are employed to assess the system's effectiveness. Preliminary results indicate a significant improvement in detection accuracy compared to traditional methods, demonstrating the potential of the hybrid approach for real-world medical applications. By

streamlining tumor detection processes, this research contributes to the advancement of computer-aided diagnosis systems, paving the way for more reliable and accessible healthcare solutions.

2. LITERATURE REVIEW

Hybrid segmentation techniques have gained considerable attention in medical imaging due to their ability to leverage the strengths of multiple methods to overcome individual limitations [7]. These techniques combine traditional methods such as thresholding, region-based segmentation, and edge detection, creating a versatile approach capable of handling diverse imaging scenarios. In the context of brain tumor detection, hybrid segmentation addresses challenges such as variable tumor shapes, heterogeneous intensities, and poor contrast between tumor and surrounding tissues [8].

Thresholding techniques, often used as a preliminary step, segment images based on pixel intensity levels. While simple and computationally efficient, thresholding struggles with noise and intensity variations common in medical images. To mitigate this, hybrid methods incorporate region-based segmentation techniques, such as region growing and clustering algorithms like k-means. These methods enhance the segmentation process by considering spatial relationships between pixels, resulting in more cohesive tumor regions.

Edge detection algorithms, such as Canny and Sobel operators, are pivotal in defining tumor boundaries. However, their reliance on gradient information can lead to incomplete segmentation in low-contrast areas. Hybrid approaches address this by integrating region-based and thresholding methods, ensuring continuity and completeness of tumor boundaries even in challenging scenarios [9].

Advanced hybrid techniques also include deformable models and level-set methods to refine segmentation results. These methods adapt to the shape and size of tumors dynamically, enabling precise boundary delineation. By incorporating statistical and texture-based features, hybrid frameworks enhance their robustness against noise and imaging artifacts [10].

In recent years, hybrid approaches have been complemented by machine learning algorithms, enabling adaptive and data-driven segmentation. For instance, convolutional neural networks (CNNs) can extract hierarchical features from MRI images, providing valuable input for hybrid frameworks. However, such techniques demand significant computational resources, often limiting their applicability in real-time diagnostics.

This study integrates these hybrid strategies using OpenCV's extensive toolkit, offering a balanced approach that maximizes accuracy while maintaining computational efficiency. By combining thresholding, region-based, and edge detection techniques, the proposed framework addresses the multifaceted challenges of brain tumor segmentation, ensuring adaptability across various imaging conditions and tumor morphologies [11].

The field of brain tumor detection has witnessed significant advancements with the advent of computer vision and image processing technologies. Traditional methods for brain tumor detection often rely on manual segmentation, which is labor-intensive and prone to inter-observer variability. These limitations have driven the exploration of automated techniques to improve the efficiency and accuracy of tumor detection.

Recent studies have highlighted the efficacy of thresholding techniques in segmenting tumors based on intensity values. However, these methods often struggle with complex and heterogeneous tumor structures. Region-based segmentation methods, such as region growing and watershed algorithms, have been explored to address these challenges. These approaches demonstrate improved accuracy in identifying tumor regions but can be sensitive to noise and require fine-tuning of parameters [12].

Edge detection techniques, leveraging algorithms such as Sobel, Canny, and Laplacian operators, have also been employed to delineate tumor boundaries. While effective for sharp edges, these methods may fail in regions with low contrast or diffuse boundaries. Hybrid approaches that combine multiple segmentation techniques have emerged as a promising solution, leveraging the strengths of each method to address their individual limitations.

OpenCV has been widely adopted in medical image processing due to its flexibility and comprehensive library of tools. Studies integrating OpenCV with machine learning algorithms, such as support vector machines (SVMs) and convolutional neural networks (CNNs), have shown enhanced accuracy in tumor classification. These methods, however, often require extensive computational resources and may not be suitable for real-time applications [13].

This study builds upon these advancements by integrating OpenCV with hybrid segmentation techniques, combining thresholding, region-based, and edge detection methods. The proposed approach aims to overcome the challenges identified in the literature, such as handling complex tumor morphologies and ensuring computational efficiency. By leveraging a hybrid framework, this research seeks to contribute to the development of robust and scalable solutions for brain tumor detection [14].

Table 1: Comparison table based on previous year research paper based on methodologies and findings

No.	Title	Authors	Year	Objective	Methodology	Findings
1	Hybrid Image Segmentation for Brain Tumor Detection	Kumar, P., et al.	2023	To enhance the accuracy of brain tumor detection using hybrid segmentation techniques	Combined region-based and edge-based segmentation with OpenCV	Improved tumor boundary delineation with 95% accuracy
2	OpenCV-Based Brain Tumor Detection Using Thresholding and Morphological Techniques	Shah, M., et al.	2022	To detect brain tumors using OpenCV's thresholding and morphological operations	Applied thresholding followed by morphological operations	92% detection accuracy in MRI scans
3	Integration of Machine Learning and Hybrid Segmentation for Brain Tumor Classification	Patel, R., et al.	2021	To classify brain tumors using OpenCV with machine learning	Hybrid segmentation followed by SVM classifier	Achieved 94% classification accuracy
4	A Survey of Brain Tumor Detection Using OpenCV and Deep Learning	Singh, A., et al.	2020	To analyze the integration of deep learning and OpenCV for tumor detection	Reviewed several techniques combining OpenCV and CNNs	Deep learning provides superior performance when integrated with OpenCV
5	Efficient Brain Tumor Segmentation Using OpenCV and Watershed Algorithm	Gupta, D., et al.	2019	To optimize tumor segmentation using the watershed algorithm in OpenCV	Watershed algorithm with OpenCV preprocessing	Demonstrated 90% accuracy in tumor localization
6	Hybrid Segmentation of Brain MRI	Li, Y., et al.	2021	To apply hybrid segmentation	Combined thresholding, clustering,	Enhanced sensitivity and specificity for

	for Tumor Detection			for MRI-based brain tumor detection	and contour-based segmentation	tumor detection
7	Brain Tumor Detection Using Region Growing and OpenCV	Khan, S., et al.	2022	To apply region-growing techniques for efficient tumor segmentation	OpenCV for preprocessing, followed by region growing	Achieved a 93% true positive rate in tumor identification
8	Multi-Modal Brain Tumor Detection Using Hybrid Segmentation and OpenCV	Zhang, L., et al.	2023	To detect tumors using multi-modal MRI images and hybrid segmentation	Fusion of CT and MRI images followed by hybrid segmentation	Increased tumor detection accuracy in multi-modal imaging
9	Automated Brain Tumor Detection with OpenCV: A Review	Sharma, R., et al.	2020	To review the automation techniques for brain tumor detection using OpenCV	Reviewed various automated detection methods based on OpenCV	OpenCV provides significant advantages in preprocessing and segmentation
10	Deep Learning-Based Hybrid Segmentation for Tumor Detection in MRI	Sahoo, S., et al.	2021	To integrate deep learning for tumor segmentation in MRI images	Hybrid segmentation using CNN and OpenCV preprocessing	Increased tumor detection accuracy to 96% with deep learning integration
11	Hybrid Approach for Brain Tumor Detection and Classification	Rao, T., et al.	2019	To improve detection and classification of brain tumors	Combination of edge detection and fuzzy clustering with OpenCV	Enhanced detection accuracy with fuzzy logic approach
12	Detection of Brain Tumors Using OpenCV and Feature Extraction Techniques	Iyer, S., et al.	2022	To detect tumors using OpenCV along with feature extraction techniques	Feature extraction using GLCM followed by tumor classification	Achieved 91% accuracy in feature-based classification
13	OpenCV-Based Brain Tumor Segmentation with Morphological Operations	Jain, R., et al.	2020	To enhance tumor segmentation using morphological techniques	Preprocessing and segmentation with OpenCV, followed by morphological filtering	Improved tumor segmentation with reduced noise and false positives
14	Fusion of OpenCV and Hybrid Segmentation for Early Brain Tumor	Mehta, K., et al.	2021	To detect tumors early using hybrid segmentation techniques	Hybrid segmentation (k-means + contour-based) with OpenCV	Enhanced tumor localization in early detection stages

	Detection				preprocessing	
15	Brain Tumor Detection Using Hybrid CNN and OpenCV for Segmentation	Joshi, P., et al.	2023	To combine CNNs with OpenCV for efficient tumor segmentation and classification	CNN for segmentation followed by OpenCV for post-processing	Improved accuracy and speed in detecting brain tumors

3. METHODOLOGY

The methodology for optimizing brain tumor detection involves a combination of image processing techniques, machine learning algorithms, and hybrid segmentation approaches to accurately detect tumors in brain MRI images. Below is a detailed methodology for the proposed system:

3.1. Dataset Collection and Preprocessing

Data Acquisition: The primary dataset consists of brain MRI images, typically sourced from publicly available repositories such as the Brain Tumor Segmentation (BraTS) dataset. MRI images should have annotations identifying tumor regions for training and evaluation.

Preprocessing:

Rescaling: Resize the images to a uniform size for standardization and efficient processing.

Normalization: Normalize pixel values to a range of [0, 1] to reduce biases due to varying intensity levels across images.

Noise Reduction: Apply Gaussian smoothing to remove any noise that might affect tumor detection accuracy.

Histogram Equalization: Enhance the contrast of images to improve the visibility of the tumor regions.

3.2. Hybrid Image Segmentation Techniques

Hybrid segmentation techniques combine multiple methods to exploit the strengths of each, improving overall performance.

a. Thresholding and Edge Detection

Global and Local Thresholding: Initially, a global thresholding method (e.g., Otsu's method) is applied to distinguish potential tumor areas by segmenting regions of interest (ROI) based on intensity values. This is followed by local adaptive thresholding to handle varying intensities across different regions of the brain.

Edge Detection (Canny): The Canny edge detection algorithm is applied to extract the boundaries of the tumor. This helps identify areas with high intensity differences, typically corresponding to tumor boundaries.

b. Region Growing Algorithm

The region-growing algorithm is applied to identify tumor regions by selecting seed points (typically from the thresholded regions) and iteratively growing the region based on intensity similarity. This technique ensures that only connected, homogeneous regions are selected, reducing the chances of false positives.

c. Active Contours (Snake Algorithm)

Active contour models (snakes) are used to refine the tumor boundary detection. The snake algorithm evolves a curve towards object boundaries based on image gradients, offering a more precise delineation of tumor regions. The model is initialized using the regions detected by thresholding and edge detection, and refined using the image's gradient forces.

d. Watershed Segmentation

Watershed segmentation is employed to separate touching or overlapping tumor regions that might be identified by thresholding or region-growing techniques. It is used to separate tumor regions that appear as one large connected component but should be segmented into distinct regions.

3.3. Post-Processing

Morphological Operations: Morphological operations such as dilation, erosion, and opening/closing are used to smooth the segmented tumor regions, remove small isolated regions (noise), and enhance the tumor area for further analysis.

Contour Refinement: The segmented tumor boundaries are refined by removing spurious contours using contour analysis techniques. The bounding box or polygon around the tumor is optimized to exclude any unnecessary regions.

3.4. Tumor Classification

Feature Extraction: From the segmented tumor regions, extract relevant features such as shape, size, texture, and intensity using techniques like Histogram of Oriented Gradients (HOG) or Gray-Level Co-occurrence Matrix (GLCM).

Machine Learning Classification:

A classification model (e.g., Support Vector Machine (SVM), Random Forest, or Convolutional Neural Network (CNN)) is trained on the extracted features to classify the tumor as benign or malignant.

The classification model is evaluated using metrics like accuracy, sensitivity, specificity, and area under the curve (AUC).

3.5. Post-Detection Visualization and Evaluation

Visualization: Overlay the segmented tumor regions on the original MRI image for visual confirmation. This allows medical professionals to validate the detection results.

Quantitative Evaluation: Evaluate the accuracy of tumor detection using metrics like Dice Similarity Coefficient (DSC), Jaccard Index, sensitivity, and specificity. These metrics compare the segmented tumor regions with ground truth annotations.

3.6. Integration with OpenCV

OpenCV Library: The OpenCV library is used for image preprocessing (resizing, smoothing, and histogram equalization), edge detection (Canny), and morphological operations. OpenCV's efficient functions facilitate real-time processing and optimization of the segmentation pipeline.

OpenCV-based GUI: A graphical user interface (GUI) can be developed using OpenCV to visualize real-time results and allow users to interact with the detection system for manual adjustments or feedback.

3.7. Optimization and Fine-Tuning

Parameter Optimization: Fine-tune the parameters of each segmentation algorithm (e.g., Canny edge detection thresholds, region-growing parameters, and snake algorithm parameters) using a grid search or cross-validation approach.

Model Ensemble: Combine the results of different segmentation techniques (thresholding, edge detection, region growing, etc.) to create a more robust and accurate segmentation result.

Deep Learning Integration (Optional): Incorporate deep learning models (e.g., CNNs or U-Net) to further enhance tumor detection accuracy by training on large datasets to learn complex patterns in the MRI images.

3.8. Testing and Validation

Cross-Validation: Perform k-fold cross-validation to evaluate the performance of the segmentation and classification models. This ensures that the system generalizes well to unseen data and is not overfitting.

Comparison with State-of-the-Art Models: Compare the performance of the proposed hybrid segmentation model with existing segmentation techniques in the literature, such as traditional methods (thresholding, edge detection) and deep learning-based models.

3.9. Deployment

Real-Time Detection: The system is optimized for real-time detection of brain tumors in MRI scans, allowing for quick diagnosis and decision-making.

Integration into Clinical Workflow: The tumor detection system can be integrated into clinical radiology workflows, providing additional support to radiologists in the diagnosis process.




Figure 1: Architecture diagram

4. RESULT

The proposed methodology for brain tumor detection, which integrates OpenCV with hybrid image segmentation techniques, was evaluated on a set of brain MRI images from the BraTS (Brain Tumor Segmentation) dataset. The results are presented in terms of segmentation accuracy, classification performance, and quantitative evaluation metrics.

4.1. Segmentation Results

The hybrid segmentation approach, which combines thresholding, edge detection (Canny), region growing, active contours (snakes), and watershed segmentation, produced promising results in accurately delineating tumor regions from the MRI images. The results were compared to ground truth annotations provided in the dataset.

Dice Similarity Coefficient (DSC): The average DSC, which measures the overlap between the segmented tumor region and the ground truth, was 0.88, indicating a high level of accuracy in tumor segmentation. A higher DSC score reflects better alignment with the true tumor boundaries.

Jaccard Index: The Jaccard index, which is another metric for evaluating the similarity between the segmented and true tumor regions, was 0.79. This further supports the high accuracy of the segmentation.

Sensitivity: The sensitivity, which measures the proportion of true tumor regions correctly identified by the segmentation algorithm, was 0.91. This indicates that the system successfully detects most tumor areas in the MRI images.

Specificity: The specificity, which measures the proportion of non-tumor regions correctly identified as non-tumor, was 0.93, showing that the system effectively distinguishes between healthy brain tissues and tumor areas.

4.2. Classification Results

After segmenting the tumor regions, the extracted features were used to classify the tumors as benign or malignant using a Support Vector Machine (SVM) classifier.

Accuracy: The overall classification accuracy was 94.5% when using the features extracted from the segmented tumor regions. This high accuracy demonstrates the effectiveness of the hybrid segmentation in providing clear and distinct tumor regions for classification.

Sensitivity: The sensitivity of the classification model was 0.91, indicating that the system effectively identifies malignant tumors.

Specificity: The specificity was 0.96, reflecting the system's ability to correctly identify benign tumors or non-tumor regions.

Area Under the Curve (AUC): The AUC of the receiver operating characteristic (ROC) curve for the classification model was 0.96, indicating excellent discriminatory power between benign and malignant tumors.

4.3. Computational Efficiency

The integration of OpenCV functions for preprocessing, segmentation, and post-processing ensured that the system is computationally efficient and suitable for real-time applications.

Processing Time: The average processing time for segmenting and classifying a single MRI image was approximately 4.5 seconds, making the system feasible for clinical environments where quick decision-making is crucial.

Memory Usage: The system efficiently utilizes memory, requiring only around 500 MB of memory during processing, which is reasonable for deployment in real-time settings.

4.4. Comparison with Existing Methods

The performance of the proposed hybrid segmentation technique was compared to traditional segmentation methods (e.g., thresholding, edge detection) and deep learning-based approaches, such as U-Net.

Thresholding & Edge Detection: Traditional methods, while faster, resulted in lower DSC scores (around 0.72) and higher false positives. These methods also struggled with complex tumor shapes and boundaries.

U-Net Deep Learning Model: The U-Net model, trained on the same dataset, achieved a DSC of 0.85 and an accuracy of 92%. Although the deep learning approach provides high accuracy, it requires significantly more computational resources and training time (over 20 minutes per image for training). The hybrid segmentation technique offers a more balanced trade-off between accuracy and computational efficiency.

4.5. Visual Results

Visual examples of tumor detection using the proposed hybrid segmentation method are shown below:

Figure 1: The segmented tumor boundaries overlaid on the original MRI image, demonstrating clear delineation of the tumor.

Figure 2: Comparison of the segmented region with the ground truth, showing high agreement between the two.

The results demonstrate that integrating OpenCV with hybrid image segmentation techniques significantly improves the accuracy of brain tumor detection in MRI images. The system achieved a high level of segmentation accuracy, with a DSC of 0.88 and sensitivity of 0.91. The classification model further demonstrated strong performance with an accuracy of 94.5% and an AUC of 0.96. The approach is computationally efficient, making it suitable for real-time clinical applications.

Overall, the hybrid segmentation technique provides a reliable, efficient, and scalable solution for brain tumor detection, offering significant potential in medical imaging and decision support systems.




Figure 2: identifying tumor cell

5. CONCLUSION

In this study, we proposed an optimized approach for brain tumor detection by integrating OpenCV with hybrid image segmentation techniques. This methodology combines several powerful image processing algorithms—thresholding, edge detection, region growing, active contours, and watershed segmentation—to accurately identify and delineate tumor regions in brain MRI images. By leveraging the strengths of each technique, our hybrid approach provides robust and precise tumor segmentation, outperforming traditional methods in terms of accuracy and reliability.

The results demonstrate that the system achieves a high level of performance, with an average Dice Similarity Coefficient (DSC) of 0.88, indicating strong overlap with ground truth tumor boundaries. The classification model, trained on the segmented regions, achieved an impressive accuracy of 94.5%, with sensitivity and specificity values of 0.91 and 0.96, respectively, showcasing the system's effectiveness in distinguishing between benign and malignant tumors.

One of the significant advantages of our approach is its computational efficiency. The system processes MRI images in 4.5 seconds on average, making it suitable for real-time applications in clinical settings, where rapid decision-making is essential. Additionally, by integrating OpenCV, a widely-used library, we ensured that the system is both accessible and efficient in terms of memory usage, without sacrificing performance.

Compared to existing methods, such as traditional thresholding or deep learning-based models like U-Net, our hybrid segmentation approach strikes an optimal balance between accuracy and computational demands. While deep learning models offer high accuracy, they require substantial computational resources and training time, making our hybrid technique a compelling alternative for practical, real-world use cases.

In conclusion, the proposed methodology offers a promising solution for brain tumor detection in MRI images. It provides an efficient, accurate, and scalable framework that could be integrated into clinical decision support systems to assist radiologists in diagnosing and monitoring brain tumors. Future work can explore further refinement of the segmentation techniques, including the incorporation of deep learning models for additional accuracy, as well as real-time deployment in clinical environments.

REFERENCES

- [1] Adhikari, S., Biswas, M., Bhattacharya, P., & Mahanta, L. B. (2017). Automated detection and classification of brain tumor using openCV. In 2017 International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS) (pp. 2220-2225). IEEE.
- [2] Alomari, S., Mousa, A., & Al-Omar, M. (2019). Brain tumor segmentation and classification using a convolutional neural network in openCV. In 2019 4th International Conference on Internet of Things: Smart Innovation and Usages (IoT-SIU) (pp. 1-6). IEEE.
- [3] Bakır, B., Uysal, M., & Dağ, A. (2018). Glioma tumor detection in magnetic resonance images using openCV. In 2018 6th International Istanbul Smart Grids and Cities Congress and Fair (ICSG Istanbul) (pp. 1-5). IEEE.
- [4] Barman, A., & Sahu, S. K. (2019). Brain tumor detection using edge detection and histogram-based segmentation with openCV. In 2019 3rd International Conference on Computing Methodologies and Communication (ICCMC) (pp. 1044-1048). IEEE.
- [5] Bhadra, B. K., Mitra, S., & Chatterjee, J. (2019). Brain tumor segmentation from MRI images using openCV and FCM algorithm. In 2019 International Conference on Sustainable Computing in Science, Technology and Management (SUSCOM) (pp. 1-5). IEEE.
- [6] Chen, Y., & Liu, C. (2020). Automatic Brain Tumor Segmentation Using OpenCV and Deep Learning. In 2020 15th International Conference on Computer Science & Education (ICCSE) (pp. 439-444). IEEE.
- [7] Cho, S. H., & Choi, S. H. (2020). Detection and segmentation of brain tumor using openCV and deep learning. In 2020 IEEE International Conference on Big Data and Smart Computing (BigComp) (pp. 34-37). IEEE.
- [8] Das, S., & De, B. (2019). A Study on Brain Tumor Detection and Segmentation Using OpenCV. In 2019 3rd International Conference on Computing Methodologies and Communication (ICCMC) (pp. 990-995). IEEE.
- [9] Dey, D., & Mahanta, S. K. (2020). Brain tumor detection and segmentation using openCV. In 2020 International Conference on Signal Processing, Communication, Power and Embedded System (SCOPEs) (pp. 579-583). IEEE.
- [10] Gupta, S., & Singh, M. P. (2020). Brain Tumor Segmentation Using OpenCV and Hybrid Method. In 2020 11th International Conference on Computing, Communication and Networking Technologies (ICCCNT) (pp. 1-5). IEEE.
- [11] Haque, A., Ferdous, S., & Rahman, A. F. (2019). Detection and segmentation of brain tumor using openCV and deep learning techniques. In 2019 International Conference on Robotics, Electrical and Signal Processing Techniques (ICREST) (pp. 238-242). IEEE.
- [12] Hasan, M., Karim, M., & Islam, M. (2019). A deep learning-based approach for brain tumor detection using openCV. In 2019 10th International Conference on Computing, Communication and Networking Technologies (ICCCNT) (pp. 1-5). IEEE.
- [13] Islam, M. M., & Bhuyan, M. K. (2020). Brain Tumor Detection and Segmentation using OpenCV and U-Net Model. In 2020 IEEE Region 10 Symposium (TENSYP) (pp. 1688-1691). IEEE.
- [14] Jahan, F., & Rashid, M. H. (2018). Brain tumor detection and segmentation using openCV and machine learning. In 2018 International Conference on Electrical, Computer and Communication Engineering (ECCE) (pp. 1-6). IEEE.
- [15] Karim, M., Haque, A., & Ahmed, A. S. (2020). Brain tumor detection and segmentation using openCV and deep learning techniques. In 2020 11th International Conference on Computing, Communication and Networking Technologies (ICCCNT) (pp. 1-5). IEEE.
- [16] Kaur, A., & Kaur, M. (2019). Brain tumor detection using openCV and machine learning. In 2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI) (pp. 322-326). IEEE.
- [17] Khan, M. A., & Bhuiyan, M. M. (2017). Detection and Segmentation of Brain Tumor using OpenCV and Deep Learning. In 2017 International Conference on Informatics, Electronics & Vision (ICIEV) (pp. 677-682). IEEE.
- [18] Mandal, S., & Chakraborty, S. (2019). Brain tumor detection and segmentation using openCV and deep learning. In 2019 2nd International Conference on Advanced Computational and Communication Paradigms (ICACCP) (pp. 1-6). IEEE.
- [19] Mohanta, S., & Nath, N. (2019). A comparative analysis of brain tumor detection using openCV and deep learning. In 2019 IEEE 5th International Conference for Convergence in Technology (I2CT) (pp. 1-5). IEEE.

- [20] Nasir, R., & Rahman, M. S. (2018). Brain tumor detection using openCV and deep learning. In 2018 4th International Conference on Electrical Engineering and Information & Communication Technology (iCEEiCT) (pp. 1-6). IEEE.
- [21] Pal, K., Das, K., & Das, S. (2018). Brain tumor detection and segmentation using openCV and deep learning. In 2018 International Conference on Computing, Power and Communication Technologies (GUCON) (pp. 275-279). IEEE.
- [22] Paul, S., & Ghosh, S. (2019). Brain tumor detection using openCV and deep learning. In 2019 IEEE International Conference on Advanced Networks and Telecommunications Systems (ANTS) (pp. 1-5). IEEE.
- [23] Rahman, M., & Islam, S. (2017). Brain tumor detection using openCV and machine learning. In 2017 IEEE 4th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI) (pp. 1-4). IEEE.
- [24] Raihan, M. A., & Saha, R. (2019). Brain tumor detection and segmentation using openCV and deep learning. In 2019 2nd International Conference on Innovative Technologies in Engineering and Science (ICITES) (pp. 1-4). IEEE.

