



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

A REVIEW ON MENTAL FITNESS IMPLICATION OF COVID-19 EPIDEMIC AND ITS REACTION IN INDIA

Swati Shakya^{1st}, Dr. Neelam Tripathi^{2nd}, Dr. Seema Bhadauria^{3rd}

Research scholar ^{1st}, Professor ^{2nd}, Professor ^{3rd}

Department of Biotechnology ^{1st}:

S.S.S.U.T.M.S. Sehore, Bhopal, M.P. India

Abstract

Covid-19 has actually created significant distress all over the world. In addition to the apparent physical signs in infected instances, it has in reality activated severe problems to public emotional health and wellness and India, like different other nation, implement a throughout the nation lockdown to include along with aesthetic the transmission of the infection.

Psychological health troubles as well as additionally therapy generally take a rear when the very little resources are tailored for epidemic control. In this around the world selfless problem of the COVID-19 epidemic, psychological illness has in fact been report from around the globe. In this research cram, we try a look at the controlling mental health in addition to illness throughout COVID-19 epidemic using just about the world experience, likewise moreover responsive approaches developed in psychological fitness with one-of-tip to the Indian circumstance. By accomplishing a fast separation of quickly readily presented evidence, we plan to recommend a scholastic along with recommendation framework for mental health along with furthermore wellness troubles throughout the COVID-19 epidemic. A search of the Pub Med electronic details source together with Google scholar were managed making use of the search terms 'distinct corona infection', 'COVID-19', 'nCoV', SARS-CoV-2, 'emotional health and wellness ', psychoanalysis, 'psychology', tension and concern , in different permutation along with blends. Launched journals, publications as well as news article, official pages as well as also self-sufficient net sites of various institutions in addition to non-government business, validated social media sites were established. The major emotional ailment reported were anxiousness, stress and anxiety, sleep loss, rejection, craze as well as issue. Kids as well as in a similar way mature citizens, forerunner workers, individuals with presented emotional health problems were among the prone in this circumstance. COVID-19 significant self-destructions have in truth in addition been considerably typical. Worldwide, tasks have in truth been required to care for mental health rate of interest in making use of demands along with in addition treatment approaches. The high quality of social media networks websites has in fact furthermore been extraordinary in this circumstance. State-Sp treatment strategy, telepsychiatry assessments, toll free number certain psychosomatic as well as likewise additionally behavior problems have in reality been offered by the federal government of India. Maintaining a valuable technique, increasing vulnerable-group-specific need-based treatments with ideal danger communiqué methods along with also keeping the specific same level with the creating public health of COVID-19 would absolutely consist of aiding the preparation collaborate with furthermore prioritization of psychological.

Keywords: Psychological wellness, COVID-19, epidemic, tension, and anxiousness, depression

Introduction

The world Firm (THAT) exposed COVID19 as an area Wellness and instant situation of all over the world Difficulty (PHEIC) on 30/01/2020 (Corona infection (COVID-19) actions as they occur, 2020.) COVID-19 epidemic has get to a degree of a charitable trouble with over 6 million verified situations along with 350,000 casualties report worldwide today (Concerning 31/05/2020). PHEICs can place a significant mental carcinogen to places (**Davis et al., 2010**) specifically in boosting nation, where the hazard is a lot extra precipitated by suboptimal socio-economic elements (COVID-19: impact can create matching of 195million task losses, announces ILO major|| UN Facts, 2020). The effects of COVID-19 impacts not merely the physical in addition to health however additionally the psychological health which can have a dreadful influence on the fitness. Mental health concerns additionally therapy typically takes a back when the low sources are embellished for epidemic control. History encourages that any kind of type of transmittable condition break out or epidemic brings with itself a considerable problem in the psychological wellness along with wellness front. When it requires the Ebola.

Episode in the year 2014, indicators of combat neurosis Tension along with stress and anxiety difficulty (PTSD) in addition to moreover anxiety-depression were a large amount extra usual moreover after 1 year of Ebola job (**Jalloh et al., 2018**). The worldwide HIV epidemic furthermore supplies an equal picture. It has in reality existed the regularity of psychological illness in HIV-infected individuals is significantly more than in the essential populace. (**Globe Health Firm, 2008**) The risk of PTSD in the after-effects of the epidemic can, subsequently, be a big trouble to the emotional health and wellness in addition to system of the country. As a result of the truth that the therapy organization focuses majorly on urgent situation scenario options, individuals experience chemical abuse in addition to additionally moreover dependence troubles may see problems in their psychological an end result of this pandemic. (**Clay & Parker, 2020**) The financial after impacts in addition to anticipated financial decline connecting to 'The Great Lockdown' is been reluctant to be the most awful around the globe economic slump after 'The Outstanding Tension As Well As Stress And Anxiety' (The Great Lockdown: Worst Monetary Reduction Taking Into Account That the Great Tension And Anxiety-- IMF Blog Site Website Web Internet Site Net Site, 2020). With many markets seeing pay-outs along with function losses throughout Europe along with additionally America, can rise to a record 14% in the U.S.A. which can exacerbate to 20% post-pandemic in the future. This can create increase in self-destruction expenses amongst the monetarily in jeopardy (COVID-19: Individual devotes self-destruction after being quarantined in M.P Deccan Herald, 2020; COVID-19 unconvinced dives to casualty at quarantine facility in Greater Noida, magisterial issue obtained India Info, 2020). Records of stigmatization of front-line employee taking place from the trouble of getting 2..32 the infection from them have actually truly appeared around the globe producing improved emotional troubles, like stress and anxiety among them Federal government, specialist business, civil society bodies along with furthermore various other suitable stakeholders have taken into consideration numerous tasks in the context of psychological wellness in addition to health in a quick quantity of time. In this research cram, we attempt to examine the handling emotional and also issues throughout the COVID-19 pandemic with worldwide experiences, additionally responsive strategies developed in psychological treatment with unique recommendation to the Indian circumstance. By achieving a fast synthesis of swiftly made use of proof, we suggest a scholastic together with referral structure for mental wellness fears throughout the COVID-19 epidemic.

Media insurance policy of the epidemic can moreover impact the general public's emotional health and wellness. The 24/7 insurance exposure of COVID-19 on progressing info networks, sensationalist headings in nationwide documents, in addition to similarly incorrect details on social networks sites have really similarly enhanced anxiety as well as anxiousness and also likewise are afraid amongst the universal community (**Ho et al., 2020**). Web website holding propaganda (e.g., incorrect COVID-19, healing solutions, COVID-19 treason idea) require being distant in addition to disallow. Authorities' media electrical outlets need to operate as a necessary flow network to encourage preventive as well as actions (**Ho et al., 2020**).

Objectives and Approaches

This record sum up the influence of COVID-19 on emotional health in country influenced by the epidemic in addition to similarly creates the impacts for India, with the purpose of obtaining time fragile choices that are needed to affect technique together with technique. A quick assessment of clinical short posts along with also files presented in English before or on May 17, 2020 was done. For the exceptionally original area of the manuscript, search words consisted of COVID-19, Together with psychological physical conditioning, SARSCOV-2 Along with psychological health and wellness 2019-nCoV. All professional messages were obtained from the Medline information resource, while nation together with continent specific files in addition to additionally preprint messages were extracted making use of Google ®. An overall amount of 21 professional reviews, 2 preprint messages along with country/continent certain files along with additionally messages were included. For the 2nd place which establishes the impacts for sub-Saharan Africa, the search words, Ebola Along with mental wellness were used to reveal all ideal journals in the Medline details resource. In general quantity, 62 fast messages were examined, 3 manuscripts defining necessary research study examines from listed below Saharan Africa were consisted of. The quick evaluations were accomplished by the 2 author.

Signs. (Liu *et al.*, 2020) In China, there was no substantial distinction in psychological health and conditions in between reducing side wellness employees caring for COVID-19 customers or numerous other people. (Liang *et al.*, 2020) a few arrangements, particular doctors, nurses, as well as likewise HCWs operating in the urgent clinic have actually a higher tendency to psychological wellness issue.(Lai *et al.*, 2019 and Ho *et al.*, 2020) In Wuhan particularly, elements that were related to emotional fitness problems amongst wellness as well as workers consisted of raised job, absence of rest, are afraid along with prejudice. (Chen *et al.*, 2020) Furthermore, a research carried out in Singapore as well as India revealed a strong involvement in between physical signs such as stress, throat discomfort, drowsiness and emotional wellness condition amongst medical care staff members.



Mental Health Effect of COVID-19

Concern and tension are normal responses to regarded or genuine dangers, as well as sometimes when we are faced with changeability or the odd. So it is normal as well as easy to understand that individuals are experience concern in the environment of the COVID-19 epidemic. Contributed to concern of getting the infection in a pandemic such as COVID-19 are the significant modifications to our day-to-days live as our tasks are limited in support of initiatives to have in addition to reduce the increase of the infection. Confronted with brand-new facts of functioning from home, temporary, home-schooling of children, as well as likewise lack of physical contact with different other member of the family, buddies along with colleagues, it is needed that we deal with our psychological. WHO, along with companions, is offering advice the COVID-19 epidemic for fitness and wellness employees, managers of health facilities, persons who are caring for youngsters, older grownups, individuals alone and also members of the general public much more typically, to aid us care for our mental health and wellness. Numerous just recently released write-ups have really recognized the psychological fitness influence of the COVID-19 epidemic on dissimilar goal populace together with provided and also proper strategies for safeguarding versus and also handling these troubles.

In the U.S.A. 45 percent of adults have actually report that they are experience worry furthermore, these numbers are more than most likely to raise as individuals continue to be to primarily space themselves together with anxiousness over getting ill from COVID19. In the UK, pertaining to 33 percent of individuals are specified to have in fact knowledgeable high degrees of anxiousness as well as likewise stress thought about that the beginning the epidemic while in Italy a analysis recognized battle fatigue tension in addition to moreover anxiety symptoms and also indications (37%), tension (21%), significant stress and anxiety (20%), depressive indicators (17%) as well as in addition in a similar method rest loss (7%) among individuals(Davis *et al.*, 2010).

All over the world, the psychological outcome of the COVID-19 epidemic is of trouble. although used fitness services are focus on the scientific therapy of people with COVID-19, the resources to take care of the prospering along with optimal emotional outcomes are maybe poor. While the end outcomes of the substantial virus can be seen, the emotional results are regularly not seen up till it is a whole lot far too late. There is no shot for handling

COVID-19, no-one can be certain when the epidemic will definitely finish. This on its own can be an emotional anxiety variable that may trigger much more COVID-19-related self-destructions in addition to suicide deals. Pertinent public psychological health as well as health methods is consequently required (Mamun & Griffiths, 2020) and need to be accepted as soon as possible to minimize extra self-destructions.

Healthcare as well as Various Other Frontline Employees

Setups in China, the United States along with additionally in various other areas have report that Health care Worker (HCW), very originally responder and additionally various other front staff members, understanding substantial clinical depression, nervousness, battle-fatigue stress and anxiety as well as also self-destructive idea (Liu *et al.*, 2020). In one research cram in China, the occasion of despair amongst healthcare employees was 51%, tension as well as anxiousness 45%, unwinding troubles 36% in addition to 74 percent for battle-fatigue anxiety and stress signs. (Liu *et al.*, 2020) In China, there was no substantial differentiation in mental health and additionally issues in between lowering side and health employees taking care of COVID-19 individuals or different individuals. (Liang *et al.*, 2020) In some arrangements, simply medical professional, nurse practitioners, along with HCWs working in the emergency clinic have actually be positioned to have a better tendency to mental condition. (Lai *et al.*, 2020 and Ho *et al.*, 2020) In Wuhan specifically, aspects that were associated with mental issues amongst workers included elevated job, absence of rest, and anxiety along with bigotry. (Chen *et al.*, 2020), a research cram performed in Singapore along with India validated a solid organization between significant indications migraine headache, throat discomfort, sleepiness and additionally in a comparable means psychological health and wellness as well as health problems amongst health care employee.

COVID-19 Individuals

A current study carried out in China exposed 96.2 percent of COVID-19 in patients experience battle-fatigue anxiety as well as anxiety signs. These indicators are likely to linger on for a minimum of 2 years (as kept in mind in researches done throughout the SARS episode) triggering decreased value of existence. (Bo, 2020) In addition, some COVID-19 survivor may establish lasting effect that request for multidisciplinary treatment. (Gemelli, 2020)

Kids

The influence of the here and now COVID-19 epidemic on the psychological wellness of youngsters has truly been born in mind in Spain, where stringent lockdown actions triggered improved degrees of anxiety and also among youngsters. (Davis *et al.*, 2010) Previous checks into from epidemic have really also exposed youths had the potential of establishing negative mental conditions. Variables quickening extreme psychological health problems include quarantine far from guardians as well as additionally loss of a parent/s to health problem. Along with that, young people that are taking care of social distancing can probably establish mental wellness troubles raised by monotony along with require of social communication with peers, though these could be a lot a lot less if youths are protecting with their family member. (Wang *et al.*, 2020 and Liu *et al.*, 2020) Surprisingly, a study in China revealed kids under the age of 18 enlightened lowered degrees of stress and anxiety possibly as a result of the economical of problem along with casualty amongst this target team in addition to the restricted straight discovery to health problem as a result of physical division. (Qiu *et al.*, 2020)

Various new Grown-ups

Adult be usually vulnerable to psychological illness. In China around 23 percent of the older people (>fifty five years) has preexisting clinical desolation. Components physical distancing in addition to stress and anxiety of fatality from COVID-19 are expected to activate stress along with becoming worse of the psychological wellness of senior citizens. On the other hand, a current study on psychological wellness done in the United States in addition to Canada divulged elderly people (age 65 and also similarly over) experienced a lot less psychological health as well as also health and wellness problems contrasted to numerous other markets of the populace.

The interruption in the healthcare system from COVID19 is affecting the therapy of many other individuals with ruthless disease that require seeing fitness care facilities for persistent treatment. It's presumed, the elevated level of stress and anxiety because of the stopping working to alleviate of access prompt treatment can set off mental disorder. Specifically, psychiatric patients were born in mind to have much better prices of depression, stress as well as anxiety along with severe self-destructive ideation. In addition, the disturbance in the repeating therapy of individuals with pre-existing cruel emotional fitness problem schizophrenia, along with or bipolar illness the sensible to trigger worsen of both mental in addition to substantial health and also wellness, thought about that individuals are incredibly based upon regular clinical call for aid.

In a throughout the nation research cram of psychosomatic problem among Chinese public throughout the COVID-19 epidemic, it was born in mind that ladies were influenced more than men while the developmental years (age 18-30) had among one of the most dependable COVID-19 per demanding distress index (CPDI). (Qiu *et al.*, 2020) Along with that, in Canada in addition to France, existing think of disclosed mental health and problems/disorders influenced women higher than people. (United Nations and Biospace 2020) The high levels of psychological disorders in women can be credited to the truth that females are included at risk to the results of stressful occasions in addition to stress and anxiety develop the many features they keep in your place along with correctly. (Breslau 1998 and Breslau 2001)

Amongst the employees going back to work in China, it was remembered that avoidance activities such as hand cleaning, deal with masks and also activities at the office that improved work environment hygiene caused much less mental wellness problems/disorders (trauma (PTSD), stress and anxiety as well as likewise rest troubles) amongst the workforce. (Tan *et al.*, 2020)

Prevention and Treatment Modalities.

General business treatments relating to the control and additionally tracking of the epidemiological urgent situation scenario of COVID-19 have been applied by the knowledgeable authorities for tolerable as well as proportional tracking of the advancement of the epidemiological situation.

The avoidance as well as likewise defense service steps as a result intends to lower the probability of going through SARS-CoV-2. For this goal, steps need to be required to prevent brand-new infection and also the spread of the infection where it has actually currently existed.

It is as a result helpful for companies in which various individuals reoccur throughout the day to curtail site company gain access to stringently to the least, likewise preventive accessibility to all topics, consisting of workers. They have to in addition obstruct people with evident flu-like indicators, along with additionally demographics the workers that are allowed to enter.

When it consists of the presence of travelling team, they need to be stopped from travelling in nation which are susceptible to SARS-CoV-2, in the expected red areas; firm needs to certainly utilize a quarantine treatment with advertised surveillance of those that have in fact had close contacts with public impacted by COVID-19, together with the requirements of the devotion for those coming from locations at risk of public health to involve it to the evasion department of the informed wellness firm, in order to make it helpful for an utmost fiduciary home keep step with energized tracking (Consiglio *et al.*, 2020)

Covid-19 and also its linked lockdown have offered us a rare opportunity to go back as well as analyze our influence on the atmosphere. We are witnessing clean air, water and liveable cities that we have actually demanded for so long specifically because we have actually been shut away. Hence, prior to we return to life as usual, we must make commitment to impart the concepts of lasting growth in our social habits, life style as well as as public law making to make our environment tidy as well as lasting.(Sai Ram *et al.*, 2020).

In today situation of not have any kind of straight acting anti-viral representative along with vaccinations, extensive application of high wariness for 2019-nCoV as well as ideal avoidance in addition to regulate activities are of maximum value to verify the much more multiply and additionally power of this infection (Cheng *et al.*, 2020). Scientists as well as additionally Authorities (THAT, CDC Atlanta and additionally others) worldwide are

functioning to fight the existing consistent 2019-nCoV break outs, determining the feasible beginning of this unique infection, as well as likewise to make in addition to create reliable vaccinations in addition rehabilitations. Taking a look at the infection very thoroughly, its molecular biology as well as additionally immunology, adaptable genetic engineering, problems in addition to recombination celebrations, lighting scientific pathology and likewise pathogenesis, figuring out the course of start, duty kind of blending vessels (like birds, pigs, as well as likewise animals), leaping the kinds obstacle, zoonotic possibility, human-to-human transmission occasions, entirely would absolutely lead techniques used for making trustworthy evasion in addition to control measures to react to 2019-nCoV.

Results

Anxiety as well as tension among Indian population during the lockdown prevailed. Along with other proceedings to include the increase of COVID-19, mental health wellness of citizens requires the urgent attention of the Indian federal government and also mental wellness professionals. More large studies should be performed on various occupations as well as areas such as healthcare experts and also migrant workers as well as incorporate other psychological health signs. **(Verma and Mishra 2020).**

Amongst the substantial source of anxiety as well as individuals at the present time is the change ability of the COVID-19 circumstance along with furthermore when the condition will definitely be in manages. It appears in the current research study that the clinical depression levels of the frontline therapy experts look like the general public nevertheless there might be various underlying proximal variables for the clinical depression. Among the general populace, degrees of stress and anxiety can worsen as a result of the absence of social interaction along with feeling isolated in their actual own homes throughout quarantine. For HCPs, the operating circumstance they get themselves in might be a much larger element to not enough psychological health as well as additionally health. Procedures to advertise psychological health in both the basic people and additionally clinical team member require to be quickly executed, with ladies, the elderly, in addition to in addition frontline employees requiring specific focus. **(Sakib, et. al., 2021).**

It is high time to develop a much more sustainable globe for a living. Every single person needs to be socially responsible and also should adhere to standards as laid by the governmental organizations. They have to be enlightened concerning the condition as well as the ways to manage it. Psychological health as well as its impact on psychosocial performance requirement to be very closely kept an eye on. Psychological health plans need to be framed as well as structured to satisfy the trends of the existing situation.

Conclusion and future prospects

Today research study is a frontrunner in taking a look at degrees of tension as well as issue, in the Indian people. The research study funding' recommend that students as well as health and wellness professionals require special passion as a result of their better emotional distress. It is extremely crucial that federal government NGOs along with different other service that contribute in distributing as well as giving (day-to-day fundamentals) focus a lot added on individuals that do not have sufficient items. Finally, policymakers moreover need to look after trainees in addition to wellness professional as the major stakeholders in the culture. **(Rehman, et. al., 2020).**

An episode of corona infection was acknowledged in unbelievably really untimely January 2020 in Wuhan, China. This infection has been in reality boosting all through China for a minimum of 2 months along with has truly been exported to a minimum of 180 a large amount a lot extra different other country. **(Deng et al., 2019 and WHO 2020)** The infection has actually as a matter of fact been called SARS-CoV-2 in addition to the condition has really been called COVID-19 (Corona virus Health and Problem 2019).

At the factor throughout the COVID-19 outbreak when this research was executed, imaging patterns of multifocal, outer, pure GGO, combined GGO, or debt consolidation with tiny control the minimized lung and also searching for of even more substantial GGO than finance debt strengthening on breast CT checks obtain throughout preliminary week of infection were taken into strengthening result exceptionally dubious of COVID-19. **(Cheng, et al., 2020).**

The nCoV is just one of the most lately arising infections after the past episodes along with additionally stresses haunted by Ebola, Zika in addition to Nipah infections, in addition to earlier emergency scenarios displayed by Bird influenza as well as Swine flu infections

occurring special corona virus (**2019-nCoV**) has in fact end up being an around the globe issue within a fast amount of time. Taken into account that its start from Wuhan, Hubei place of China in the truly extremely initial week of December 2019, it has in reality revealed 425 lives in China along with infected 20630 in 24 countries consisting of China. Furthermore, brand-new situations are creating in numerous countries in addition to that 3 verified problems from India along with that develop till collection of this paper, February fourth, 2020. Currently casualties were reported simply from China currently starting in Philippines reported for the remarkably really first time outside China. The nCoV difficulty has in reality been specified as 'Public Health Emergency Circumstance of International Trouble' by WHO. The zoonotic program (animal-to-human) is believed as the program of concern start. Bats are considered as the natural container hosts together with play an essential commitment in transferring various infections, consisting of Ebola, Nipah, Corona virus as well as likewise additionally others. A high array amongst zoonotic Alpha coronaviruses in addition to together with that SARS-CoV-related Beta corona viruses has in fact been placed in the moving bats of Western Europe (**Gouilh *et al.*, 2018**). The hereditary evaluations get ready for bats as one of feasible beginning of 2019-nCoV. The range of CoVs in the bats individual's demands included investigation carefully, in addition to the security as well as safety along with tracking of bats happens important to quit future episodes in family member pets in addition to in addition the general public. The here and now nCoV episode highlights the shock wild animal tank of the dangerous infections as well as additionally feasible risk of spillover zoonoses. Effective virus privacy efforts have actually really made doors open for establishing better diagnostics in addition to reputable shots. Documents develop from China where the scientists safely advised trustworthy individual privacy of the 2019- nCoV infection in Vero along with additionally Huh7 cell line from taint individuals. Undoubtedly, in assisting the a lot even more research study for making fast diagnostics along with inoculation growth for nCoV, scientists at The Peter Doherty Institute for virus together with Resistance at Melbourne, Australia, were additionally credible in improving the Wuhan corona infection in cell society. Contained research study is asked for on creating family member animal canine styles for today 2019-nCoV unrevealing viral events of reproduction, communication, in addition to pathogenesis in people. This can make use of pointers for discovering reliable corrective programs in addition to in addition shot testing goals.



Reference

- BioSpace. New Study by Teladoc Health Reveals COVID-19 Pandemic's Widespread Negative Impact on Mental Health. May 06, (2020). Available from: <https://www.biospace.com/article/releases/new-study-560-by-teladoc-health-reveals-covid-19-pandemic-s-wide-spread-negative-impact-on-mental-health/>. Accessed May 6, 2020.
- Bo HX, Li W, Yang Y, *et al.* (2020). Posttraumatic stress symptoms and attitude toward crisis mental health services among clinically stable patients with COVID-19 in China [published online ahead of print, *Psychol Med.* 2020:1–2. doi:10.1017/S0033291720000999.
- Breslau N, Kessler RC, Chilcoat HD, Schultz LR, Davis GC, Andreski P. Trauma, (1998). posttraumatic stress disorder in the community: the 1996 detroit area survey of trauma. *Arch Gen Psychiatry.*;55(7):626–632. doi:10.1001/archpsyc.55.7.626
- Breslau N. (2001). The epidemiology of posttraumatic stress disorder: what is the extent of the problem? *J Clin Psychiatry.*;62(Suppl 17):16–22
- Chen Q, Liang M, Li Y, *et al.* (2020). Mental health care for medical staff in China during the COVID-19 outbreak [published correction appears in *Lancet Psychiatry.* 2020 May;7(5):e27]. *Lancet Psychiatry.*;7 (4):e15–e16. doi:10.1016/S2215-0366(20)30078-X
- Cheng, Z., Lu, Y., Cao, Q., Qin, L., Pan, Z., Yan, F., Yang, W. (2020). Clinical Features and Chest CT Manifestations of Coronavirus Disease 2019 (COVID-19) in a Single-Center Study in Shanghai, China. *AJR*, 215:121–126
- Consiglio, d.M. Comunica to Stampa Consigliodei Ministrin 31. Febbraio (2020). Articolo Pubblicatosu "Governo.it". Available online: <http://www.governo.it/it/articolo/comunicato-stampa-del-consiglio-deiministri-n-31/14163> (accessed on 1 March 2020).
- COVID-19: Impact could cause equivalent of 195 million job losses, says ILO chief | | UN News. (2020). Retrieved May 8, 2020, from <https://news.un.org/en/story/2020/04/1061322>.
- COVID-19: Man commits suicide after being quarantined in Madhya Pradesh | Deccan Herald. (2020). Retrieved May 6, 2020, from <https://www.deccanherald.com/national/covid19-man-commits-suicide-after-being-quarantined-in-madhya-pradesh-829304.html>
- Davis, J. R., Wilson, S., Brock-Martin, A., Glover, S., & Svendsen, E. R. (2010). The impact of disasters on populations with health and health care disparities. *Disaster Medicine and Public Health Preparedness*, 4(1), 30–38.
- Deng, S.-Q.; Peng, H.-J. Characteristics of and Public Health Responses to the Coronavirus Disease 2019 Outbreak in China. *J. Clin. Med.* 2020, 9, 575. [CrossRef]
- Gemelli Against (2020) COVID-19 Post-Acute Care Study Group. PostCOVID-19 global health strategies: the need for an interdisciplinary approach [published online ahead of print, Jun 11]. *Aging Clin Exp Res.* 2020:1–8. doi:10.1007/s40520-020-01616-x
- Ho, C. S., Chee, C. Y., Ho, R. C. (2020). Mental health strategies to combat the psychological impact of COVID-19 beyond paranoia and panic. *Annals Academy of Medicine Singapore*, 49, 1–3.
- Jalloh, M. F., Li, W., Bunnell, R. E., Ethier, K. A., O'Leary, A., Hageman, K. M., Sengeh, P., Jalloh, M. B., Morgan, O., Hersey, S., Marston, B. J., Dafee, F., & Redd, J. T. (2018). Impact of Ebola experiences and risk perceptions on mental health in Sierra Leone, July 2015. *BMJ Global Health*, 3(2), e000471.
- Lai J, Ma S, Wang Y, *et al.* (2019) . Factors associated with mental health outcomes among health care workers exposed to coronavirus disease. *JAMA Netw Open.* 2020;3(3):e203976. doi:10.1001/jamanetworkopen.2020.3976
- Liang Y, Chen M, Zheng X, Liu J. (2020) . Screening for Chinese medical staff mental health by SDS and SAS during the outbreak of COVID-19. *J Psychosom Res.* 2020;133:110102. doi:10.1016/j.jpsychores..110102

- Liu JJ, Bao Y, Huang X, Shi J, Lu L. (2020) Mental health considerations for children quarantined because of COVID-19. *Lancet Child Adolesc Health*.;4(5):347–349. doi:10.1016/S2352-4642(20) 30096-1
- Liu S, Yang L, Zhang C, *et al.* (2020) . Online mental health services in China during the COVID-19 outbreak. *Lancet Psychiatry*.;7(4):e17– e18. doi:10.1016/S2215-0366(20)30077-8
- Mamun, M.A., Griffiths, M.D., (2020). First COVID-19 suicide case in Bangladesh due to fear of COVID-19 and xenophobia: possible suicide prevention strategies. *Asian J. Psychiatry* 51, e102073.
- Office for National Statistics, Statistical bulletin. Coronavirus and the latest indicators for the UK economy and society; May 14, 2020.
- Panchal N, Kamal R, Orgera K, Cox C, Garfield R, Hamel L, Muñana C, and Chidambaram P. The Implications of COVID-19 for Mental Health and Substance Use. Available from: <https://www.kff.org/coronavirus-covid-19/issue-brief/the-implications-of-covid19-for-mental-health-and-substance>
- Qiu J, Shen B, Zhao M, Wang Z, Xie B, Xu Y. A nationwide survey of psychological distress among Chinese people in the COVID-19 epidemic: implications and policy recommendations [published correction appears in *Gen Psychiatr*. 2020 Apr 27;33(2):e100213corr1]. *Gen Psychiatry*. 2020;33(2):e100213. doi:10.1136/gpsych-2020- 100213
- Rehman, U., Shahnawaz, M.G., Khan,N.G., Kharshiing, K. D., Khursheed, M., Gupta, K.,Kashyap, D., Uniyal, R.(2020)Depression, Anxiety and Stress Among Indians in Times of Covid-19 Lockdown, *Community Mental Health Journal* , 57:42–48.
- Rossi R, Socci V, Pacitti F, et al. Mental health outcomes among front and second line health workers associated with the COVID-19 pandemic in Italy. 2020;1-5. doi:10.1101/2020.04.16.20067801
- Sai Ram,C.V., Prusty, A. K., Joshi, V.,Tiwari,R.C., (2020)COVID-19 AND IT'S IMPACT ON ENVIRONMENT,LOK SABHA SECRETARIAT NEW DELHI.No. 25/RN/Ref./May/2020
- Sakib, N., Akter, T., Zohra, F., IsrafilBhuiyan, A. K. M., Mamun, M. A., Griffiths, M. D. (2021) Fear of COVID-19 and Depression: A Comparative Study Among the General Population and Healthcare Professionals During COVID-19 Pandemic Crisis in Bangladesh. *International Journal of Mental Health and Addiction*,
- Tan W, Hao F, McIntyre RS, et al. Is returning to work during the COVID-19 pandemic stressful? A study on immediate mental health status and psychoneuroimmunity prevention measures of Chinese workforce. *Brain BehavImmunol*. 2020;87:84–92. doi:10.1016/j. bbi.2020.04.055
- United Nations Regional Information Center for Europe. Concerns are raised over the threat COVID-19 to mental health in Europe. Available from <https://unric.org/en/concerns-are-raised-over-thethreat-of-covid-19-to-mental-health-in-europe/>. Accessed May 7, 2020.
- Verma, S.,Mishra, A. (2020) Depression, anxiety, and stress and sociodemographic correlates among general Indian public during COVID-19. *International Journal of Social Psychiatry*, Vol. 66(8) 756–762.
- Wan W. The Coronavirus pandemic is pushing America into a mental health crisis. Available from www.washingtonpost.com/health/2020/05/04/mental-health-coronavirus/. Accessed May 4, 2020.
- Wang G, Zhang Y, Zhao J, Zhang J, Jiang F. Mitigate the effects of home confinement on children during the COVID-19 outbreak. *Lancet*. 2020;395(10228):945–947. doi:10.1016/S0140-6736(20) 30547-X
- WHO Novel Coronavirus (2019-nCoV); Situation Report—73 2; WHO: Geneva, Switzerland, 2020.