



# PHARMACOGNOSTIC AND PRELIMINARY PHYTOCHEMICAL INVESTIGATION OF *CORCHORUS FASCICULARIS* LAM. SEEDS

Namdeo Vishnu Mahale<sup>1</sup>, Sanjay B Sonawale\*

<sup>1</sup>Art's, Commerce and Science College, Onde, Tal Vikramgad Dist Palghar, Maharashtra, India

\* D. E. Society's Kirti M Doongursee College of Arts, Science & Commerce, Dadar(W), Mumbai

**Abstract:** Seeds of plant *Corchorus fascicularis* L. are reported to possess medicinal values in traditional system of medicine. The present investigation deals with preliminary phytochemical investigation of Seeds of *Corchorus fascicularis* L. which includes physicochemical parameters like ash values, extractive values and moisture content. Phytochemical investigation of n-hexane, methanol, chloroform, ethanol and water extract revealed the presence of glycosides, tannins, terpenoids, steroids, carbohydrates, alkaloids, saponins and proteins. The main aim of present investigation is to study the pharmacognostic characters and phytochemical standard of Seeds of *Corchorus fascicularis* L. which could be used to prepare a monograph for the proper identification of plant.

**Index Terms** - Seeds, *Corchorus fascicularis* L., Physicochemical, Phytochemical analysis.

## I. Introduction

*Corchorus fascicularis* commonly called as Hirankhuri is an annual herb found in throughout India and also many tropical countries. The Seeds are tasty and sour. It shows activity of Laxative, Stimulant, tonic and aphrodisiac. The seeds remove tumors, pain stomach troubles, skin diseases and scabies. It is useful in discharging ulcers<sup>1</sup>. Powder of entire plant is used as tonic to anemic patient<sup>2</sup>. Ursolic acid, oxocorosin and corosolic acid isolated from roots<sup>3</sup>. *Corchorus fascicularis* L. shows physiological activity<sup>4</sup>. Glycosides are isolated from *corchorus fascicularis* L.<sup>5</sup>. In Ayurvedic system of medicines this plant has a large demand due to its uses in the treatment of many chronic and acute diseases and disorders. In continuation of work of phytochemical studies of various plants, we are presenting this paper on *Corchorus fascicularis* L.

## II. Materials and methods

### Plant Material Collection and Authentication

The Seeds of plant *Corchorus fascicularis* were collected from village Tande of Shirpur tehsil in Dhule district (M.S.). The specimens of plants were authenticated by Dr. L. K. Kshirsagar, Department of Botany, S.S.V.P. S's L. K. Dr. Ghogrey Science College, Dhule (M.S.). The dried uniform Seeds powder was used for the extraction of constituents of the plant, determination of ash values, extractive values and phytochemical investigation.

### Drying and pulverization

Seeds of *Corchorus fascicularis* L. were shade dried and pulverized and stored in an air tight container for future use.

### Extraction of powdered Seeds

The powdered Seeds were successively extracted by cold maceration process using organic solvents like ethanol, methanol, n-hexane, chloroform and water. All the extracts were evaporated to dryness and stored for future use.

## PHARMACOGNOSTIC STUDIES

### Physicochemical Investigation

The moisture content, total ash, water soluble ash, acid insoluble ash, sulphated ash, alcohol and water-soluble extractive values were determined as part of its physicochemical parameters<sup>6</sup>.

### Phytochemical Investigation

Ethanol, methanol, n-hexane, chloroform and water extracts were subjected to phytochemical analysis for the presence of various secondary phytoconstituents using standard chemical tests<sup>7, 8, 9</sup>.

### III. RESULTS AND DISCUSSIONS

Physical appearance, color and odor of different extracts were recorded in (Table 1).

Table 3.1: Shows characteristics of *Corchorus fascicularis* L. extracts.

Sr. No.	Extract	Physical Appearance	Color	Odor
1	Ethanol	Semi-Solid mass	Dark Brown	Pungent Aromatic
2	Methanol	Semi-Solid mass	Light Brown	Pungent Aromatic
3	N- hexane	Syrupy mass	Light Brown	Aromatic
4	Chloroform	Semi-Solid mass	Dark Brown	Aromatic
5	Water	Semi-Solid mass	Greenish Brown	Pungent Aromatic

The physical constants evaluation of drugs is an important parameter in detecting adulteration or improper handling of drugs. The total ash value is important in evaluation of purity of drugs i.e., presence or absence of foreign inorganic matter. The ash values, extractive values and moisture content of Seeds were determined and results are shown in (Table – 2).

Table 3.2: Shows physicochemical parameters of *Corchorus fascicularis* L. Seeds.

Sr.No.	Parameters	Values (%) w/w
1	Loss on drying	
2	Ash values: Total ash Acid insoluble ash Water soluble ash Sulphated ash	3.01% 5.40% 2.96% 1.85% 0.64
3	Extractive values: Water soluble extractives Alcohol soluble extractives Petroleum ether soluble extractives	5.54% 2.90% 1.73%

Phytochemical tests for the presence of secondary phytoconstituents showed following results (Table -3)

Table 3.3: Show preliminary phytochemical screening of *Corchorus fascicularis* L. Seeds powder.

Sr. No.	PHYTOCONSTITUENTS	ETHANOL	METHANOL	N-HEXANE	CHLOROFORM	WATER
1	ALKALOIDS	-	-	-	-	-
2	CARBOHYDRATES	+	+	+	+	+
3	GLYCOSIDES	+	+	+	+	+
4	FLAVONOIDS	+	+	+	+	+
5	PHENOL& TANNINS	+	+	+	+	+
6	STEROIDS	-	-	-	-	-
7	TERPENOIDS	+	+	+	+	+
8	SAPONINS	-	-	-	-	-
9	PROTEINS	+	+	+	+	+
10	AMINO ACIDS	+	+	+	+	+

#### IV. ACKNOWLEDMENT

Authors are heartily thankful to Management, Principal and HOD Dept. of Chemistry; Art's, Commerce and Science College, Onde, Vikramgad Dist Palghar (MS) India for availing all necessary facilities. For this study secondary data has been collected. From the website of KSE the monthly stock prices for the sample firms are obtained from Jan 2010 to Dec 2014. And from the website of SBP the data for the macroeconomic variables are collected for the period of five years. The time series monthly data is collected on stock prices for sample firms and relative macroeconomic variables for the period of 5 years. The data collection period is ranging from January 2010 to Dec 2014. Monthly prices of KSE -100 Index is taken from yahoo finance.

#### REFERENCES

- [1] Kirtikar, K.R. and Basu B.D. 1996. Indian Medicinal Plants. International Book Distributor, Dehradun, 401-2.
- [2] Patil D.A. 2003. Flora of Dhule and Nandurbar Districts. Sing Bishen Publishers, Dehradun, 112-3.
- [3] Sing M, Panda H. 2005. Medicinal Herbs with their Formulations. Daya Publication, India, 289-90.
- [4] Hossen M. and Ali M.S. 2008. Begum M, Khatton and Halim A. Jour. Innov. Dev. Strategy, 3: 71-73.
- [5] Tariq, M. Bhardwaj, S.L. Sharma, R.C. Gupta, S.K. and Gupta. L. 1973. Pharmacological studies in the glycoside isolated from *corchorus fascicularis* Lam. Jour. Ind. Exp. Biology. 11: 248-49.
- [6] Khandelwal, K.R. 2005. Practical Pharmacognosy. Nirali Prakashan. 117-30.
- [7] Harborne, J.B. 1973. Phytochemical Methods. Chapman and Hall, London. 168-70.
- [8] Kokate, C.K. Gokhale, S.B. and Purohit, A.P. 2004. Pharmacognosy. Nirali Prakashan, Pune. 101-10.
- [9] Rajput A. P. and Rajput T. A. 2011. Pharmacognostic & preliminary phytochemical investigation of *corchorus fascicularis* Lam. Leaves. Int J Pharmcy Pharm Sci. 3(5).