



Split Ring Resonator Based Antenna Development For Wireless Communications

¹Aneri Pandya, ²Killol Pandya

¹Department of Electronics and Communication Engineering, L.J. institute of engineering and technology, L.J. University, Ahmedabad, Gujarat, India

²Department of Electronics and Communication Engineering, Chandubhai S Patel Institute of Technology, CHARUSAT University, Changa, Gujarat, India

Abstract:

In recent years, wireless technology is in demand. The Split Ring Resonator(SRR) based antenna has been designed, analysed, developed and fabricated. The researchers are doing research in designing technology-based, multiple application-oriented, efficient, and cost-effective RF structures. Incorporating all requirements of existing industries, various wireless applications-oriented, negative refractive index-based antenna structure is designed and analysed in this paper. The claimed antenna resonates at 1.70 GHz and 2.27 GHz frequencies. The output parameters show very good potential for the L and C band frequency applications.

Keywords: Negative refractive index, wireless communications, Split ring resonator

I. INTRODUCTION:

The growth of wireless communication demands a structural change in multiband antenna design to meet the present industry requirement. The requirement needs a smart, compact antenna that covers the application-oriented frequencies for navigation, WiFi, and satellite communication. In order to get the desired response, various feeding techniques could be utilized, viz., microstrip line feed, insert feed, and quarter-wave feed. The presented design utilizes a quarter-wave feeding technique to meet the maximum impedance matching requirement. The left-handed material helps to reduce the size of an antenna significantly and get the desired frequency bands for specific applications. Metamaterials are artificial materials that show negative permittivity and permeability for certain frequency spectrum [1– 4]. Split Ring Resonator (SRR) is considered a fundamental block for metamaterials. The artificial metamaterials make themselves suitable for enhancing the electromagnetic properties of any microwave devices such as antennas. It also enhances filter performance with overall structure compactness and application-oriented frequency resonance [5, 6]. Dual-band microstrip antennas could be used for higher frequency performances [7]. Complementary Split Ring Resonator (CSRR) could also be an effective technique to enhance antenna performance [8]. The literature also exhibits a combination of microstrip slot and SRR which plays a significant role in designing a miniaturized antenna for dual-band performance [9]. The radiation characteristics and miniaturization techniques have been systematically covered in [10]. The researchers have also tested the SRR technique to get an adequate response from reconfigurable antennas [11]. The literature also covers a wide spectrum of miniaturization without the presence of SRR/CSRR; however, optimum size reduction may not be achievable [12, 13]. There are many effective and interesting techniques are available for antennas miniaturization and bandwidth enhancement like negative refractive index materials [14- 18], planar inverted antennas[19-21] and frequency selective surfaces. Dielectric Resonator antennas, however, without major fabrication stress can provide high gain and wide bandwidth. DRAs offer the benefits of high radiation proficiency, simplicity of excitation, little size, and wide data transmission [22-25]. Optimum designing of an antenna plays a major role in its application for wireless communication. Electrically small antenna could be utilised for RFID, GPS and IEEE 802.11 a/b/g/s Applications. In this manner, DRAs could be the appropriate candidate for wireless communication applications. The antenna bandwidth could be enhanced using negative refractive indexed material [26-36].

The figure 1 depicts the flow of antenna design. It gives idea about how the authors have finalized the specific application oriented antenna.




Figure 1: Flow of antenna designing

II. ANTENNA GEOMETRY:

The figure 2 depicts the antenna geometry. Here, Split Ring Resonator (SRR) block is considered as a unit cell. Over the top layer, the geometry having the combination of meandered branches and SRR unit cell has been developed. The comb shape ground plane is provided for optimum impedance matching. The middle layer is made from FR4 substrate. All layers are visible in figure 2 (c). The excitation has been provided to the primary patch which is eventually excite the conducting SRR-based array structure.




Figure 2: (i) Top View (ii) Back View (iii) Bird-eye View

III. RESULT AND DISCUSSION:

Figure 3 illustrates the return loss for a frequency range from 1 GHz to 10 GHz. It could be observed from the figure that four resonating bands could be achieved by the proposed geometry. The appropriate impedance matching is required to improve the return loss graph.




Figure 3: Graph of reflection coefficient vs. frequency

The 2 Dimension radiation pattern is shown by figure 4. The radiation pattern is having omnidirectional and moderate positive gain. Figure 4 (a), and (b) shows radiation pattern for 1.70 GHz, and 2.27 GHz frequencies.




Figure 4: 2D radiation pattern at 1.70 GHz and 2.27 GHz frequencies

IV. CONCLUSION:

The Split Ring Resonator inspired metamaterial antenna is developed 3.34 GHz and 5.35 GHz frequencies. The presented antenna could be projected for bulk production as it uses FR4 material as a substrate. The developed structure also gives other antenna parameters such as radiation pattern and gain. The bandwidth and gain could be further increased by using the laminates which are having minimum losses.

References:

1. Pendry, J. B., A. J. Holden, D. J. Robbins, and W. J. Stewart, "Magnetism from conductors and enhanced nonlinear phenomena," *IEEE Trans. Microw. Theory Tech.*, Vol. 47, No. 11, 2075–2084, 1999.
2. Ntaikos, D. K., N. K. Bourgis, and T. V. Yioultsis, "Metamaterial-based electrically small multiband planar monopole antennas," *IEEE Antennas Wirel. Propag. Lett.*, Vol. 10, 963–966, 2011.
3. Pandya, Aneri, Trushit K. Upadhyaya, and Killol Pandya. "Tri-band defected ground plane based planar monopole antenna for Wi-Fi/WiMAX/WLAN applications." *Progress In Electromagnetics Research C* 108 (2021): 127-136.
4. Pimpalgaonkar, Pratima R., Trushit K. Upadhyaya, Killol Pandya, Mukesh R. Chaurasia, and Bhargavi T. Raval. "A review on dielectric resonator antenna." In *1ST International Conference on Automation in industries (ICAI)*, pp. 106-109. 2016.
5. Sarkar, D., K. Saurav, and K. V. Srivastava, "Multi-band microstrip-fed slot antenna loaded with split-ring resonator," *Electron. Lett.*, Vol. 50, 1498–1500, 2014.
6. Wan, Y.-T., D. Yu, F.-S. Zhang, and F. Zhang, "Miniature multi-band monopole antenna using spiral ring resonators for radiation pattern characteristics improvement," *Electron. Lett.*, Vol. 49, 382–384, 2013.5 112 Pandya, Upadhyaya, and Pandya
7. Basaran, S. C., U. Olgun, and K. Sertel, "Multiband monopole antenna with complementary splitting resonators for WLAN and WiMAX applications," *Electron. Lett.*, Vol. 49, 636–638, 2013.
8. Kosta, Shiv Prasad, Manthan Manavadaria, Killol Pandya, Yogesh Prasad Kosta, Shakti Kosta, Harsh Mehta, and Jaimin Patel. "Human blood plasma-based electronic integrated circuit amplifier configuration." *Journal of Biomedical Research* 27, no. 6 (2013): 520.
9. Pandya, Aneri, Trushit K. Upadhyaya, and Killol Pandya. "Design of metamaterial based multilayer antenna for navigation/WiFi/satellite applications." *Progress In Electromagnetics Research M* 99 (2021): 103-113.
10. Pimpalgaonkar, Pratima R., Mukesh R. Chaurasia, Bhargavi T. Raval, Trushit K. Upadhyaya, and Killol Pandya. "Design of rectangular and hemispherical dielectric resonator antenna." In *2016 International Conference on Communication and Signal Processing (ICCSP)*, pp. 1430-1433. IEEE, 2016.
11. Sim, C. Y. D., H. D. Chen, K. C. Chiu, and C. H. Chao, "Coplanar waveguide fed slot antenna for wireless local area network/worldwide interoperability for microwave access applications," *IET Microw. Antenna Propag.*, Vol. 6, No. 1529–1535, 2012.
12. Xu, H. X., G. M. Wang, and M. Q. Qi, "A miniaturized triple-band metamaterial antenna with radiation pattern selectivity and polarization diversity," *Progress In Electromagnetics Research*, Vol. 137, 275–292, 2013.
13. Vahora, Anish, and Killol Pandya. "Triple band dielectric resonator antenna array using power divider network technique for GPS navigation/bluetooth/satellite applications." *International Journal of Microwave and Optical Technology* 15 (2020): 369-378.
14. Vahora, Anishbhai, and Killol Pandya. "Microstrip feed two elements pentagon dielectric resonator antenna array." In *2019 International Conference on Innovative Trends and Advances in Engineering and Technology (ICITAET)*, pp. 22-25. IEEE, 2019.
15. Pandya, Killol V., and ShivPrasad Kosta. "Synthetic Plasma Liquid Based Electronic Circuits Realization-A Novel Concept." *International Journal of Biomedical Science: IJBS* 12, no. 3 (2016): 79.
16. Killol, Pandya, and Kosta Shivprasad. "Synthetic plasma and silicon tubular harness-based pure biological transistor amplifier circuit." *Journal of biomedical research* 31, no. 5 (2017): 466.
17. Pandya, Killol, Trushit Upadhyaya, Upesh Patel, and Aneri Pandya. "Ring Shape Dielectric Resonator Antenna for WLAN Application." *INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS* (2021).
18. Patel, Amit, Yogeshprasad Kosta, Neetirajsinh Chhasatia, and Killol Pandya. "Multiple band waveguide based microwave resonator." In *IEEE-International Conference on Advances in Engineering, Science and Management (ICAESM-2012)*, pp. 84-87. IEEE, 2012.
19. Vahora, Anish, and Killol Pandya. "Implementation of cylindrical dielectric resonator antenna array for Wi-Fi/wireless LAN/satellite applications." *Progress In Electromagnetics Research M* 90 (2020): 157-166.

20. Upadhyaya, Trushit, Arpan Desai, Riki Patel, Upesh Patel, Kanwar Preet Kaur, and Killol Pandya. "Compact transparent conductive oxide based dual band antenna for wireless applications." In 2017 Progress in Electromagnetics Research Symposium-Fall (PIERS-FALL), pp. 41-45. IEEE, 2017.
21. Pandya, Killol. "Designing and Implementation of Liquid Electronic Circuits Using Implantable Material-First Step towards Human-circuit Interface." *Am. J. Biomed. Sci* 9, no. 4 (2017): 244-253.
22. Pandya, Killol. "Designing and Development of Metamaterial Inspired Antennas for Multiband Wireless Communications." Available at SSRN 4063907 (2022).
23. Pandya, Killol, Trushit Upadhyaya, Upesh Patel, Rajat Pandey, and Aneri Pandya. "Dielectric Resonator Antenna Array Development for GSM 1800/WLAN/Radar/Direct Broadcast Satellite Applications." *Radar/Direct Broadcast Satellite Applications* (July 12, 2021) (2021).
24. Patel, Upesh, Trushit Upadhyaya, Rajat Pandey, Arpan Desai, and Killol Pandya. "Design and Analysis of Modified Split Ring Resonator Structured Multiband Antenna for WCDMA and WiMAX Applications." In *Proceedings of the International e-Conference on Intelligent Systems and Signal Processing*, pp. 3-11. Springer, Singapore, 2022.
25. Upadhyaya, Chandni, Ishita Patel, Trushit Upadhyaya, Arpan Desai, Upesh Patel, and Killol Pandya. "Investigation of Mobile Communication Radio Frequency Exposure on the Medicinal Property of *Jasminum Grandiflorum L.*" In 2021 5th International Conference on Computing Methodologies and Communication (ICCMC), pp. 212-218. IEEE, 2021.
26. Upadhyaya, Trushit, Riki Patel, Arpan Desai, Upesh Patel, Killol Pandya, and Kanwar Preet Kaur. "Electrically tilted broadband antenna using negative refractive index material." In 2019 Third International conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud)(I-SMAC), pp. 685-689. IEEE, 2019.
27. Pandya, Killol, S. P. Kosta, and Falguni Raval. "Single Feed Compact Triple-Band PIFA Antenna for Wireless Communication Applications." *Wireless Communication* 4, no. 16 (2012): 958-962.
28. Patel, Upesh, Trushit Upadhyaya, Arpan Desai, Rajat Pandey, and Killol Pandya. "Dual-band compact split-ring resonator-shaped fractal antenna with defected ground plane for sub-6-GHz 5G and global system for mobile communication applications." *International Journal of Communication Systems* 35, no. 7 (2022): e5105.
29. Patel, Upesh, Trushit Upadhyaya, Arpan Desai, Rajat Pandey, Killol Pandya, and Brijesh Kundaliya. "3×3 Split-Ring Resonators Array-Inspired Defected Ground Plane Antenna for 2.4/5.5 GHz Wireless LAN Applications." In *Proceedings of International Conference on Communication and Artificial Intelligence*, pp. 3-12. Springer, Singapore, 2022.
30. Pandya, Killol, Aneri Pandya, Trushit Upadhyaya, and Upesh Patel. "Metamaterial Based Antenna Development for Various Wireless Applications." (2022).
31. Upadhyaya, Trushit, Rajat Pandey, Upesh Patel, Killol Pandya, Arpan Desai, Riki Patel, and Yogeshwar Kosta. "Left-Handed Material Inspired Multi-Layer Planar Antenna Design for Satellite Communication Applications." *Progress In Electromagnetics Research M* 108 (2022): 201-211.
32. Pandya, Killol V., and ShivPrasad Kosta. "Synthetic Plasma Liquid Based Electronic Circuits Realization-A Novel Concept." *International Journal of Biomedical Science: IJBS* 12, no. 3 (2016): 79.
33. Pandya, Killol. "Designing and Implementation of Liquid Electronic Circuits Using Implantable Material-First Step towards Human-circuit Interface." *Am. J. Biomed. Sci* 9, no. 4 (2017): 244-253.
34. Pandya, Aneri, and Killol Pandya. "Design and Development of Negative Indexed Antenna for Mobile Communications." *International Journal of Creative Research Thoughts* 10, no. 7 (2022).
35. Pandya, Aneri, and Killol Pandya. "Design and Development of Negative Indexed Antenna for Mobile Communications." *International Journal of Creative Research Thoughts* 10, no. 7 (2022).
36. Pandya, Killol, Trushit Upadhyaya, Upesh Patel, and Aneri Pandya. "Ring Shape Dielectric Resonator Antenna for WLAN Application." *INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS* (2021).