



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Analysis Of Tweets Concerning Women's Safety From A Sentimental Perspective

Harshini S Babu¹, Aditi Ashok Katti²

¹Master of Technology in Computer Science and Engineering

²Assistant Professor Department of Computer Science and Engineering

^{1,2}Department of Computer Science and engineering

^{1,2}Atria Institute of Technology

Abstract: Ladies have been encountering a great deal of savagery and provocation in broad daylight places in different urban communities beginning from following and prompting lewd behavior or rape. This exploration paper fundamentally centers around the job of web-based entertainment in advancing the wellbeing of ladies in Indian groups with splendid reference to the task of online leisure sites and packages consisting of Twitter stage Facebook and Instagram. This paper likewise centers around how an awareness of certain expectations on a piece of Indian culture can foster the normal Indian individuals so there ought to zero in on the security of ladies encompassing them. Tweets on Twitter which for the most element includes snapshots, messages, and statements that center on the well-being of girls in Indian city communities can be utilized to peruse a message among the Indian Youth Culture and teach individuals to make a severe move and rebuff the people who hassle the ladies. Twitter and different Twitter handles comprise hash label messages which are typically spread throughout the entire globe as a degree for ladies to speak their views approximately how they sense while exiting for work or tour in a public vehicle and the condition of their psyche when obscure men encircle them and regardless of whether these ladies have a solid sense of security.

Keywords: Women, Safety, Sexual Harassment, Hashtag, Sentimental Analysis.

I. INTRODUCTION

Particular kinds of provocation and Savagery are extremely forceful including gazing and passing remarks and those inadmissible practices are generally considered a regular piece of the metropolitan lifestyles. There have been a few investigations that have been led in urban areas across India and ladies report comparative sort of lewd behavior and passing off remarks by other obscure individuals. The assessment that became led during maximum Metropolitan city organizations of India which incorporates Delhi, Mumbai, and Pune, it became validated that 60 % of the women experience risky while going out to paintings or at the same time as going out within the open car. women have the right to the town because of this that they may flow freely every time they want whether or not or now no longer or now no longer it's too an educational Institute or each different vicinity ladies need to head. however, women revel in that they're unstable in places like branch shops, shopping for branch shops on their

manner to their activity vicinity because of the several unwell known body shaming and harassing the one's women element

safety or loss of concrete consequences in the existence of women is the primary motive of harassment of ladies. There are times the same time as the harassment of women became finished via way of means of the usage of their neighbors at the same time as they have been on the way to school or there was a loss of protection that created a feeling of worry within the minds of small women who at some point of their life go through because of that one instance that passed off of their lives wherein they had been forced to do something unacceptable or became sexually burdened thru one in every one of their neighbors or any other unfamous character.

Most secure towns method women safety from an attitude toward women's rights to the effect the metropolis without the worry of violence or sexual harassment. It is a social responsibility to hide women's desire for protection, rather than imposing restrictions on women as a whole, and women and women have the same rights as men covered in big cities. Twitter text collection analysis also calls individual female names to fight sexual harassment and unethical behavior by male agents in Indian cities included. Information on women's perceptions of safety in Indian society by using a series of records obtained on Twitter, omitting the value 0, and processing with Laplace through systematic insights into the algorithm. Organized. To win. Applying Porter's ideas is a form of evaluation. It collects records, retweets, and redundant statistics from the retrieved datasets to provide a smooth and reliable overview of the recognition of Women's Protection in Indian society. Extinguish the fire

II. LITERATURE REVIEW

People often express their views freely on social media about what they feel about the Indian society and the politicians that claim that Indian cities are safe for women [1]. On social media websites, people can freely express their viewpoints and women can share their experiences where they have faced sexual harassment or where they would have fought back against the sexual harassment that was imposed on them [2]. The tweets about the safety of women and stories of standing up against sexual harassment further motivate other women to data on the same social media website or application like Twitter. Other

women share these messages and tweets which further motivates other 5 men or 10 women to stand up and raise a voice against people who have made Indian cities unsafe places for the women. Lately, many individuals have been drawn to web-based entertainment stages like Facebook, Twitter, and Instagram, the vast majority of whom use them to communicate their sentiments and assessments about Indian urban areas and towns. There are a few close-to-home strategies that can be gathered into classifications, for example, half and half AI and word reference-based learning. [5] There is one more order introduced by Janta, which incorporates classes of measurable, information base, and age-related separating approaches. It is a common practice to extract the information from the data that is available on social networking through procedures of data extraction, data analysis, and data interpretation methods. The accuracy of the Twitter analysis and prediction can be obtained by the use of behavioral analysis based on social networks.

III. TWITTER ANALYSIS

As People impart and impart their insight effectively on friendly media including Facebook and Twitter, Social organizations can be considered as an ideal stage to find out about individuals' perspectives and opinions in regards to various occasions. There exist several opinion-oriented information gathering and analytics systems that aim to extract people's opinions regarding different topics. Since Twitter contains short texts, individuals will generally utilize various words and contractions. These expressions are challenging to handily separate their feeling by current NLP frameworks. In this way, numerous analysts have utilized profound learning and AI strategies to concentrate and mine the extremity of the expressions

IV. IMPLEMENTATION OF SENTIMENTAL ANALYSIS OF TWEETS

In this technical paper, the report of the tweets picked up from Twitter API provided by Twitter itself. Due to the presence of Twitter API, there are many techniques available for sentimental analysis of data on social media. Several available libraries were used in this project. Here's how to extract emotions from a tweet:

1. Starting with downloading the wistful word reference
2. Then download the Twitter testing informational collections and add them as a contribution to the program.
3. Clean tweets by eliminating the stop words and monotonous letters.
4. Tokenize each word and dispense solidarity to the words in the dataset and feed it to the program.
5. For each word, contrast it and positive opinions and negative feelings word reference and afterward increase the good count or pessimistic count of the general expression.
6. Finally, given the positive count and negative count, the result rate about feeling to conclude the extremity which is arranged in Good, Pessimistic, and Impartial. Developers have done different sentimental analyses on Twitter for different purposes and a real-time Twitter sentimental analysis of the trending events happening in the world, like races, violations, films, and so on. Figure 1 shows the nostalgic investigation calculation at a more significant level.

As it tends to be found in the calculation, there is a different cycle to interface with the Twitter API and get the tweets. Tweet cleaning or expulsion of stop words then grouping the tweets which means get the extremity of the tweet, lastly return the outcomes will be the later stage.

Algorithm 1 Extract Twitter sentiment

```

1: procedure TWITTER-CONNECTION()
2:   consumer - key = 'xxxxxxxx'
3:   consumer - secret = 'xxxxxxxx'
4:   access - token = 'xxxxxxxx'
5:   access - token - secret = 'xxxxxxxx'
6:   self.auth = OAuthHandler(consumer - key, consumer -
7:   self.auth.set - access - token(access - token, access - to
8:   self.api = tweepy.API(self.auth)
9: end procedure
10:
11: procedure TWEET-CLEANING(t)
12:   tweet = t.remove - Stop - words
13:   Return tweet
14: end procedure
15:
16: procedure TWEET-CLASSIFICATION(t)
17:   t = Tweet - Cleaning(t)
18:   tweet - polarity = t.sentiment.polarity
19:   tweet - polarity
20: end procedure
21:
22: procedure GET-TWEETS(q, count)
23:   fetched - tweets = self.api.search(q = query, count = co
24:   Return fetched - tweets
25: end procedure

```

Fig. 1. Sample code on a high-level programming

A. Initial Setup

In this article, Python does some coveted research. Several bundles were used, such as Tweepy and Textblob. libraries are introduced in the following order.

- 1] pip install tweepy
- 2] pip install textblob

The subsequent advance is downloading the word reference by running the accompanying order:

```
python -m textblob.download corpora.
```

B. The text mass is a python library for regular language handling and it utilizes NLTK. Corpora is an organized arrangement of texts/words for investigating tweets.

C. Connecting to the Twitter API

To associate with the Twitter API and question most recent tweets to store them in the data set, make a record on Twitter apps.twitter.com/application/new and produce the programming interface keys expected to channel the program. The application settings are displayed in figure 2. Because of security reasons the API keys are not shown.



Fig. 2. Twitter API application website

D. Result

The following shows the example result of the program for the 'assault' as a question in light of the last 300 tweets from Twitter. Positive tweets percentage: 8.3%

Negative tweets percentage: 72.13%

Neutral tweets percentage: 66.67%

Few Sample Tweets picked up from the database are:
 <tweet>="@BinaNeptram Sexual assaults on women #Manipur #NortheastIndia happening since the armed conflict started 1960s~In a region where hundreds thousands armed forces operate under #AFSPA with impunity sanctioned by parliament, NONE in #uniform accused of #rape punished in 50 years #MeTooIndia #MeToo" <tweet>="@Stateless1 Orphans, Rape Victims in evacuee camp interest 'Worldwide Protection and justice #Refugees #WithRefugees #Rape #M Yanmar #Bangladesh" <tweet>="@So annihilating to hear unmistakable figures named in the #MeToomovement After some enormous names like #NanaPatekar and #AlokNath, presently #KailashKher?scared of watching the news " Blow is sentimental scores as per our implementation. City Safety chart for women based on tweets mined (in%).



D. Final Report

The program run at various times yields different results on each occasion with a little change, in light of the tweets brought. Running the program multiple times and these outcomes are normal for the sequential results.

Expecting the unprejudiced tweets are on a very basic level high, infers that people have a lower interest in the direct and are not prepared toward has a positive/pessimistic side on it. This is moreover essential to determine that depending upon the data of the assessment different results heard as people's perspectives would change depending upon the circumstances for example attack news transforms into the most moving understanding about the year 2017. For specific requests, the impartial tweets are more than 60% which clearly shows the requirement of the viewpoints. By the above assessment is done, it will in general be communicated Delhi is the safeguarded city.




Fig. 4. Chart Based on Tweets

V. CONCLUSION

All through the paper, the different AI calculations can assist us with getting sorted out and breaking down the immense measure of Twitter information acquired including a great many tweets and instant messages shared consistently. These AI calculations are exceptionally successful and valuable with regards to dissecting of huge measure of information including the SPC calculation and straight mathematical Component Model methodologies which help to additionally classify the information into significant gatherings. Support vector machines are one more type of AI calculation that is extremely well known for extricating Helpful data from Twitter and finding out about the situation with ladies' security in Indian urban communities.

REFERENCES

- [1] Agarwal, Apoorv, Fadi Biadisy, and Kathleen R. Mckeown. "Contextual phrase-level polarity analysis using lexical affect scoring and syntactic n-grams." Proceedings of the 12th Conference of the European Chapter of the Association for Computational Linguistics. Association for Computational Linguistics, 2009.
- [2] Barbosa, Luciano, and Junlan Feng. "Robust sentiment detection on Twitter from biased and noisy data." Proceedings of the 23rd international conference on computational linguistics: posters. Association for Computational Linguistics, 2010.
- [3] Bermingham, Adam, and Alan F. Smeaton. "Classifying sentiment in microblogs: is brevity an advantage?" Proceedings of the 19th ACM international conference on Information and knowledge management. ACM, 2010.
- [4] Gamon, Michael. "Sentiment classification on customer feedback data: noisy data, large feature vectors, and the role of linguistic analysis." Proceedings of the 20th international conference on Computational Linguistics. Association for Computational Linguistics, 2004.
- [5] Kim, Soo-Min, and Eduard Hovy. "Determining the sentiment of opinions." Proceedings of the 20th international conference on Computational Linguistics. Association for Computational Linguistics, 2004.
- [6] Klein, Dan, and Christopher D. Manning. "Accurate unlexicalized parsing." Proceedings of the 41st Annual Meeting on Association for Computational Linguistics-Volume 1. Association for Computational Linguistics, 2000.
- [7] Charniak, Eugene, and Mark Johnson. "Coarse-to-fine n-best parsing and MaxEnt discriminative reranking." Proceedings of the 43rd annual meeting on association for computational linguistics. Association for Computational Linguistics, 2005.
- [8] Gupta, B., Negi, M., Vishwakarma, K., Rawat, G., & Badhani, P. (2017). Study of Twitter sentiment analysis using machine learning algorithms on Python. International Journal of Computer Applications, 165(9), 0975-8887.
- [9] Sahayak, V., Shete, V., & Pathan, A. (2015). Sentiment analysis on Twitter data. International Journal of Innovative Research in Advanced Engineering (IJIRAE), 2(1), 178-183.
- [10] Mangain, N., Mehta, E., Mittal, A., & Bhatt, G. (2016, March). Sentiment analysis of top colleges in India using Twitter data. In Computational Techniques in Information and Communication

Technologies (ICCTICT), 2016 International Conference on (pp. 525-530). IEEE.

[11] Deepak Kumar, Shivani Aggarwal Analysis of women of Safety in Indian Cities Using machine learning on tweets 2019 IEEE.

[12] Khadija Abdul Sattar, Qasem Obeidat, Mohammed Akure. Towards harnessing based learning algorithms for tweets sentiment analysis international conference of innovation and intelligence for informatics Computing and technology 2020.

[13] F. Bravo-Marquez, B. Pfahringer, S. Mohammad and E. Frank, "Affective Tweets: a Weka Package for Analysing effect in Tweets", Journal of Machine Learning Research, vol. 20, no. 92, pp. 1-6, 2020.

[14] P. Anbumani and R. Dhanapal, "Review on Privacy Preservation Methods in Data Mining Based on Fuzzy Based Techniques," 2020 2nd International Conference on Advances in Computing, Communication Control and Networking ICACCCN), Greater Noida, India, 2020, pp. 689-694.

