ISSN: 2320-2882

IJCRT.ORG



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Ethno Medicinal Plants used as Hepatoprotective by tribes at Adoni Region Kurnool District AP.

1.S. Swarupa Rani Dept. of Botany, G.V.R.S Govt Degree College Dhone 2.S.Lakshman Kumar Dept of Biotechnology, A.A.S. college ,Adoni.

Abstract:-

An Ethno botanical survey was undertaken to collect the information from tribal people using medicinal plants for the treatment of Jaundice in Adoni area, Kurnool District, A.P. during the year of 2014-2016. Ethnobotanical data was obtained through questioneers and personal interviews during several field trips. The study revealed that many medicinal plants were used by tribes for different ailments like fevers, cold cough, fractures Inflammations. Jaundice etc., the tribals using different plant parts as drugs. Some of the plants were used as Hepatoprotective their phyto chemicals were screened out for the identification of secondary metabolites.

Key Words : Ethnobotanicals, Jaundice, Medicinal uses, screening techniques, secondary metabolites

Introduction :-

Ethnobotany is a multidisciplinary science which is defined as the interaction between plants and people, plants have been used in traditional medicine for several thousand years. People all over the world are still dependent on the traditional plant based healing practices as it is cheap and easily available. Rural people and tribal communities who live in the forest area predominantly depend up on locally available medicinal plants to take care of their health and has become an integral part of their culture.

An attempt has been made to bring into light Ethnobotanicals used by ethenic tribes like Sugali, Yerukala and Yandi at Adoni area. In this present study identified some of the medicinal plants were used for Jaundice by the tribes. It was found through personal interviews, proper documentation was made and their medicinal uses were recorded for the use of future generations. The objective of the present study is to mainly focus on the hidden, unexplored valuable knowledge with the tribal people secondly to aware the mankind about the value of vegetation and to give further research scope in the field of ethnobotany and phytochemistry. Study Area:- Adoni occupies nearly 8.31% area in Kurnool District sitatued 103 Kms from Kurnool 80 Kms from Bellary, Raichur. Maximum temp is 34.3°C. normal rainfall 6.59 millimeters annually. Second important town in Kurnool district is selected for the present study Ethnobotonical Survey:-

Extensive field trips were conducted from 2014 to 16. Places like Pattikonda, Devenakonda, Nernike, Alur selected for exploration studies necessary information was collected through interviews and discussion with the local tribes and local practitioners. The collected information includes useful plant species with local names, parts of the plants used for curing different ailments. The scientific names, families were identified Herbarium was prepared and deposited inthe Dept., of Botany out of 70 plants identified medicinal plants used for Jaundice were subjected to solvent extractions. Their medicinal uses were recorded and their secondary metabolites were extracted.

Materials and Methods:- Plant sps were collected and washed thoroughly under tap water and subjected to shade dried leaves were separated and grinded into coarse powder. They were stored in polythene bags for further use. 60 to 100 gms. of coarse powder was taken into soxhlet extraction. Solvents are used and extraction was done 6^h until to get crude extract. The crude was collected to small beakers and they were used for phytochemical screening".

In the second method aqueous extracts were prepared by dissolving 10 gms of powder in 100 ml of distilled water and kept incubation for 72 hours extract were filleted through muslin cloth and filtrate is subjected to phytochemical screening crude and aqueous extracts were tested for 10 secondary metabolites.

Results and Discussions:- In the present investigation 7 medicinal plants were identified which were used for Jaundice medicinal plants were collected and their medicinal uses scientific names parts used were recorded. Jaundice is a disease in which there is yellowish staining of the tissues and excretion with bile. Hepatoprotive means a drug which protects the liver. Person infected with Jaundice their liver functioning will be slow. These herbal leaf extracts are mixed with other ingredients and would be used during Jaundice. The following table reveals the medicinal uses for the ethnobotanicals.

S.No.	Name of the	Scientific name	Family	Parts used	Medicinal		
	Plant		·		uses.		
1					Iaundice		
1	Nela Usiri	Phyllanthus amarus	Euphobiaceae	Whole plant	Hiccups		
2	Chitramulam	Disculture and a low	Plumbagi	Deet	Jaundice		
		Plumbago zeylanica	-nacease	KOOL	Wounds		
3		T 11 11 4	7 1 11		Jaundice		
	Palleru	Tribullus terrestris	Zygo phyllaceae	Whole Plant	Mouthulcers		
4					Jaundice		
	Tummi	Leucas aspera	Lamiaceae	Leaf	Paralysis		
		I I I I I I I I I I I I I I I I I I I			Stomach Pain		
5	A (1 1	A 1 ('1 ' 1'	N 1	T C	Jaundice Piles		
	Atibala	Abutilon indicum	Malvaceae	Lear	fevers		
6					Jaundice		
	Uttareni	Achyranthus aspera	Amarantha -ceae	Leaf	Asthma Cough		
					Kidney stones		
7	Description		N	W/h = 1 = Dl = = 4	Liver Jaundice		
	Punarnava	Boernavia diffusa	Nyctangi -naceae	whole Plant	inflammation		

Table No. 1

Table No. 2

S.No.	Plant Name	PT	SOL	Alk	Aq	Cu	Gly	Plv	Sap	STE	TA	JER	PHE	Oils
1	Phyllanthus amarus	L	PE	+	í	+	-	+	-	-	+	+	+	-
			ET	+	-	+	-	+	-	-	+	+	+	-
			AQ	+		+	I	+	-	-	+	+	+	-
2	Plumbago zeylanica	RT	PE	•	-	+	-	-	-	4	•		+	++
			ET	-	þ	+	++	+	Ż	++	++	-	+	1 -
			AQ	-	-	+	++	-	+	+	+	-	+ ,	/
3	Tribullus terrestris	L	PE	+	-	+		-	Y	-	-	Ŧ		-
			ET	+	•	+	+	+	-		+	+	1	-
			AQ	+	-	+	+	+	+	-	+	+	ł	-
4	Leucas aspera	L	PE	+	1	+	l	+	-	+	4	ž	ĥ	++
			ET	+	-	+	+	+	1		+	Ą.	-	-
			AQ	+	-	+	+	+	-	÷	+	-	-	-
5	Abutilon indicum	L	PE	•	-	+	+	+		•	1	-	-	-
			ET	+		+	+	+	-	+	+	-	+	-
			AQ	-	-	+	+	-	+	+	+	-	-	-
6	Achyranthus aspera	L	PE	+	-	+	+	+	-	+	-	-	+	-
			ET	+	-	+	-	+	-	+	-	-	+	-
			AQ	+	-	+	-	+	-	+	+	-	+	-
7	Boerhavia diffusa	L	PE	+	+	+	+	+	-	++	-	++	+	-
			ET	++	+	+	-	+	-	-	++	-	+	-
			AQ	++	++	+	-	++	++	-	++	++	+	-

Note : PT : Plant Part used

Phytochemicals are naturally occuring chemical compounds present in plants. They are in the form of secondary metabolites. Secondary metabolites are the organic substances acts in defensive mechanisms soxhlet extraction of phytochemicals from the tested species reveals table-2 coumarins are present in all tested species. Next flavonoids, glycosides and alkaloids are present. Coumarins are important class of photochemicals they have biological significance they are used to cure different diseases. Coumarins have strong pharmacological activity, low toxicity and side effects. They have antiviral and antifungal and antiinflamonatary properties they have been increasingly attracting special intrest due to their outstanding contributions in the prevension andtreatment of diseases.

Flavonoids used as anti allergic, antiviral hepatoprotective, anti cancer. It has antioxidant properties. Now a days flavonoids considered as indispensable component in a variety of pharmaceutical, medicinal and cosmetic applications they have antimicrotial defensive compounds. Glyocosides have therapeutic effect in human and animals as they are used in traditional and modern medicine they have hepatoprotective, cardiac, laxative and puragative properties.

Alkaloids are important class of secondary metabolites imparts medicinal value to the plants they have diversified pharmacological actions anti inflamnatory, antispasmodic, anti microcial, hepatoprotective in function. Analgesic antimalarial, anti tumour expectorant used to treat chronic bronchitis actions. In the second order of priority tannins, phenols and terpinoids are present. Tannins and terpinoids attributed to analgesic and anti inflammatory activities. Tannins have antiviral, anti bacterial properties. Phenols have pharmacological as well as health benifits. They are antiseptic, antibacterial and anticancer properties. Steroids are present only in 3 tested species other metabolites like saponins, oils and anthroquinones are almost absent. Boerhavia shows anthroquinones. By the above study it is clear that 7 medicinal plants have curative properties due to presense of bio active principle compounds couramins. Flavonoids, alkaloids, glycosides, tannins, terpenoids and phenols. These impart medicinal properties to all the 7 species and used as hepatoprotective in jaundice.

CONCLUSION:- The present investigation reveals medicinal plants used by tribes of Adoni area for jaundice they have hepaprotective properties due to presence of secondary metabolites. It was identified through screening techniques. Besides jaundice 7 tested species were also used in other diseases like cancer, ashma, paralysis, ulcers, stomach pains etc and rich antioxidant properties. Knowledge and use of herbal medicine for treatment of various ailments among the local people still part of their life and culture it is important to study and document the traditional knowledge pharmacologists, phytochemists must come forward to expedite drug discovery through screening of secondary metabolites.

REFERENCES:

1. Amarasingham et al. 1964 Phytochemical Survey of Malaya part III. Alkaloids and Saponins. J. Econ.Bot. 18; 270-278.

2. Waltor H.F. Principles and Methods of Chemical analysis. Prentice- Hall of Pvt. India Ltd., New Delhi. 1971.

3. Satyavati GV, Gupta AK, Tandan N. Medicinal Plants of India, Indian Council of Medical Research, New Delhi India, 1987.

4. Venktaraju RR, Pullaiah T. Flora of Kurnool. Bisher Singh Mahendrapal Singh, Dehradun 1995.

5. WHO. General guidelines for methodologies as research and evaluation of traditional medicine, Genera, Swtlzerland 2000; 71.

6. Jeevan.R and Raju RRV. Certain potential crude drugs used by Tribals of Nallamalais. Andhra Pradesh. Ethnobotamy. 2001.

7. Venkataratnam K, Venkata Raju RR. Folk Medicine from Gundla brahmeswaram wild life sanctuary Andhra Pradesh, India. Ethnobot, 2004.

8. Sati SC, Sati N, Rawat U, Sati OP. Medicinal plants as a source of antioxidants. Res J Phytochens 2016; 4; 213 – 224.

ACKNOWLEDGEMENT : The authors are grateful to the UGC sero Hyderabad for providing financial assistance to complete minor research project with in stipulated time and we are also thankful to K.Venkatarathnam Asst prof, R.U., Kurnool for his help in doing phyto chemical studies and special thanks to tribals for giving necessary information during interviews.

