ISSN: 2320-2882

IJCRT.ORG



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Amavata- A Review Study

Dr. Govind prasad gupta

Professor & H.O.D. Dept. Of Rog vigyan

Dr. S.R. Rajasthan Ayurved University, Jodhpur

Abstract- Ayurvedic philosophy describes Amavata with symptoms complex similar to many Rheumat ic diseases decribed in modern classics .In Ayurveda etiology,pathogenesis.sign and symptoms etc. of the di seases, are being used as diagnostic tools to diagnose the disease.So in this article a effort has been made to diagnose the disease and prevent the disease Amavata by elaborating the Nidana,Rupa,Samprapti,Sadhya as adhyata and Pathya apathy of this disease Ayurveda links this disease with the diathesis of Agni which in te rm leads to accumulation of a variety of byproducts of faulty digestion and metabolism in the system. Such morbid mentioned pathophysiology and specific target of therapeutic intervention in Amavata is around Ag ni and Ama. .Rheumatoid arthritis is a disease in which the immunological reactions are supposed to be initi ated by a triggering agent. The triggering agent will be of either exogenous antigen or endogenous antigen b y nature. The factor which supports the exogenous antigenicity of Ama is its protein and bacterial content. T he formation of Ama in the circulation by the combination of excessively vitiated Doshas, explains the endo genous production of Ama.

Keywords - Amavata,,Nidana, Rheumatoid arthritis, Rupa, Samprapti.

Introduction- Amavata as a specific disease entity came into existence first time by madhavkar(900 AD), who described the distinct etiopathogenesis and symptomatology for it and devoted a full chapter on this dise ase in Madhav nidana. Ayurvedic philosophy describes Amavata with symptom complex similar to many of R heumatic diseases described in modern classics. Amavata (Rheumatic disorders) does not cause much mortality but they significantly contributes to the morbidity and affects the quality of life.

Etiology (nidana) Of Amavata

Nidana of Amavata can be described under two following headings-

- **1.** Indirect causes
- 2. Direct causes

JCR

• Indirect causes- This includes 1. Causes of Amotpatti

2. Causes of Vata prakopa

Causes of Amotpatti-

Dietetic Indiscretions: Abstenance from food, over eating, indigestion, *viruddhahar* (unwholesome foo d), heavy or indigestable food, cold foob, excessively dry dehydrated and putrid food.

Adverse effects of therapeutic measures- Like *virechan* (purgation), *Vamana* (emesis) and *snehan* (ol eation)

Incompatibility- Incompatibility of climate, culture and weather.

Volitional inhibition of natural urge.

Psychological factors- Envy, fear, complex, anger, greed, jealous, delusion, depression, anxiety etc

All these factors affect the *Jathragni* directly to *agnimandya* and leads to formation of *Ama*. However in the presence of Deeptagni (good appetite) Amotpatti may take place to Adhyashana(over eating) 5.The dietetic indiscretion and emotional stresses impair the effective functioning of the neurohumoral mecha nisms responsible for ensuring proper secretion of difestive juices. The consequence of the hyposecretion of d igestive juices and retarded or sluggish gastrointestinal motility leads to fermentation (*shuktatwa*), production of foul odour (*durgandhatwa*) and extreme pastiness(*Bahu Picchilatvam*)of *Ahara ras3*. The fermentation mig ht be due to starch and carbohydrate components of food and foul odour and pastiness might be due to purific ation of protein components. The outcome of these changes attain toxicity and can be called as *Ama visha*⁻².

Causes of vata prakopa- The causes for vataprakopa are as follows-4

1.Indescretion of Ahara- a, Consuming Laghu, Ruksha, Sheeta Ahara

- b. Alpa Ahara sevana
- C. Langhana
- 2.Indescretion of Vihara- a. Vyayama
 - b.Prajagrana
 - c.Panchkarma
 - d. Plavana
 - e. Vyavaya
 - f. Vegdharana
- 3. Dhatukshya
- 4.Ama Rasa
- 5 Mansika vikaras such as chinta shoka
- 6. Abhighata

www.ijcrt.org

Direct causes The specific causes for Amavataas follows-

- 1. Viruddhahara (Incompatible diet)- One must take proper diet according to his own agnibala..1
- 2. Mandagni -(Reduced state of agni) Mandagni leads to hypo functioning of digestion(Jathragni) and metabolism (Dhatwagni and Bhutagni).
- 3. Anishchalatva (Sedentary mode of life style)- Very lethargic and limited physical activity increases Kapha Dosha and this leads to the production of Ama.
- 4. Vyayam soon after consuming snigdha Ahara performing exercise immediately after consuming high caloric fatty diet is also a causative factor for this disease.

Pathogenesis(Samprapti)-	Nidana sevan							
	\square							
Ama and vata produc	ing nidana + Mental status + Specific nidana of Amavata							
and the second se	\checkmark							
	Mandagni (Jathragni)							
	Ţ							
	Amarasa(Sthula) (Dhatwagnimandaya							
and the second second	Amarasa Dhatu							
	Ţ.							
	Goes to Shleshma sthana							
	\checkmark							
	Atividagdhata (further vitiation)							
	Tridosha							
	Nanavarna atipicchila							
	\bigcup							
	Circulation							
	Srotobhishyanda(obstruction of the channel)							
	\Box							

Prodromal stage(Daurbalya,Hridgaurava etc.)

 ∇

Amavata with Gatra stabdhata etc.

Prodromal symptoms(Purvarupa)- Shiroruja (headache) and Gatraruja (bodyache) have been mentioned as pu rvrupa.

Signs and symptoms (Rupa) of Amavata

General symptoms (samanya lakshana)- Angmarda(bodyache), Aruchi (anorexia), Trishna (thirst), Alasya (mal aise), Gaurav (heaviness of the body), Jawar (fever), Apaka(indigestion) and Angshunta (swelling of the body parts)

Specific symptoms (pravriddha lakshna)- when the disease is in its full swing it is very dreadful having follow ing features.

- Sandhi saruja shotha- pain and swelling of joints.
- > Vrishchika dansh vedna-affected part is extremely painful.
- Agni daurbalaya- hypo functioning of digestive system.
- Praseka-excessive salivation.
- Aruchi- anorexia.
- Gaurav-feeling of heaviness.
- Utsaha hani-loss of the drive.
- Vairasya-distaste or bad taste of mouth.
- Daha- burning sensation.
- Bahumutrata-polyuria(increased micturation)
- Kukshiksthinya-hardness of abdomen.
- Shulam-pain in abdomen.
- Nidraviparyaya-reversal of normal sleeping habits.
- Trishna-excessive thirst.
- Chardi- vomiting .
- ➢ Bharma-vertigo.
- Murccha-fainting.
- > Hridgraha-precordial discomfortlike palpitation, angina etc.
- Vid vibaddhatwama-constipation.
- Jadya-stiffness .
- > Antrakunjana- intestinal gurdling sound.
- Anaha- tympanitis.

Doshanubandhi Lakshnas-

- ➢ Vatanubandhi Amavata- predominance of sashulam (severe pain).
- Pittanubandhi Amavata-predominance of sadahragam(redness and pain).
- KaphanubandhiAmavata-predominance of staimitya(feeling of being covered with wet cloths),guruta(heaviness) and kandu(itching).

Sadhya asadhyata-

When one Dosha is involved, the disease(Amavata) is considered curable(Sadhya) but with the involveme nt of two Doshas it becomes palliable(yapya) and when all the three Doshas are involved and there is inflamm ation all over the body ,then the condition is difficult to cure(Kricchasadhya)..

Pathya apathy-

Pathya- Take light and easily digestable food having katu,tikta,lavana rasa,laghu and ushna guna,ushna vir ya,katu vipaka like mung and arhar pulses,chicken meat,toned milk,honey ,daliya etc.

Apathya- Don't take food having madhur,amla and kashaya rasa,guru,sheet,snigdha guna,sheeta virya,mad hur vipaka like chana and udhad (black gram) pulses,curd ,butter milk,jaggery,pork meat etc.

Discussion-

This conceptual study suggests that Ama is an incompatible poroduct of faulty digestion and metabolism attributed to mandagni. Ama is identifiable both at the level of digestiom and metabolism with varying attribut es.Ama as such appears to be an antigenic material, also designated as Ama Dosha/Ama visha. Ama is the root cause of many diseases. Ama also plays an important role in producing disease Amavata.

By considering all the points these following facts may be concluded regarding the role of Ama in the pat hogenesis of Amavata.

•*Ama* is supposed to act as an exogenous antigen by virtue of its protein and bacterial floracontents.

- •*Ama* as an antigen possesses the potency to induce immunological reaction in a susceptible individual
- Ama can also be generated with in the body by virtue of excessively vitiated Dosas.

Amavata is generally correlated to Rheumatoid arthritis only, but we can also include other arthritides in Am avata when we go to the all singn and symtoms of Amavata that is described in Madhav nidan.

Amavata	Sjogrens syndrome	Reiters sy ndrome	Fibro m yalgia	Ankylosing spondylitis	IBS art hritis	Feltys sy ndrome
Sandhishula(joint pain)	+	+	+	+	+	+
Gatrastabdhta(body stiff	+	+	+	+	+	+
ness)						
Angshunta(numbness)	+	+	+	+	-	+
Angmarda(pain of body	+	+	+	+	+	+
parts)						
Aruchi(anorexia)	+	+	-	-	+	+
Daurbalya(weakness)	+	+	+	+	+	+
Gaurav (heaviness)	+	+	+	+	+	+
Shirshula(headache)	+	+	+	+	+	+
Bahumutrata(polyurea)	-	+	-	-	-	-
Bhrama (vertigo)	+	+	-	+	+	+
Murccha(faintnrss)	-	-	-	-	-	-
Hridgraha(pain of heart)	+	+	+	+	-	+
Jwara(fever)	+	+	+	+	+	+

IJCRT2407236 International Journal of Creative Research Thoughts (IJCRT) <u>www.ijcrt.org</u> b926

www.ijcrt.org		U a		volume 12, is	ssue / July	2024 155N	: 23/
Trishna(thirst)	-	+	-	-	+	-	
Alasya(listlessness)	+	+	+	+	+	+	
Anaha(flatulence)	-	+	-	+	+	-	
Nidranasha(disturbed sl	+	-	+	+	-	-	
eep)							
Utsah hani(lack of +		+	+	+	+	+	
vigour)							
Asayavairasya(perverte		+	-	+	+	-	1
+							
d taste+)							
Apaka(indigestion)	+	+	+	+	+	-]
Vibandhta(constipation)	-	+	+	+	+	-	

© 2024 IJCRT | Volume 12, Issue 7 July 2024 | ISSN: 2320-2882

Table 1 Showing Resemblance of Amavata with other Rheumatic diseases

Conclusions- Amavata as a constitutional disorders has been described eith a distinct etiopathogenesis hav ing Ama, an incompatible product of digestion and this is the main cause of producing disease Amavata..The f ormation of Ama in the circulation by the combination of excessively vitiated Doshas explains the endogenou s production of Ama. A careful review of literature on Ama and Amavata has revealed certain important obser vations. The disease Amavata has been identified as "Swanamakytha Rog Vishesha" a rare example where the name of the disease is presented with the names of the same disease causing factors.Amavata includes so man y characters of other arthritis like Ankylosing sponylitis,IBS-Athritis etc.

References-

www.ijort.org

1..Agnivesha, Charak samhita, Shastri K.N; Chaturvedi G.N; charak samhita 8 ed. c. su. 5/3,4,7,8,13 and c.su. 26/85-103) Chaukhambha bharti academy Varanasi 1981.

- 2Vagbhatt, Ashtang Hridaya with Sanskrit commentary of Indu.,Sharma shivprasad Su. 13/25,chukha mbha Sanskrit series Varanasi 2012
- 3.Singh R.H;Ayurveda nidana chikitsa ke sidhant1ed. Chaukhambha amar bharti prakashan varanasi19 83.
- 4.Madhvkar, madhav nidana with madhukosh vyakhya Shastri S ,25ed.Adhyaya 22/ 1-4,chukhambha Sanskrit series office Varanasi 1995.
- 5. sushruta samhita Shastri A.D,8ed. Chaukhambha Sanskrit series office varansai 1993